



---

# **PREMIUM AUDIT**

NAME OF PROJECT	GirlsFren
TOKEN BEP20 ADDRESS	0x9A33DDC2d92808315C81ab0bd7695cA07fB0af95
WEBSITE / TELEGRAM	<a href="https://girlsfren.com">https://girlsfren.com</a>



**DISCLAIMER: PLEASE READ FULL AUDIT**



# IMPORTANT DISCLAIMER

---

I.

## **NOT RESPONSIBLE**

Analytix Audit holds no responsibility for any actions from the project in this audit.

II.

## **NOT GUARANTEE**

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III.

## **INFORMATION**

Analytix Audit researches and provides public information about the project in an easy-to-understand format for the common person.

IV.

## **AUDIT AGREEMENT**

This audit agreement does not guarantee ANY illicit actions by the project team and does not serve as an advocacy for the project.

V.

## **NO ADVICE**

Analytix Audit in no way takes responsibility for any losses, not does Analytix Audit encourage any speculative investments.

VI.

## **DISCLAIMER**

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.


# TOKENOMICS - OVERVIEW



More than 15% tokens are unlocked

(This comment refers to when the audit was carried out maybe team locked tokens later)

# CONTRACT CODE - PRIVILEGES



- **Mint:** Owner cannot mint new tokens
- **Fees:** Owner can't change fees over 5%
- **Trading:** Owner can't change trading status  
(Owner has to enable it)
- **Max Tx:** Owner can change maxTx with limits
- **Max Wallet:** Owner can change max wallet with  
limits
- **Blacklist:** Owner cannot blacklist wallet

# Owner Privileges:

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least 'value'.
523 * - the called Solidity function must be 'payable'.
524 *
525 * _Available since v3.1._
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537 * with `errorMessage` as a fallback revert reason when `target` reverts.
538 *
539 * _Available since v3.1._
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call(value: value)(data);
```

```
function authorize(address adr) public onlyOwner {
function unauthorize(address adr) public onlyOwner {
function transferOwnership(address payable adr) public onlyOwner {
function rescueERC20(address tokenAddress, uint256 amount) external onlyOwner returns (bool) {
function tradingStatus(bool _status) external onlyOwner {
function updateF (uint256 _number) external onlyOwner {
function setAutomatedMarketMakerPair(address _pair, bool _value) public onlyOwner {
function clearStuckBalance() external authorized {
function setTxLimit(uint256 amount) external authorized {
function setMaxWallet(uint256 amount) external authorized {
function setIsFeeExempt(address holder, bool exempt) external authorized {
function setIsTxLimitExempt(address holder, bool exempt) external authorized {
function setIsMaxWalletExempt(address holder, bool exempt) external authorized { function
setBuyFees(uint256 _liquidityFee, uint256 _marketingFee, uint256 _stakingFee, uint256 _feeDenominator)
external authorized {
function setSellFees(uint256 _liquidityFee, uint256 _marketingFee, uint256 _stakingFee, uint256
_feeDenominator) external authorized {
function setTransferFee(uint256 _transferFee) external authorized {
function setFeeReceivers(address _autoLiquidityReceiver, address _marketingFeeReceiver, address
_stakingFeeReceiver) external authorized {
function setSwapBackSettings(bool _enabled, uint256 _amount) external authorized {
```

# Issue Checking:

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

**PASSED**

# WEBSITE - OVERVIEW



## 🕒 Domain Registration:

1 year (2023-01-23)

## SSL CERTIFICATE: A

(<https://www.ssllabs.com>)

# **SOCIAL MEDIA - OVERVIEW**



**GIRLSFREN**



**GIRLSFREN22**



**GIRLSFREN.COM**