

PREMIUM AUDIT

NAME OF PROJECT	Floki Pirate
TOKEN BEP20 ADDRESS	0x1Df869479064e827f2af9ACa93509C367ae5465B
WEBSITE / TELEGRAM	https://flokipirate.baby



DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

I. NOT RESPONSABLE Our audit report is not responsible for anything if the project audited turn into a scam.

II. NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III. INFORMATION

Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREE

Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam

٧.


ENCOURAGE INVESTMENT Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments

۷١.

INFORMATION

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - OVERVIEW

```
* Requirements:

* The calling contract must have an ETH balance of at least 'value'.

* The called Solidity function must be 'payable'.

* Available since v3.1._

*/

function functionCallWithValue(
    address target,
    bytes memory data,
    uint250 value

internal return (bytes memory) {
    return functionCallWithValue(target, data, value, "Address: low-level call with value failed");

* @dev Same as (xref-Address-functionCallWithValue-address-bytes-uint256-)['functionCallWithValue'], but

* with 'errorWessage' as a fallback revert reason when 'target' reverts.

* Available since v3.1._

* function functionCallWithValue(
    address target,
    bytes memory data,
    uint250 value,

string memory errorWessage

internal returns (bytes memory) {
    require(address(this).balance >= value, "Address: insufficient balance for call");
    require(isContract(target), "Address: call to non-contract");

(bool success, bytes memory returndata) = target.call{value}: value}(data);
```

QUICK REVIEW

- Owner can NOT mint new tokens.
 - Owner can set fees up to 25%

Fees:

Liquidity: 1%

Marketing: 1%

Reward: 10%

 Contract has been deployed from pinksale launchpad

Owner Privileges:

function renounceOwnership() public virtual onlyOwner function transferOwnership(address newOwner) public virtual onlyOwner function distributeCAKEDividends(uint256 amount) public onlyOwner { function excludeFromDividends(address account) external onlyOwner { function updateClaimWait(uint256 newClaimWait) external onlyOwner { function updateMinimumTokenBalanceForDividends(uint256 amount) external onlyOwner function setBalance(address payable account, uint256 newBalance) external onlyOwner function processAccount(address payable account, bool automatic) public onlyOwner function setEnableAntiBot(bool _enable) external onlyOwner { function setSwapTokensAtAmount(uint256 amount) external onlyOwner { function updateDividendTracker(address newAddress) public onlyOwner { function updateUniswapV2Router(address newAddress) public onlyOwner { function excludeFromFees(address account, bool excluded) public onlyOwner { function setMarketingWallet(address payable wallet) external onlyOwner { function setTokenRewardsFee(uint256 value) external onlyOwner { function setLiquiditFee(uint256 value) external onlyOwner { function setMarketingFee(uint256 value) external onlyOwner { function setAutomatedMarketMakerPair(address pair, bool valu public onlyOwner function updateGasForProcessing(uint256 newValue) public onlyOwner { function updateClaimWait(uint256 claimWait) external onlyOwner { function excludeFromDividends(address account) external onlyOwner {


Issue Checking:

Ν°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

PASSED

WEBSITE - OVERVIEW



Domain Registration: 2022-02-03

11 days old

SSL CERTIFICATE: A

(https://www.ssllabs.com)


SOCIAL MEDIA - OVERVIEW



FLOKIPIRATEBABY



FLOKIPIRATEBABY



FLOKIPIRATE.BABY