



PREMIUM AUDIT

| | |
|---------------------|---|
| NAME OF PROJECT | XODEX |
| TOKEN BEP20 ADDRESS | 0xddD9d7D280c78b564C55BEb26562E367d4b9Bd8a |
| WEBSITE / TELEGRAM | https://www.xo-dex.com |



DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

I.

NOT RESPONSIBLE

Our audit report is not responsible for anything if the project audited turn into a scam.

II.

NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III.

INFORMATION

Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREE

Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam

V.

ENCOURAGE INVESTMENT


Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments

VI.

INFORMATION

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



CONTRACT CODE - OVERVIEW



QUICK REVIEW

- Owner can modify fees up to 25%
- Owner can set Tx Limits.

Owner Privileges:

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least `value`.
523 * - the called Solidity function must be `payable`.
524 *
525 * _Available since v3.1._
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537 * with `errorMessage` as a fallback revert reason when `target` reverts.
538 *
539 * _Available since v3.1._
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call(value: value)(data);
```

```
function renounceOwnership() public virtual onlyOwner {
function transferOwnership(address newOwner) public virtual onlyOwner {
function updateUniswapV2Router(address newAddress) public onlyOwner {
function excludeFromFees(address account, bool excluded) public onlyOwner {
function excludeMultipleAccountsFromFees(address[] memory accounts, bool excluded) public
    onlyOwner {
function setMarketingWallet(address payable wallet) external onlyOwner{
function setBuyBackAndBurnWallet(address payable wallet) external onlyOwner{
function setCharityWallet(address payable wallet) external onlyOwner{
function setStakingRewardWallet(address payable wallet) external onlyOwner{
function setMarketingFee(uint256 value) external onlyOwner{
function setBuyBackAndBurnFee(uint256 value) external onlyOwner{ function setCharityFee(uint256
    value) external onlyOwner{
function setStakingRewardFee(uint256 value) external onlyOwner{
function setSwapTokenLimit(uint256 value) external onlyOwner{
function setMaxTransactionAmount(uint256 value) external onlyOwner{
function setAutomatedMarketMakerPair(address pair, bool value) public onlyOwner {
function blacklistAddress(address account, bool value) external onlyOwner{
    (Owner can blacklist address)
function updateDelayedBlocks(uint256 _blocks) public onlyOwner {
```


Issue Checking:

| N° | Issue description. | Checking Status. |
|----|---|------------------|
| 1 | Compiler Errors | Passed |
| 2 | Race conditions and Reentrancy. Cross-function race conditions. | Passed |
| 3 | Possible delays in data delivery. | Passed |
| 4 | Oracle calls. | Passed |
| 5 | Front running. | Passed |
| 6 | Timestamp dependence. | Passed |
| 7 | Integer Overflow and Underflow. | Passed |
| 8 | DoS with Revert. | Passed |
| 9 | DoS with block gas limit. | Passed |
| 10 | Methods execution permissions. | Passed |
| 11 | Economy model. | Passed |
| 12 | The impact of the exchange rate on the logic. | Passed |
| 13 | Private user data leaks. | Passed |
| 14 | Malicious Event log | Passed |
| 15 | Scoping and Declarations. | Passed |
| 16 | Uninitialized storage pointers. | Passed |
| 17 | Arithmetic accuracy. | Passed |
| 18 | Design Logic. | Passed |
| 19 | Cross-function race conditions. | Passed |
| 20 | Safe Zeppelin module | Passed |
| 21 | Fallback function security. | Passed |

Audit Result:

PASSED

WEBSITE - OVERVIEW



🕒 **Domain Registration: 2022-02-20**

27 days old

SSL CERTIFICATE: A+

(<https://www.ssllabs.com>)

SOCIAL MEDIA - OVERVIEW



XODEXOFFICIALGROUP



XODEXOFFICAL



XO-DEX.COM