



# PREMIUM AUDIT

NAME OF PROJECT	Helping Hands BSC
TOKEN BEP20 ADDRESS	0xAE30492fc8B4d13105Ab105759B94c60223e931E
WEBSITE / TELEGRAM	<a href="http://HelpingHandsbsc.org">http://HelpingHandsbsc.org</a>



**DISCLAIMER: PLEASE READ FULL AUDIT**



# IMPORTANT DISCLAIMER

---

I.

## **NOT RESPONSIBLE**

Our audit report is not responsible for anything if the project audited turn into a scam.

II.

## **NOT GUARANTEE**

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III.

## **INFORMATION**

Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.

IV.

## **AUDIT AGREE**

Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam

V.

## **ENCOURAGE INVESTMENT**


Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments

VI.

## **INFORMATION**

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

# TOKENOMICS - OVERVIEW



(This comment refers to when the audit was carried out maybe team locked tokens later)

# CONTRACT CODE - OVERVIEW



## QUICK REVIEW

- Owner can change fees up to 60%
- Owner can set Tx Limits.

# Owner Privileges:

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least 'value'.
523 * - the called Solidity function must be 'payable'.
524 *
525 * _Available since v3.1._
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[functionCallWithValue], but
537 * with 'errorMessage' as a fallback revert reason when 'target' reverts.
538 *
539 * _Available since v3.1._
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call(value: value)(data);
```

```
function renounceOwnership() public virtual onlyOwner {
function transferOwnership(address newOwner) public virtual onlyOwner {
    function lock(uint256 time) public virtual onlyOwner {
function updatePcsV2Router(address newAddress) public onlyOwner {
    function excludeFromReward(address account) public onlyOwner() {
    function includeInReward(address account) external onlyOwner() {
    function excludeFromFee(address account) public onlyOwner {
    function includeInFee(address account) public onlyOwner {
function setAllFeePercent(uint8 taxFee, uint8 liquidityFee, uint8 burnFee, uint8 walletFee, uint8 buybackFee, uint8
    walletCharityFee, uint8 rewardFee) external onlyOwner() {
function setBuybackUpperLimit(uint256 buyBackLimit) external onlyOwner() {
    function setMaxTxPercent(uint256 maxTxPercent) external onlyOwner() {
function setMaxWalletPercent(uint256 maxWalletPercent) external onlyOwner() {
    function setSwapAndLiquifyEnabled(bool _enabled) public onlyOwner {
    function setFeeWallet(address payable newFeeWallet) external onlyOwner {
function setFeeWalletCharity(address payable newFeeWallet) external onlyOwner {
    function setWalletFeeTokenType(bool inBNB) external onlyOwner {
    function setWalletCharityFeeTokenType(bool inBNB) external onlyOwner {
function setMinimumTokenBalanceForDividends(uint256 _minimumTokenBalanceForDividends) external
    onlyOwner() {
function recoverBEP20(address tokenAddress, uint256 tokenAmount) public onlyOwner {
    function excludeFromDividends(address account) public onlyOwner {
    function updateClaimWait(uint256 newClaimWait) external onlyOwner {
    function updateGasForProcessing(uint256 newValue) public onlyOwner {
function blacklistAddress(address account, bool value) external onlyOwner {
    (Owner can blacklist wallet)
```


# Issue Checking:

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

**PASSED**

# WEBSITE - OVERVIEW



🕒 **Domain Registration: 2022-02-27**

24 days old

**SSL CERTIFICATE: A**

(<https://www.ssllabs.com>)


# **SOCIAL MEDIA - OVERVIEW**



**HELPINGHANDSBSC**



**HELPINGHANDSBSC**



**HELPINGHANDSBSC.ORG**