



PREMIUM AUDIT

NAME OF PROJECT	World Cup Fi
TOKEN BEP20 ADDRESS	0xaa4061bfeebe74fc3a5f5a159406df89bc3f77b0
WEBSITE / TELEGRAM	Worldcupfi.com



DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

I.

NOT RESPONSIBLE

Analytix Audit holds no responsibility for any actions from the project in this audit.

II.

NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III.

INFORMATION

Analytix Audit researches and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREEMENT

This audit agreement does not guarantee ANY illicit actions by the project team and does not serve as an advocacy for the project.

V.

NO ADVICE


Analytix Audit in no way takes responsibility for any losses, not does Analytix Audit encourage any speculative investments.

VI.

DISCLAIMER

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



*More than 15% tokens are unlocked

(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - PRIVILEGES



- **Mint:** Owner can't mint new tokens
- **Fees:** Owner can't change fees over 20%
- **Trading:** Owner can't change trading status
 - *Owner can set cooldown between trades
- **Max Tx:** Owner can change maxTx with limits
- **Max Wallet:** Owner can change max wallet with limits
- **Blacklist:** Owner can't blacklist wallet

Owner Privileges:

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least 'value'.
523 * - the called Solidity function must be 'payable'.
524 *
525 * _Available since v3.1._
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537 * with `errorMessage` as a fallback revert reason when `target` reverts.
538 *
539 * _Available since v3.1._
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call(value: value)(data);
```

```
function setTxLimit(uint256 amount) external authorized {
function clearStuckBalance(uint256 amountPercentage) external authorized {
function clearStuckBalance_sender(uint256 amountPercentage) external authorized {
function set_sell_multiplier(uint256 Multiplier) external onlyOwner {
function tradingStatus(bool _status) public onlyOwner {
function cooldownEnabled(bool _status, uint8 _interval) public onlyOwner {
function setIsDividendExempt(address holder, bool exempt) external authorized {
function setIsFeeExempt(address holder, bool exempt) external authorized {
function setIsTxLimitExempt(address holder, bool exempt) external authorized {
function setIsTimelockExempt(address holder, bool exempt) external authorized {
function setFees(uint256 _liquidityFee, uint256 _reflectionFee, uint256 _marketingFee, uint256 _feeDenominator) external
    authorized {
function setFeeReceivers(address _autoLiquidityReceiver, address _marketingFeeReceiver ) external authorized {
function setSwapBackSettings(bool _enabled, uint256 _amount) external authorized {
function setTargetLiquidity(uint256 _target, uint256 _denominator) external authorized {
function setDistributionCriteria(uint256 _minPeriod, uint256 _minDistribution) external authorized {
function setDistributorSettings(uint256 gas) external authorized {
function multiTransfer_fixed(address[] calldata addresses, uint256 tokens) external onlyOwner {
```


Issue Checking:

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

PASSED

WEBSITE - OVERVIEW



Domain Registration:

1 years (2023-11-14)

SSL CERTIFICATE: A

(<https://www.ssllabs.com>)

SOCIAL MEDIA - OVERVIEW



WORLDCUPFIBSC



WORLDCUPFIBSC



WORLDCUPFI.COM