



PREMIUM AUDIT

NAME OF PROJECT	XOPAD
TOKEN BEP20 ADDRESS	0xbd40e2c830e1066d20e72a0cf2e55a19398752f6
WEBSITE / TELEGRAM	https://www.xo-pad.com



DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

I.

NOT RESPONSIBLE

Analytix Audit holds no responsibility for any actions from the project in this audit.

II.

NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III.

INFORMATION

Analytix Audit researches and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREEMENT

This audit agreement does not guarantee ANY illicit actions by the project team and does not serve as an advocacy for the project.

V.

NO ADVICE


Analytix Audit in no way takes responsibility for any losses, not does Analytix Audit encourage any speculative investments.

VI.

DISCLAIMER

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - PRIVILEGES



- **Mint:** Owner cannot mint new tokens
- **Fees:** Owner can't change fees over 25%
- **Trading:** Owner can't change trading status
- **Max Tx:** **Owner can change maxTx**
- **Max Wallet:** Owner can't change max wallet
- **Blacklist:** **Owner can blacklist wallet**

Owner Privileges:

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least `value`.
523 * - the called Solidity function must be `payable`.
524 *
525 * _Available since v3.1._
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537 * with `errorMessage` as a fallback revert reason when `target` reverts.
538 *
539 * _Available since v3.1._
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call(value: value)(data);
```

```
function renounceOwnership() public virtual onlyOwner {
function transferOwnership(address newOwner) public virtual onlyOwner {
    function setUsingAntiBot(bool enabled_) external onlyOwner {
function updateUniswapV2Router(address newAddress) public onlyOwner {
function excludeFromFees(address account, bool excluded) public onlyOwner {
    function excludeMultipleAccountsFromFees(
function setFeesWallet(address payable wallet) external onlyOwner {
    function setBuyFeesEnable(bool value) external onlyOwner {
    function setSellFeesEnable(bool value) external onlyOwner {
function setTansferFeesEnable(bool value) external onlyOwner {
    function setBuyFee(uint256 value) external onlyOwner {
    function setSellFee(uint256 value) external onlyOwner {
    function setTransferFee(uint256 value) external onlyOwner {
function setSwapTokenLimit(uint256 value) external onlyOwner {
function setMaxTransactionAmount(uint256 value) external onlyOwner {
    function setAutomatedMarketMakerPair(address pair, bool value)
function blacklistAddress(address account, bool value) external onlyOwner {
    function updateDelayedBlocks(uint256 _blocks) public onlyOwner {
function recoverERC20(address tokenAddress, uint256 tokenAmount)
```

Issue Checking:

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

PASSED

WEBSITE - OVERVIEW



🕒 Domain Registration:

1 year (2023-06-12)

SSL CERTIFICATE: A

(<https://www.ssllabs.com>)

SOCIAL MEDIA - OVERVIEW



XOPAD



XOPADOFFICIAL



WWW.XO-PAD.COM