


Use of SCN features: Yes  
Max learning objects: 5000 objects/class  
Strategy N° 11

Gulf Selected Samples prediction using Gulf training set,  
Learning with all classes present in the selected samples, with extra training categories,  
With Calanoida, Cyclopoida and Zooplankton classes in learning set


Confusion Matrix - In percent of Actual Value



Classification Report Matrix  
max 5000 learning objects per class

	precision	recall	f1-score
Acartia spp. (n=18062-train=5000)	0.98	0.36	0.53
Bivalvia (larvae) (n=7955-train=3574)	0.93	0.92	0.92
Calanoida (unid) (n=7711-train=5000)	0.31	0.15	0.21
Copepoda (nauplii) (n=2753-train=5000)	0.65	0.91	0.76
Podon/Pleopsis spp. (n=2715-train=3541)	0.78	0.62	0.69
Oithona spp. (n=2572-train=4428)	0.23	0.81	0.36
Zooplankton (unid) (n=1822-train=4715)	0.41	0.33	0.37
Calanoida (ci-ciüi) (n=1348-train=1531)	0.12	0.38	0.18
Pseudodiaptomus spp. (n=1059-train=2113)	0.23	0.54	0.32
Hydrozoa (medusa) (n=671-train=3730)	0.81	0.72	0.76
Gastropoda (larvae/Limacina) (n=629-train=2871)	0.35	0.63	0.45
Temora spp. (n=308-train=2199)	0.19	0.33	0.24
Bryozoa (larvae) (n=247-train=973)	0.31	0.40	0.35
Polychaeta (larvae) (n=237-train=464)	0.66	0.45	0.53
Ascidacea (larvae) (n=194-train=805)	0.92	0.93	0.93
Harpacticoida- epibenthic (n=108-train=372)	0.08	0.18	0.11
Centropages spp. (n=44-train=3461)	0.02	0.16	0.03
Echinodermata (larvae) (n=37-train=118)	0.07	0.05	0.06
Cyclopoida (unid) (n=23-train=64)	0.07	0.17	0.10
Obelia spp. (medusa) (n=21-train=952)	0.15	0.33	0.21
Cirripedia (larvae) (n=16-train=716)	0.03	0.38	0.05
Evadne spp. (n=16-train=5000)	0.01	0.75	0.02
Chaetognatha (n=13-train=18)	1.00	0.08	0.14
Pseudocalanus spp. (n=7-train=228)	0.00	0.00	0.00
Cnidaria (larvae) (n=7-train=20)	1.00	0.14	0.25
Decapoda-non brachyura (larvae) (n=4-train=197)	0.19	0.75	0.30
Fritillaria spp. (n=3-train=2701)	0.01	1.00	0.02
Oikopleura spp. (n=2-train=37)	0.00	0.00	0.00
Monstrillidae (n=2-train=27)	1.00	0.50	0.67
Ostracoda (n=1-train=1)	0.00	0.00	0.00
Paracalanus spp. (n=1-train=82)	0.00	0.00	0.00
Osteichthyes (larvae) (n=1-train=43)	0.12	1.00	0.22
Eurytemora spp. (n=1-train=1730)	0.00	0.00	0.00
Decapoda-brachyura (zoeae) (n=1-train=277)	0.00	0.00	0.00
Microsetella spp. (n=1-train=4)	0.00	0.00	0.00
Calanus spp. (n=0-train=109)	-	-	-
Labidocera spp. (n=0-train=493)	-	-	-
Tortanus spp. (n=0-train=111)	-	-	-
macro avg (corr)	0.33	0.40	0.28
weighted avg	0.71	0.50	0.53
	precision	recall	f1-score

Relative Abundance of Top Taxonomic Instances per Sample



Relative Abundance of Top Taxonomic Instances per Sample (Redistributed)

