



[Nome completo do autor]

[Habilitações académicas]

[Título da tese]

Dissertação para obtenção do Grau de Mestre em
Engenharia Informática

Orientadores : [Nome do orientador], [Cargo], [Instituição]
[Nome do orientador 2], [Prof. Catedrático], [Uni-
versidade Nova de Lisboa]

Júri:

Presidente: [Nome do presidente do júri]

Arguentes: [Nome do primeiro arguente]
[Nome do segundo arguente]

Vogais: [Nome do primeiro vogal]
[Nome do segundo vogal]
[Nome do terceiro vogal]
[Nome do quarto vogal]



FACULDADE DE
CIÊNCIAS E TECNOLOGIA
UNIVERSIDADE NOVA DE LISBOA

MÊS, ANO

[Título da tese]

Copyright © [Nome completo do autor], Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa

A Faculdade de Ciências e Tecnologia e a Universidade Nova de Lisboa têm o direito, perpétuo e sem limites geográficos, de arquivar e publicar esta dissertação através de exemplares impressos reproduzidos em papel ou de forma digital, ou por qualquer outro meio conhecido ou que venha a ser inventado, e de a divulgar através de repositórios científicos e de admitir a sua cópia e distribuição com objectivos educacionais ou de investigação, não comerciais, desde que seja dado crédito ao autor e editor.

Ao meu piriquito

Acknowledgements

Os agradecimentos. Apesar de haver total liberdade no conteúdo e forma desta secção, normalmente inicia-se com os agradecimentos institucionais (orientador, instituição, bolsas, colegas de trabalho, ...) e só depois os pessoais (amigos, família, ...)

Abstract

The dissertation must contain two versions of the abstract, one in the same language as the main text, another in a different language. The package assumes that the two languages under consideration are always Portuguese and English.

The package will sort the abstracts in the appropriate order. This means that the first abstract will be in the same language as the main text, followed by the abstract in the other language, and then followed by the main text. For example, if the dissertation is written in Portuguese, first will come the summary in Portuguese and then in English, followed by the main text in Portuguese. If the dissertation is written in English, first will come the summary in English and then in Portuguese, followed by the main text in English.

The abstract should not exceed one page and should answer the following questions:

- What's the problem?
- Why is it interesting?
- What's the solution?
- What follows from the solution?

Keywords: Keywords (in English) ...

Resumo

Independentemente da língua em que está escrita a dissertação, é necessário um resumo na língua do texto principal e um resumo noutra língua. Assume-se que as duas línguas em questão serão sempre o Português e o Inglês.

O *template* colocará automaticamente em primeiro lugar o resumo na língua do texto principal e depois o resumo na outra língua. Por exemplo, se a dissertação está escrita em Português, primeiro aparecerá o resumo em Português, depois em Inglês, seguido do texto principal em Português. Se a dissertação está escrita em Inglês, primeiro aparecerá o resumo em Inglês, depois em Português, seguido do texto principal em Inglês.

O resumo não deve exceder uma página e deve responder às seguintes questões:

- Qual é o problema?
- Porque é que ele é interessante?
- Qual é a solução?
- O que resulta (implicações) da solução?

Palavras-chave: Palavras-chave (em português) ...

Contents

1	Introduction	1
1.1	Introduction	3
1.2	Folder Structure	3
1.3	Package Options	4
1.3.1	Language Related Options	4
1.3.2	Class of Text	5
1.3.3	Printing	5
1.3.4	Font Size	5
1.3.5	Text Encoding	5
1.3.6	Examples	6
1.4	How to Write Using \LaTeX	6
2	A Short \LaTeX Tutorial with Examples	7
2.1	Document Structure	7
2.2	Dealing with Bibliogrpahy	7
2.3	Inserting Tables	7
2.4	Importing Images	7
2.5	Floats, Figures and Captions	7
2.6	Text Formatting	7
2.7	Generating PDFs from \LaTeX	7
2.7.1	Generating PDFs with pdflatex	7
2.7.2	Dealing with Images	8
2.7.3	Creating Source Files Compatible with both latex and pdflatex	8
2.8	Equações	10
A	Lorem Ipsum	17

List of Figures

2.1	Imagem em formato <i>bitmap</i> (JPG)	11
2.2	Imagem em formato PDF vectorial	12
2.3	Exemplo de utilização de <i>subfigure</i>	13

List of Tables

2.1 Test results summary. 9

Listings

2.1 Hello World	10
---------------------------	----



Introduction

This package is distributed under GPLv3 License. If you have questions or doubts concerning the guarantees, rights and duties of those who use packages under GPLv3 License, please read <http://www.gnu.org/licenses/gpl.html>.

A
margin-
par
note!

A a note in a line by itself.

Please note that

this package and template are not official for FCT/UNL.

ThesisDIFCTNL User's Manual

1.1 Introduction

This chapter describes how to use the \LaTeX style thesis. This style file is a major rewrite from a previous style used in our Department, which was in turn adapted from a style file from the University of Pernambuco, Brazil. We aimed at providing an improved visual layout and, simultaneously, a *very easy to use* template (aka, a \LaTeX template for dummies). ;)

The first main rule you must know is that **you must** specify the encoding of your text files. A simple *rule of thumb* is: if you are using Windows add “latin1” to the list of package options; if you are using other systems, such as Linux or Mac OSx, add “utf8” to the list of package options.

1.2 Folder Structure

The template file for writing dissertations in \LaTeX is organized into a main directory and a set of files and sub-directories:

ThesisDIFCTUNL This is the main directory and includes:

Logo Directory with University logos;

Scripts Directory with useful bash scripts, e.g., for cleaning all temporary files;

User Directory where to put user files (text and figures);

alpha-pt.bst A file with bibliographic names in portuguese, e.g., “Relatório Técnico” e “Tese de Doutorado” instead of “Technical Report” and “PhD Thesis.” This file is used automatically if Portuguese is selected as the main language (see below);

defaults.tex A file with the main default values for the package (institution name, degree name and similars);

template.tex The main file. You should run \LaTeX in this one. Please refrain from changing the file content outside of the well defined area;

thesisdiftunl.cls The \LaTeX class file for the thesis style. Currently, some of the defaults are stored here instead of `defaults.tex`. This file should not be changed, unless you're ready to play with fire! :)

Again, we would like to recall that all the user \LaTeX files should be stored in the `User` directory, and all the images in `User/Figures` directory.

Yet another note!

1.3 Package Options

The thesis style includes the following options, that must be included in the options list in the `\documentclass[options]{thesisdiftunl}` line at the top of the `texplate.tex` file.

The list below aggregates related options in a single item. For each list, the default value is prefixed with a `*`.

1.3.1 Language Related Options

You must choose the main language for the document. The available options are:

1. **pt** — The text is written in Portuguese (with a small abstract in English).
2. ***en** — The text is written in English (with a small abstract in Portuguese).

The language option affects:

- **The order of the summaries.** First the abstract in the main language and then in the foreign language. This means that if your main language for the document in english, you will see first the abstract (in english) and then the “resumo” (in portuguese). If you switch the main language for the document, it will also automatically switch the order of the summaries.
- **The names for document sectioning.** E.g., “Chapter” vs. “Capítulo”, “Table of Contents” vs. “Índice”, “Figure” vs. “Figura”, etc.
- **The type of documents in the bibliogrpahy.** E.g., “Technical Report” vs. “Relatório Técnico”, “PhD Thesis” vs. “Tese de Doutoramento”, etc.

No mater which language you chose, you will always have the appropriate hyphenation rules according to the language at that point. You always get portuguese hyphenation rules in the “Resumo”, english hyphenation rules in the “Abstract”, and then the main language hyphenation rules for the rest of the document.

1.3.2 Class of Text

You must choose the class of text for the document. The available options are:

1. **bsc** — BSc graduation report.
2. ***prepmsc** — Preparation of MSc dissertation. This is a preliminary report graduate students at DI-FCT-UNL must prepare to conclude the first semester of the two-semester MSc work. The files specified by `\dedicatoryfile` and `\acknowledgmentsfile` are ignored, even if present, for this class of document.
3. **msc** — MSc dissertation.
4. **propphd** — Proposal for a PhD work. The files specified by `\dedicatoryfile` and `\acknowledgmentsfile` are ignored, even if present, for this class of document.
5. **prepphd** — Preparation of a PhD thesis. This is a preliminary report PhD students at DI-FCT-UNL must prepare before the end of the third semester of PhD work. The files specified by `\dedicatoryfile` and `\acknowledgmentsfile` are ignored, even if present, for this class of document.
6. **phd** — PhD dissertation.

1.3.3 Printing

You must choose how your document will be printed. The available options are:

1. **oneside** — Single side page printing.
2. ***twoside** — Double sided page printing.

1.3.4 Font Size

You must select the encoding for your text. The available options are:

1. **11pt** — Eleven (11) points font size.
2. ***12pt** — Twelve (12) points font size. You should really stick to 12pt...

1.3.5 Text Encoding

You must choose the font size for your document. The available options are:

1. **latin1** — Use Latin-1 ([ISO 8859-1](#)) encoding. Most probably you should use this option if you use Windows;
2. **utf8** — Use [UTF8](#) encoding. Most probably you should use this option if you are not using Windows.

1.3.6 Examples

Let's have a look at a couple of examples:

- Preparation of PhD thesis, in portuguese, with 11pt size and to be printed single sided (I wonder why one would do this!)

```
\documentclass[prepphd,pt,11pt,oneside,latin1]{thesisdifctunl}
```

- MSc dissertation, in english, with 12pt size and to be printed double sided

```
\documentclass[msc,en,12pt,twoside,utf8]{thesisdifctunl}
```

1.4 How to Write Using L^AT_EX

Please have a look at Chapter ??, where you may find many examples of L^AT_EX constructs, such as Sectioning, inserting Figures and Tables, writing Equations, Theorems and algorithms, exhibit code listings, etc.



A Short L^AT_EX Tutorial with Examples

This Chapter aims at exemplifying how to do common stuff with L^AT_EX. We also show some stuff which is not that common! ;)

Please, use these examples as a starting point, but you should always consider using the *Big Oracle* (aka, [Google](#), your best friend) to search for additional information or alternative ways for achieving similar results.

2.1 Document Structure

2.2 Dealing with Bibliography

2.3 Inserting Tables

2.4 Importing Images

2.5 Floats, Figures and Captions

2.6 Text Formatting

2.7 Generating PDFs from L^AT_EX

2.7.1 Generating PDFs with pdf_latex

You may create PDF files either by using `latex` to generate a DVI file, and then use one of the many DVI-2-PDF converters, such as `dvipdfm`.

Alternatively, you may use `pdflatex`, which will immediately generate a PDF with no intermediate DVI or PS files. In some systems, such as Apple, PDF is already the default format for L^AT_EX. I strongly recommend you to use this approach, unless you have a very good argument to go for `latex + dvipdfm`.

A typical pass for a document with figures, cross-references and a bibliography would be:

```
$ pdflatex template
$ bibtex template
$ pdflatex template
$ pdflatex template
```

You will notice that there is a new PDF file in the working directory called `template.pdf`. Simple :)

Please note that, to be sure all table of contents, cross-references and bibliographic citations are up-to-date, you must run `latex` once, then `bibtex`, and then `latex` twice.

2.7.2 Dealing with Images

You may process the same source files with both `latex` or `pdflatex`. But, if your text include images, you must be careful. `latex` and `pdflatex` accept images in different (exclusive) formats. For `latex` you may use EPS or PS figures. For `pdflatex` you may use JPG, PNG or PDF figures. I strongly recommend you to use PDF figures in vectorial format (do not use bitmap images unless you have no other choice).

2.7.3 Creating Source Files Compatible with both `latex` and `pdflatex`

Do not include the extension of the file in the `\includegraphics` command. E.g., use `\includegraphics{sonwman}` and not

```
\includegraphics{sonwman.eps}.
```

If you use the first form, `latex` or `pdflatex` will add an appropriate file extension.

This means that, if you plan to use only `pdflatex`, you need only to keep (preferably) a PDF version of all the images. If you plan to use also `latex`, then you also need an EPS version of each image.

To be included in the sections above

Para fazer citações, deverá usar-se a chave da referência no ficheiro BibTeX. Se for uma única referência [AHB04], usar um “~” para ligar o `\cite{...}` à palavra que o precede (...referência~\cite{Artho04}). Caso queira fazer múltiplas citações [ST95; SKS06; Mos85], deverá agrupá-las dentro de um único `\cite{...}`.

Note que o ficheiro de bibliografia pode ter tantas entradas quantas quiser. Apenas aquelas cuja chave seja referenciada no texto é que serão incluídas na listagem de bibliografia.

Footnotes¹ will be numbered and shown in the bottom of the page.

A Tabela 2.1 ilustra alguns conceitos importantes associados à construção de tabelas:

- i) Não usar linhas verticais;
- ii) A legenda deve ficar por cima da tabela;
- iii) Usar as macros `\toprule`, `\midrule` e `\bottomrule` para fazer a linha horizontal superior, interiores e inferior, respectivamente.

Table 2.1: Test results summary.

Test	Anomalies	Warnings	Correct	Categories	Missed
[BBA08] Connection	2	2	1	C	1
[AHB03] Coordinates’03	1	4	1	2B, 1C	0
[AHB03] Local Variable	1	2	1	A	0
[AHB03] NASA	1	1	1	—	0
[AHB04] Coordinates’04	1	4	1	3C	0
[AHB04] Buffer	0	7	0	2A, 1B, 2C, 2D	0
[AHB04] Double-Check	0	2	0	1A, 1B	0
[FF04] StringBuffer	1	0	0	—	1
[vG03] Account	1	1	1	—	0
[vG03] Jigsaw	1	2	1	C	0
[vG03] Over-reporting	0	2	0	1A, 1C	0
[vG03] Under-reporting	1	1	1	—	0
[Ibm] Allocate Vector	1	2	1	C	0
Knight Moves	1	3	1	2B	0
Total	12	33	10	5A, 6B, 10C, 2D	2

As figuras a inserir no documento deverão ser de qualidade, preferencialmente em formato vectorial (PDF vectorial) e não em *bitmap* (PNG, JPG, etc). As imagens *bitmap* (Figura 2.1) não escalam bem e têm reflexos negativos na qualidade do seu documento. Pelo contrário, as imagens *vectoriais* Figura 2.2 escalam muito tanto quanto o necessário sem degradar a qualidade da imagem.

Só deve usar *screenshots* se não tive mesmo nenhuma alternativa. Em vez e gerar um *screenshot*, tente usar uma impressora virtual PDF e imprimir para um ficheiro PDF.

¹This is a simple footnote.

Regra geral obterá um PDF vetorial. Mesmo que o seu PDF contenha imagens, elas terão sempre qualidade maior ou igual à que obteria com um *screenshot*.

Pode usar o pacote *subfigure* para agrupar várias figuras numa única. Poderá assim referenciar o conjunto 2.3, a primeira delas 2.3(a) ou a segunda 2.3(b).

Para incluir listagens de código no seu documento, deverá incluir o pacote *listings* e depois usar o ambiente *lstlisting*, como exemplificado na Listagem 2.1.

Listing 2.1: Hello World

```
1  /**
2   * The HelloWorldApp class implements an application that
3   * simply prints "Hello World!" to standard output.
4   */
5  class HelloWorldApp {
6      public static void main(String[] args) {
7          System.out.println("Hello_World!"); // Display the string.
8      }
9  }
```

2.8 Equações

O LaTeX é uma ferramenta poderosa para escrever em estilo matemático. Permite inserir fórmulas no meio do texto como por exemplo esta: $ax^2 + bx + c = 0$. Também permite que as fórmulas sejam destacadas numa linha separada e centradas na página

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

ou numeradas

$$aaa \tag{2.1}$$

que depois pode ser referida no texto como sendo a equação 2.1

$$aa$$

$$a \tag{2.2}$$

$$b \tag{2.3}$$

$$c \tag{2.4}$$

$$\tag{2.5}$$


Contributors for the examples:



Figure 2.1: Imagem em formato *bitmap* (JPG)



Figure 2.2: Imagem em formato PDF vectorial



(a) Novelo de lã



(b) Tempestade com neve

Figure 2.3: Exemplo de utilização de *subfigure*

João Lourenço (Joao.Lourenco@di.fct.unl.pt)

João Seco (Joao.Seco@di.fct.unl.pt)

Luís Russo (Luis.Russo@di.fct.unl.pt)

Vitor Duarte (Vitor.Duarte@di.fct.unl.pt)

Ricardo Dias (rjfd@di.fct.unl.pt)

Bibliography

- [AHB03] C. Artho, K. Havelund, and A. Biere. *High-Level Data Races*. 2003. URL: citeseer.ist.psu.edu/artho03highlevel.html.
- [AHB04] C. Artho, K. Havelund, and A. Biere. “Using Block-Local Atomicity to Detect Stale-Value Concurrency Errors”. In: *ATVA*. Ed. by F. Wang. Vol. 3299. Lecture Notes in Computer Science. Springer, 2004, pp. 150–164. ISBN: 3-540-23610-4.
- [BBA08] N. E. Beckman, K. Bierhoff, and J. Aldrich. “Verifying Correct Usage of Atomic Blocks and Typestate”. In: *SIGPLAN Not.* 43.10 (2008), pp. 227–244. ISSN: 0362-1340. DOI: <http://doi.acm.org/10.1145/1449955.1449783>.
- [FF04] C. Flanagan and S. N. Freund. “Atomizer: a dynamic atomicity checker for multithreaded programs”. In: *POPL '04: Proceedings of the 31st ACM SIGPLAN-SIGACT symposium on Principles of programming languages*. Venice, Italy: ACM, 2004, pp. 256–267. ISBN: 1-58113-729-X. DOI: <http://doi.acm.org/10.1145/964001.964023>.
- [lbm] *IBM's Concurrency Testing Repository*.
- [Mos85] J. E. B. Moss. *Nested transactions: an approach to reliable distributed computing*. Cambridge, MA, USA: Massachusetts Institute of Technology, 1985. ISBN: 0-262-13200-1.
- [SKS06] A. Silberschatz, H. F. Korth, and S. Sudarshan. *Database System Concepts*. Fifth. McGraw-Hill, 2006. ISBN: 007-124476-X.
- [ST95] N. Shavit and D. Touitou. “Software transactional memory”. In: *PODC '95: Proceedings of the fourteenth annual ACM symposium on Principles of distributed computing*. Ottawa, Ontario, Canada: ACM, 1995, pp. 204–213. ISBN: 0-89791-710-3. DOI: <http://doi.acm.org/10.1145/224964.224987>.
- [vG03] C. von Praun and T. R. Gross. “Static Detection of Atomicity Violations in Object-Oriented Programs”. In: *Journal of Object Technology*. 2003, p. 2004.



Lorem Ipsum

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis nisl turpis, iaculis ac interdum non, fringilla ac justo. Fusce vel mauris sem, sit amet congue turpis. Curabitur vestibulum porttitor aliquet. Donec at tellus vitae risus hendrerit rutrum. Duis vel nulla in lectus bibendum semper eu eu lorem. Phasellus id diam est. Etiam condimentum, augue nec euismod scelerisque, arcu dui iaculis libero, in dignissim lectus nibh vel lacus. Sed nulla nulla, molestie vel sollicitudin eu, facilisis pharetra sapien. Phasellus ac mi nec nisl aliquam mattis quis id tortor. Nunc posuere posuere erat quis sodales. Donec euismod, felis quis mollis lacinia, enim libero iaculis nisi, id ornare urna ante vel turpis. Suspendisse facilisis tellus eu libero lacinia molestie. Duis euismod sagittis ligula. Pel-lentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Quisque felis est, aliquet at vulputate molestie, luctus et mi. Praesent vitae metus quis velit semper pulvinar.

Etiam semper eleifend lorem eleifend vestibulum. Phasellus blandit, justo in varius iaculis, risus nisl commodo nulla, sed ultricies sem mi vitae mi. Proin rutrum pulvinar erat laoreet pulvinar. In at dapibus orci. Curabitur sagittis mattis fringilla. Ut ut libero neque, sed aliquet lectus. Suspendisse vulputate aliquam sapien sit amet luctus. Etiam quis est velit. Cras mi nibh, vehicula a porta ut, venenatis ac purus. Praesent eu odio magna, eu gravida ligula. Sed ultrices luctus pharetra. Nullam et ipsum turpis. Donec lectus nisl, pretium in venenatis in, rutrum non enim. Aenean venenatis augue non neque elementum ut tempus nulla viverra. Fusce ac massa eget quam varius pretium.

Vestibulum nibh neque, malesuada cursus congue id, consectetur sed lacus. Aenean volutpat elementum elit eu convallis. Vestibulum odio enim, egestas a tincidunt ut, accumsan sollicitudin tortor. Sed felis velit, vestibulum a consequat ut, iaculis sed lectus. Proin quis faucibus tellus. Nulla tempor iaculis nisi. Phasellus rutrum tellus id risus

hendrerit aliquam. Praesent venenatis neque ac lectus viverra semper. Curabitur con-
sectetur enim ac quam aliquet pellentesque laoreet magna elementum. Maecenas purus
urna, suscipit sit amet posuere vel, sagittis eget diam. Nullam condimentum augue quis
lectus mattis malesuada. Nulla porttitor sagittis mollis. Ut sit amet odio vitae tellus
consectetur aliquet. Donec venenatis eros sed nibh luctus laoreet non non nunc. Etiam
aliquam, ipsum vel laoreet consectetur, magna urna elementum elit, at euismod lacus
neque nec dolor. Nulla facilisis viverra mauris, eget rhoncus leo aliquam eget. Nunc
dictum malesuada tellus vitae scelerisque. Cras id eros sapien.

Nullam scelerisque interdum dolor, vitae luctus enim dictum sagittis. Suspendisse
potenti. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia
Curae; Pellentesque ut eros quis est tempor accumsan. Vestibulum ante ipsum primis in
faucibus orci luctus et ultrices posuere cubilia Curae; Donec eu eros laoreet nibh tempus
imperdiet. Nulla lacinia convallis tempus. Nulla id turpis risus, nec sagittis dui. Donec
odio enim, laoreet id porta sit amet, consequat at lacus. Etiam luctus, ante ut dapibus
sodales, felis erat elementum enim, non accumsan ante lacus sed nisi. Vestibulum augue
ipsum, faucibus sed posuere a, volutpat vitae purus. Mauris sodales interdum orci nec
lobortis. Sed ac pretium eros. Curabitur posuere, sem quis vehicula semper, nisl justo
mollis velit, ac suscipit enim nunc accumsan risus.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Proin hendrerit convallis est,
vel dapibus felis fringilla viverra. Nulla blandit nunc quis magna rhoncus eu tincidunt
ligula cursus. Aliquam erat volutpat. Nunc ornare, elit id consequat ullamcorper, orci
velit vestibulum elit, at pretium velit elit sed arcu. Curabitur est tellus, ornare eget so-
dales elementum, pretium eget nunc. Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Vestibulum quam orci, dapibus a convallis quis, convallis sit amet ante. Aenean con-
sequat sollicitudin eros, at commodo ligula molestie eget. Ut consectetur vehicula sapien
et aliquet. Fusce ullamcorper enim et libero pulvinar tristique. Phasellus a augue male-
suada nisi bibendum placerat. In nec congue enim. Aliquam vitae elit a nulla rhoncus
rhoncus sed sit amet ligula. Duis tempor tincidunt eros in congue. Nunc lorem justo,
aliquam id pretium ut, sodales eu metus. Nam lectus dui, convallis ac cursus id, semper
sit amet libero.