




Install Oracle 11g from the internet.




















```
CREATE TABLE student
3
         student id number (10) NOT NULL,
         student name varchar2(50) NOT NULL,
5
         student city varchar2(50)
6
   };
   INSERT into student VALUES(101, 'ABC', 'Coimbatore');
   select * from student;
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
```

#### OUTPUT

Table is created

```
CREATE TABLE student
3
         student id number (10) NOT NULL,
         student name varchar2(50) NOT NULL,
         student city varchar2(50)
5
6
   };
   INSERT into student VALUES(101, 'ABC', 'Coimbatore');
8
   select * from student;
9
10
11
12
13
14
15
16
17
18
19
20
21
22
```

#### OUTPUT

1 row is inserted

```
CREATE TABLE student
1
3
         student id number (10) NOT NULL,
         student name varchar2(50) NOT NULL,
5
         student city varchar2(50)
6
   };
   INSERT into student VALUES(101, 'ABC', 'Coimbatore');
   select * from student;
9
10
11
12
13
14
15
16
17
18
19
20
21
22
```

#### OUTPUT

STUDENT_ID	STUDENT_NAME	STUDENT_CITY
101	ABC	Coimbatore

# THANK YOU