IT5058 – WEB TECHNOLOGIES WITH .NET

MCQ QUESTION BANK

Semester V | Uka Tarsadia University
Unit V: Using Controllers with Views
Unit VI: Working with Model, Form and Other Web Applications

465 Multiple-Choice Questions
Four options per question • Correct answer immediately below each question

Reconstructed exam-practice edition covering only the requested Unit V and Unit VI syllabus topics.

Unit V – Using Controllers with Views

1. Working with Razor Views

Q1. What is the main purpose of Razor view?

A) view file combining HTML with server-side Razor expressions
B) controller class
C) database table
D) CSS stylesheet
Answer: A) view file combining HTML with server-side Razor expressions

Q2. Which statement best describes Razor view?

A) controller class
B) view file combining HTML with server-side Razor expressions
C) database table
D) CSS stylesheet
Answer: B) view file combining HTML with server-side Razor expressions

Q3. In ASP.NET Core, what does Razor view refer to?

A) database table
B) controller class
C) view file combining HTML with server-side Razor expressions
D) CSS stylesheet
Answer: C) view file combining HTML with server-side Razor expressions

Q4. Which option correctly identifies Razor view?

A) CSS stylesheet
B) controller class
C) database table
D) view file combining HTML with server-side Razor expressions
Answer: D) view file combining HTML with server-side Razor expressions

Q5. Which description is associated with Razor view?

A) view file combining HTML with server-side Razor expressions
B) controller class
C) database table
D) CSS stylesheet
Answer: A) view file combining HTML with server-side Razor expressions

Q6. What is the main purpose of .cshtml?

A) .html extension
B) file extension used by Razor view files
C) .css extension
D) .cs extension
Answer: B) file extension used by Razor view files

Q7. Which statement best describes .cshtml?

A) .css extension
B) .html extension
C) file extension used by Razor view files
D) .cs extension
Answer: C) file extension used by Razor view files

Q8. In ASP.NET Core, what does .cshtml refer to?

A) .cs extension
B) .html extension
C) .css extension
D) file extension used by Razor view files
Answer: D) file extension used by Razor view files

Q9. Which option correctly identifies .cshtml?

A) file extension used by Razor view files
B) .html extension
C) .css extension
D) .cs extension
Answer: A) file extension used by Razor view files

Q10. Which description is associated with .cshtml?

A) .html extension
B) file extension used by Razor view files
C) .css extension
D) .cs extension
Answer: B) file extension used by Razor view files

Q11. What is the main purpose of Views folder?

A) wwwroot folder
B) Models folder
C) conventional folder for MVC view files
D) Controllers folder
Answer: C) conventional folder for MVC view files

Q12. Which statement best describes Views folder?

A) Controllers folder
B) Models folder
C) wwwroot folder
D) conventional folder for MVC view files
Answer: D) conventional folder for MVC view files

Q13. In ASP.NET Core, what does Views folder refer to?

A) conventional folder for MVC view files
B) Models folder
C) wwwroot folder
D) Controllers folder
Answer: A) conventional folder for MVC view files

Q14. Which option correctly identifies Views folder?

A) Models folder
B) conventional folder for MVC view files
C) wwwroot folder
D) Controllers folder
Answer: B) conventional folder for MVC view files

Q15. Which description is associated with Views folder?

A) wwwroot folder
B) Models folder
C) conventional folder for MVC view files
D) Controllers folder
Answer: C) conventional folder for MVC view files

Q16. What is the main purpose of ViewResult?

A) RedirectResult
B) JsonResult
C) FileResult
D) MVC action result that renders a view
Answer: D) MVC action result that renders a view

Q17. Which statement best describes ViewResult?

A) MVC action result that renders a view
B) JsonResult
C) FileResult
D) RedirectResult
Answer: A) MVC action result that renders a view

Q18. In ASP.NET Core, what does ViewResult refer to?

A) JsonResult
B) MVC action result that renders a view
C) FileResult
D) RedirectResult
Answer: B) MVC action result that renders a view

Q19. Which option correctly identifies ViewResult?

A) FileResult
B) JsonResult
C) MVC action result that renders a view
D) RedirectResult
Answer: C) MVC action result that renders a view

Q20. Which description is associated with ViewResult?

A) RedirectResult
B) JsonResult
C) FileResult
D) MVC action result that renders a view
Answer: D) MVC action result that renders a view

Q21. What is the main purpose of return View()?

A) common way for a controller action to return its associated view
B) return Model()
C) return Html()
D) return CSS()
Answer: A) common way for a controller action to return its associated view

Q22. Which statement best describes return View()?

A) return Model()
B) common way for a controller action to return its associated view
C) return Html()
D) return CSS()
Answer: B) common way for a controller action to return its associated view

Q23. In ASP.NET Core, what does return View() refer to?

A) return Html()
B) return Model()
C) common way for a controller action to return its associated view
D) return CSS()
Answer: C) common way for a controller action to return its associated view

Q24. Which option correctly identifies return View()?

A) return CSS()
B) return Model()
C) return Html()
D) common way for a controller action to return its associated view
Answer: D) common way for a controller action to return its associated view

Q25. Which description is associated with return View()?

A) common way for a controller action to return its associated view
B) return Model()
C) return Html()
D) return CSS()
Answer: A) common way for a controller action to return its associated view

Q26. What is the main purpose of strongly typed view?

A) view without a model
B) view declared with a specific model type
C) static image file
D) database connection
Answer: B) view declared with a specific model type

Q27. Which statement best describes strongly typed view?

A) static image file
B) view without a model
C) view declared with a specific model type
D) database connection
Answer: C) view declared with a specific model type

Q28. In ASP.NET Core, what does strongly typed view refer to?

A) database connection
B) view without a model
C) static image file
D) view declared with a specific model type
Answer: D) view declared with a specific model type

Q29. Which option correctly identifies strongly typed view?

A) view declared with a specific model type
B) view without a model
C) static image file
D) database connection
Answer: A) view declared with a specific model type

Q30. Which description is associated with strongly typed view?

A) view without a model
B) view declared with a specific model type
C) static image file
D) database connection
Answer: B) view declared with a specific model type

Q31. What is the main purpose of model passed to view?

A) route table
B) CSS rules
C) data supplied by a controller for display in a view
D) browser history
Answer: C) data supplied by a controller for display in a view

Q32. Which statement best describes model passed to view?

A) browser history
B) CSS rules
C) route table
D) data supplied by a controller for display in a view
Answer: D) data supplied by a controller for display in a view

Q33. In ASP.NET Core, what does model passed to view refer to?

A) data supplied by a controller for display in a view
B) CSS rules
C) route table
D) browser history
Answer: A) data supplied by a controller for display in a view

Q34. Which option correctly identifies model passed to view?

A) CSS rules
B) data supplied by a controller for display in a view
C) route table
D) browser history
Answer: B) data supplied by a controller for display in a view

Q35. Which description is associated with model passed to view?

A) route table
B) CSS rules
C) data supplied by a controller for display in a view
D) browser history
Answer: C) data supplied by a controller for display in a view

2. Understanding the Razor Syntax

Q36. What is the main purpose of @ symbol?

A) character that starts most Razor code expressions
B) # symbol
C) $ symbol
D) & symbol
Answer: A) character that starts most Razor code expressions

Q37. Which statement best describes @ symbol?

A) # symbol
B) character that starts most Razor code expressions
C) $ symbol
D) & symbol
Answer: B) character that starts most Razor code expressions

Q38. In ASP.NET Core, what does @ symbol refer to?

A) $ symbol
B) # symbol
C) character that starts most Razor code expressions
D) & symbol
Answer: C) character that starts most Razor code expressions

Q39. Which option correctly identifies @ symbol?

A) & symbol
B) # symbol
C) $ symbol
D) character that starts most Razor code expressions
Answer: D) character that starts most Razor code expressions

Q40. Which description is associated with @ symbol?

A) character that starts most Razor code expressions
B) # symbol
C) $ symbol
D) & symbol
Answer: A) character that starts most Razor code expressions

Q41. What is the main purpose of @(expression)?

A) HTML comment
B) Razor form used to explicitly evaluate an expression
C) CSS selector
D) route attribute
Answer: B) Razor form used to explicitly evaluate an expression

Q42. Which statement best describes @(expression)?

A) CSS selector
B) HTML comment
C) Razor form used to explicitly evaluate an expression
D) route attribute
Answer: C) Razor form used to explicitly evaluate an expression

Q43. In ASP.NET Core, what does @(expression) refer to?

A) route attribute
B) HTML comment
C) CSS selector
D) Razor form used to explicitly evaluate an expression
Answer: D) Razor form used to explicitly evaluate an expression

Q44. Which option correctly identifies @(expression)?

A) Razor form used to explicitly evaluate an expression
B) HTML comment
C) CSS selector
D) route attribute
Answer: A) Razor form used to explicitly evaluate an expression

Q45. Which description is associated with @(expression)?

A) HTML comment
B) Razor form used to explicitly evaluate an expression
C) CSS selector
D) route attribute
Answer: B) Razor form used to explicitly evaluate an expression

Q46. What is the main purpose of @{ } block?

A) HTML form
B) JavaScript module
C) Razor syntax for a block of C# statements
D) CSS block
Answer: C) Razor syntax for a block of C# statements

Q47. Which statement best describes @{ } block?

A) CSS block
B) JavaScript module
C) HTML form
D) Razor syntax for a block of C# statements
Answer: D) Razor syntax for a block of C# statements

Q48. In ASP.NET Core, what does @{ } block refer to?

A) Razor syntax for a block of C# statements
B) JavaScript module
C) HTML form
D) CSS block
Answer: A) Razor syntax for a block of C# statements

Q49. Which option correctly identifies @{ } block?

A) JavaScript module
B) Razor syntax for a block of C# statements
C) HTML form
D) CSS block
Answer: B) Razor syntax for a block of C# statements

Q50. Which description is associated with @{ } block?

A) HTML form
B) JavaScript module
C) Razor syntax for a block of C# statements
D) CSS block
Answer: C) Razor syntax for a block of C# statements

Q51. What is the main purpose of @if?

A) registering middleware
B) looping through a list
C) defining a model
D) Razor construct used for conditional rendering
Answer: D) Razor construct used for conditional rendering

Q52. Which statement best describes @if?

A) Razor construct used for conditional rendering
B) looping through a list
C) defining a model
D) registering middleware
Answer: A) Razor construct used for conditional rendering

Q53. In ASP.NET Core, what does @if refer to?

A) looping through a list
B) Razor construct used for conditional rendering
C) defining a model
D) registering middleware
Answer: B) Razor construct used for conditional rendering

Q54. Which option correctly identifies @if?

A) defining a model
B) looping through a list
C) Razor construct used for conditional rendering
D) registering middleware
Answer: C) Razor construct used for conditional rendering

Q55. Which description is associated with @if?

A) registering middleware
B) looping through a list
C) defining a model
D) Razor construct used for conditional rendering
Answer: D) Razor construct used for conditional rendering

Q56. What is the main purpose of @foreach?

A) Razor construct used to iterate over a collection
B) checking authentication
C) creating a route
D) encoding a URL
Answer: A) Razor construct used to iterate over a collection

Q57. Which statement best describes @foreach?

A) checking authentication
B) Razor construct used to iterate over a collection
C) creating a route
D) encoding a URL
Answer: B) Razor construct used to iterate over a collection

Q58. In ASP.NET Core, what does @foreach refer to?

A) creating a route
B) checking authentication
C) Razor construct used to iterate over a collection
D) encoding a URL
Answer: C) Razor construct used to iterate over a collection

Q59. Which option correctly identifies @foreach?

A) encoding a URL
B) checking authentication
C) creating a route
D) Razor construct used to iterate over a collection
Answer: D) Razor construct used to iterate over a collection

Q60. Which description is associated with @foreach?

A) Razor construct used to iterate over a collection
B) checking authentication
C) creating a route
D) encoding a URL
Answer: A) Razor construct used to iterate over a collection

Q61. What is the main purpose of @model directive?

A) sets page title
B) directive that declares the model type available to a view
C) registers controller
D) loads CSS
Answer: B) directive that declares the model type available to a view

Q62. Which statement best describes @model directive?

A) registers controller
B) sets page title
C) directive that declares the model type available to a view
D) loads CSS
Answer: C) directive that declares the model type available to a view

Q63. In ASP.NET Core, what does @model directive refer to?

A) loads CSS
B) sets page title
C) registers controller
D) directive that declares the model type available to a view
Answer: D) directive that declares the model type available to a view

Q64. Which option correctly identifies @model directive?

A) directive that declares the model type available to a view
B) sets page title
C) registers controller
D) loads CSS
Answer: A) directive that declares the model type available to a view

Q65. Which description is associated with @model directive?

A) sets page title
B) directive that declares the model type available to a view
C) registers controller
D) loads CSS
Answer: B) directive that declares the model type available to a view

Q66. What is the main purpose of Razor comments?

A) C# line comments only
B) HTML comments
C) comments written with @* and *@ that are not sent as page content
D) CSS comments
Answer: C) comments written with @* and *@ that are not sent as page content

Q67. Which statement best describes Razor comments?

A) CSS comments
B) HTML comments
C) C# line comments only
D) comments written with @* and *@ that are not sent as page content
Answer: D) comments written with @* and *@ that are not sent as page content

Q68. In ASP.NET Core, what does Razor comments refer to?

A) comments written with @* and *@ that are not sent as page content
B) HTML comments
C) C# line comments only
D) CSS comments
Answer: A) comments written with @* and *@ that are not sent as page content

Q69. Which option correctly identifies Razor comments?

A) HTML comments
B) comments written with @* and *@ that are not sent as page content
C) C# line comments only
D) CSS comments
Answer: B) comments written with @* and *@ that are not sent as page content

Q70. Which description is associated with Razor comments?

A) C# line comments only
B) HTML comments
C) comments written with @* and *@ that are not sent as page content
D) CSS comments
Answer: C) comments written with @* and *@ that are not sent as page content

Q71. What is the main purpose of HTML encoding?

A) file compression
B) database encryption
C) URL routing
D) automatic encoding Razor applies to ordinary string expressions
Answer: D) automatic encoding Razor applies to ordinary string expressions

Q72. Which statement best describes HTML encoding?

A) automatic encoding Razor applies to ordinary string expressions
B) database encryption
C) URL routing
D) file compression
Answer: A) automatic encoding Razor applies to ordinary string expressions

Q73. In ASP.NET Core, what does HTML encoding refer to?

A) database encryption
B) automatic encoding Razor applies to ordinary string expressions
C) URL routing
D) file compression
Answer: B) automatic encoding Razor applies to ordinary string expressions

Q74. Which option correctly identifies HTML encoding?

A) URL routing
B) database encryption
C) automatic encoding Razor applies to ordinary string expressions
D) file compression
Answer: C) automatic encoding Razor applies to ordinary string expressions

Q75. Which description is associated with HTML encoding?

A) file compression
B) database encryption
C) URL routing
D) automatic encoding Razor applies to ordinary string expressions
Answer: D) automatic encoding Razor applies to ordinary string expressions

3. Using the ViewBag

Q76. What is the main purpose of ViewBag?

A) dynamic wrapper around ViewData used to pass data from controller to view
B) database context
C) routing attribute
D) layout file
Answer: A) dynamic wrapper around ViewData used to pass data from controller to view

Q77. Which statement best describes ViewBag?

A) database context
B) dynamic wrapper around ViewData used to pass data from controller to view
C) routing attribute
D) layout file
Answer: B) dynamic wrapper around ViewData used to pass data from controller to view

Q78. In ASP.NET Core, what does ViewBag refer to?

A) routing attribute
B) database context
C) dynamic wrapper around ViewData used to pass data from controller to view
D) layout file
Answer: C) dynamic wrapper around ViewData used to pass data from controller to view

Q79. Which option correctly identifies ViewBag?

A) layout file
B) database context
C) routing attribute
D) dynamic wrapper around ViewData used to pass data from controller to view
Answer: D) dynamic wrapper around ViewData used to pass data from controller to view

Q80. Which description is associated with ViewBag?

A) dynamic wrapper around ViewData used to pass data from controller to view
B) database context
C) routing attribute
D) layout file
Answer: A) dynamic wrapper around ViewData used to pass data from controller to view

Q81. What is the main purpose of dynamic properties?

A) compile-time-only constants
B) kind of properties accessed through ViewBag
C) database columns
D) CSS variables
Answer: B) kind of properties accessed through ViewBag

Q82. Which statement best describes dynamic properties?

A) database columns
B) compile-time-only constants
C) kind of properties accessed through ViewBag
D) CSS variables
Answer: C) kind of properties accessed through ViewBag

Q83. In ASP.NET Core, what does dynamic properties refer to?

A) CSS variables
B) compile-time-only constants
C) database columns
D) kind of properties accessed through ViewBag
Answer: D) kind of properties accessed through ViewBag

Q84. Which option correctly identifies dynamic properties?

A) kind of properties accessed through ViewBag
B) compile-time-only constants
C) database columns
D) CSS variables
Answer: A) kind of properties accessed through ViewBag

Q85. Which description is associated with dynamic properties?

A) compile-time-only constants
B) kind of properties accessed through ViewBag
C) database columns
D) CSS variables
Answer: B) kind of properties accessed through ViewBag

Q86. What is the main purpose of controller to view?

A) browser to server only
B) view to database directly
C) usual direction in which ViewBag transfers data
D) model to middleware
Answer: C) usual direction in which ViewBag transfers data

Q87. Which statement best describes controller to view?

A) model to middleware
B) view to database directly
C) browser to server only
D) usual direction in which ViewBag transfers data
Answer: D) usual direction in which ViewBag transfers data

Q88. In ASP.NET Core, what does controller to view refer to?

A) usual direction in which ViewBag transfers data
B) view to database directly
C) browser to server only
D) model to middleware
Answer: A) usual direction in which ViewBag transfers data

Q89. Which option correctly identifies controller to view?

A) view to database directly
B) usual direction in which ViewBag transfers data
C) browser to server only
D) model to middleware
Answer: B) usual direction in which ViewBag transfers data

Q90. Which description is associated with controller to view?

A) browser to server only
B) view to database directly
C) usual direction in which ViewBag transfers data
D) model to middleware
Answer: C) usual direction in which ViewBag transfers data

Q91. What is the main purpose of ViewBag.Message?

A) CSS class
B) route declaration
C) model validation rule
D) example of assigning a dynamic property named Message
Answer: D) example of assigning a dynamic property named Message

Q92. Which statement best describes ViewBag.Message?

A) example of assigning a dynamic property named Message
B) route declaration
C) model validation rule
D) CSS class
Answer: A) example of assigning a dynamic property named Message

Q93. In ASP.NET Core, what does ViewBag.Message refer to?

A) route declaration
B) example of assigning a dynamic property named Message
C) model validation rule
D) CSS class
Answer: B) example of assigning a dynamic property named Message

Q94. Which option correctly identifies ViewBag.Message?

A) model validation rule
B) route declaration
C) example of assigning a dynamic property named Message
D) CSS class
Answer: C) example of assigning a dynamic property named Message

Q95. Which description is associated with ViewBag.Message?

A) CSS class
B) route declaration
C) model validation rule
D) example of assigning a dynamic property named Message
Answer: D) example of assigning a dynamic property named Message

Q96. What is the main purpose of request lifetime?

A) scope in which ViewBag data is normally available
B) forever across all users
C) until database is deleted
D) across server restarts
Answer: A) scope in which ViewBag data is normally available

Q97. Which statement best describes request lifetime?

A) forever across all users
B) scope in which ViewBag data is normally available
C) until database is deleted
D) across server restarts
Answer: B) scope in which ViewBag data is normally available

Q98. In ASP.NET Core, what does request lifetime refer to?

A) until database is deleted
B) forever across all users
C) scope in which ViewBag data is normally available
D) across server restarts
Answer: C) scope in which ViewBag data is normally available

Q99. Which option correctly identifies request lifetime?

A) across server restarts
B) forever across all users
C) until database is deleted
D) scope in which ViewBag data is normally available
Answer: D) scope in which ViewBag data is normally available

Q100. Which description is associated with request lifetime?

A) scope in which ViewBag data is normally available
B) forever across all users
C) until database is deleted
D) across server restarts
Answer: A) scope in which ViewBag data is normally available

Q101. What is the main purpose of ViewData relationship?

A) TempData
B) collection that ViewBag wraps internally
C) ModelState
D) HttpContext.Session
Answer: B) collection that ViewBag wraps internally

Q102. Which statement best describes ViewData relationship?

A) ModelState
B) TempData
C) collection that ViewBag wraps internally
D) HttpContext.Session
Answer: C) collection that ViewBag wraps internally

Q103. In ASP.NET Core, what does ViewData relationship refer to?

A) HttpContext.Session
B) TempData
C) ModelState
D) collection that ViewBag wraps internally
Answer: D) collection that ViewBag wraps internally

Q104. Which option correctly identifies ViewData relationship?

A) collection that ViewBag wraps internally
B) TempData
C) ModelState
D) HttpContext.Session
Answer: A) collection that ViewBag wraps internally

Q105. Which description is associated with ViewData relationship?

A) TempData
B) collection that ViewBag wraps internally
C) ModelState
D) HttpContext.Session
Answer: B) collection that ViewBag wraps internally

Q106. What is the main purpose of type conversion?

A) routes stop working
B) HTML rendering disabled
C) possible concern when retrieving dynamically typed ViewBag values
D) cookies are deleted
Answer: C) possible concern when retrieving dynamically typed ViewBag values

Q107. Which statement best describes type conversion?

A) cookies are deleted
B) HTML rendering disabled
C) routes stop working
D) possible concern when retrieving dynamically typed ViewBag values
Answer: D) possible concern when retrieving dynamically typed ViewBag values

Q108. In ASP.NET Core, what does type conversion refer to?

A) possible concern when retrieving dynamically typed ViewBag values
B) HTML rendering disabled
C) routes stop working
D) cookies are deleted
Answer: A) possible concern when retrieving dynamically typed ViewBag values

Q109. Which option correctly identifies type conversion?

A) HTML rendering disabled
B) possible concern when retrieving dynamically typed ViewBag values
C) routes stop working
D) cookies are deleted
Answer: B) possible concern when retrieving dynamically typed ViewBag values

Q110. Which description is associated with type conversion?

A) routes stop working
B) HTML rendering disabled
C) possible concern when retrieving dynamically typed ViewBag values
D) cookies are deleted
Answer: C) possible concern when retrieving dynamically typed ViewBag values

4. Using TempData

Q111. What is the main purpose of TempData?

A) mechanism for passing data between requests, commonly after a redirect
B) CSS framework
C) database provider
D) view layout
Answer: A) mechanism for passing data between requests, commonly after a redirect

Q112. Which statement best describes TempData?

A) CSS framework
B) mechanism for passing data between requests, commonly after a redirect
C) database provider
D) view layout
Answer: B) mechanism for passing data between requests, commonly after a redirect

Q113. In ASP.NET Core, what does TempData refer to?

A) database provider
B) CSS framework
C) mechanism for passing data between requests, commonly after a redirect
D) view layout
Answer: C) mechanism for passing data between requests, commonly after a redirect

Q114. Which option correctly identifies TempData?

A) view layout
B) CSS framework
C) database provider
D) mechanism for passing data between requests, commonly after a redirect
Answer: D) mechanism for passing data between requests, commonly after a redirect

Q115. Which description is associated with TempData?

A) mechanism for passing data between requests, commonly after a redirect
B) CSS framework
C) database provider
D) view layout
Answer: A) mechanism for passing data between requests, commonly after a redirect

Q116. What is the main purpose of redirect scenario?

A) sharing data after redirecting between actions
B) common situation where TempData is useful
C) styling a button
D) creating database index
Answer: B) common situation where TempData is useful

Q117. Which statement best describes redirect scenario?

A) styling a button
B) sharing data after redirecting between actions
C) common situation where TempData is useful
D) creating database index
Answer: C) common situation where TempData is useful

Q118. In ASP.NET Core, what does redirect scenario refer to?

A) creating database index
B) sharing data after redirecting between actions
C) styling a button
D) common situation where TempData is useful
Answer: D) common situation where TempData is useful

Q119. Which option correctly identifies redirect scenario?

A) common situation where TempData is useful
B) sharing data after redirecting between actions
C) styling a button
D) creating database index
Answer: A) common situation where TempData is useful

Q120. Which description is associated with redirect scenario?

A) sharing data after redirecting between actions
B) common situation where TempData is useful
C) styling a button
D) creating database index
Answer: B) common situation where TempData is useful

Q121. What is the main purpose of TempData dictionary?

A) CSS grid
B) HTML table
C) structure used to store TempData values by key
D) route attribute
Answer: C) structure used to store TempData values by key

Q122. Which statement best describes TempData dictionary?

A) route attribute
B) HTML table
C) CSS grid
D) structure used to store TempData values by key
Answer: D) structure used to store TempData values by key

Q123. In ASP.NET Core, what does TempData dictionary refer to?

A) structure used to store TempData values by key
B) HTML table
C) CSS grid
D) route attribute
Answer: A) structure used to store TempData values by key

Q124. Which option correctly identifies TempData dictionary?

A) HTML table
B) structure used to store TempData values by key
C) CSS grid
D) route attribute
Answer: B) structure used to store TempData values by key

Q125. Which description is associated with TempData dictionary?

A) CSS grid
B) HTML table
C) structure used to store TempData values by key
D) route attribute
Answer: C) structure used to store TempData values by key

Q126. What is the main purpose of Keep()?

A) validate a model
B) delete a value
C) encode a URL
D) method used to mark a TempData value to be retained
Answer: D) method used to mark a TempData value to be retained

Q127. Which statement best describes Keep()?

A) method used to mark a TempData value to be retained
B) delete a value
C) encode a URL
D) validate a model
Answer: A) method used to mark a TempData value to be retained

Q128. In ASP.NET Core, what does Keep() refer to?

A) delete a value
B) method used to mark a TempData value to be retained
C) encode a URL
D) validate a model
Answer: B) method used to mark a TempData value to be retained

Q129. Which option correctly identifies Keep()?

A) encode a URL
B) delete a value
C) method used to mark a TempData value to be retained
D) validate a model
Answer: C) method used to mark a TempData value to be retained

Q130. Which description is associated with Keep()?

A) validate a model
B) delete a value
C) encode a URL
D) method used to mark a TempData value to be retained
Answer: D) method used to mark a TempData value to be retained

Q131. What is the main purpose of Peek()?

A) method used to read TempData without marking it for deletion
B) permanently delete a value
C) create a cookie
D) redirect to an action
Answer: A) method used to read TempData without marking it for deletion

Q132. Which statement best describes Peek()?

A) permanently delete a value
B) method used to read TempData without marking it for deletion
C) create a cookie
D) redirect to an action
Answer: B) method used to read TempData without marking it for deletion

Q133. In ASP.NET Core, what does Peek() refer to?

A) create a cookie
B) permanently delete a value
C) method used to read TempData without marking it for deletion
D) redirect to an action
Answer: C) method used to read TempData without marking it for deletion

Q134. Which option correctly identifies Peek()?

A) redirect to an action
B) permanently delete a value
C) create a cookie
D) method used to read TempData without marking it for deletion
Answer: D) method used to read TempData without marking it for deletion

Q135. Which description is associated with Peek()?

A) method used to read TempData without marking it for deletion
B) permanently delete a value
C) create a cookie
D) redirect to an action
Answer: A) method used to read TempData without marking it for deletion

Q136. What is the main purpose of one-time reading?

A) it is marked for deletion
B) usual behavior of a TempData value after it is read
C) it is stored permanently
D) it is copied into database
Answer: B) usual behavior of a TempData value after it is read

Q137. Which statement best describes one-time reading?

A) it is stored permanently
B) it is marked for deletion
C) usual behavior of a TempData value after it is read
D) it is copied into database
Answer: C) usual behavior of a TempData value after it is read

Q138. In ASP.NET Core, what does one-time reading refer to?

A) it is copied into database
B) it is marked for deletion
C) it is stored permanently
D) usual behavior of a TempData value after it is read
Answer: D) usual behavior of a TempData value after it is read

Q139. Which option correctly identifies one-time reading?

A) usual behavior of a TempData value after it is read
B) it is marked for deletion
C) it is stored permanently
D) it is copied into database
Answer: A) usual behavior of a TempData value after it is read

Q140. Which description is associated with one-time reading?

A) it is marked for deletion
B) usual behavior of a TempData value after it is read
C) it is stored permanently
D) it is copied into database
Answer: B) usual behavior of a TempData value after it is read

Q141. What is the main purpose of success message?

A) website logo file
B) message after successful form submission
C) common example of information stored in TempData
D) database password
Answer: C) common example of information stored in TempData

Q142. Which statement best describes success message?

A) database password
B) message after successful form submission
C) website logo file
D) common example of information stored in TempData
Answer: D) common example of information stored in TempData

Q143. In ASP.NET Core, what does success message refer to?

A) common example of information stored in TempData
B) message after successful form submission
C) website logo file
D) database password
Answer: A) common example of information stored in TempData

Q144. Which option correctly identifies success message?

A) message after successful form submission
B) common example of information stored in TempData
C) website logo file
D) database password
Answer: B) common example of information stored in TempData

Q145. Which description is associated with success message?

A) website logo file
B) message after successful form submission
C) common example of information stored in TempData
D) database password
Answer: C) common example of information stored in TempData

5. Working with Layouts

Q146. What is the main purpose of _Layout.cshtml?

A) conventional name of a shared Razor layout file
B) _Model.cshtml
C) _Controller.cshtml
D) _Database.cshtml
Answer: A) conventional name of a shared Razor layout file

Q147. Which statement best describes _Layout.cshtml?

A) _Model.cshtml
B) conventional name of a shared Razor layout file
C) _Controller.cshtml
D) _Database.cshtml
Answer: B) conventional name of a shared Razor layout file

Q148. In ASP.NET Core, what does _Layout.cshtml refer to?

A) _Controller.cshtml
B) _Model.cshtml
C) conventional name of a shared Razor layout file
D) _Database.cshtml
Answer: C) conventional name of a shared Razor layout file

Q149. Which option correctly identifies _Layout.cshtml?

A) _Database.cshtml
B) _Model.cshtml
C) _Controller.cshtml
D) conventional name of a shared Razor layout file
Answer: D) conventional name of a shared Razor layout file

Q150. Which description is associated with _Layout.cshtml?

A) conventional name of a shared Razor layout file
B) _Model.cshtml
C) _Controller.cshtml
D) _Database.cshtml
Answer: A) conventional name of a shared Razor layout file

Q151. What is the main purpose of layout page?

A) database migration
B) page providing common structure for multiple views
C) controller action
D) model validation attribute
Answer: B) page providing common structure for multiple views

Q152. Which statement best describes layout page?

A) controller action
B) database migration
C) page providing common structure for multiple views
D) model validation attribute
Answer: C) page providing common structure for multiple views

Q153. In ASP.NET Core, what does layout page refer to?

A) model validation attribute
B) database migration
C) controller action
D) page providing common structure for multiple views
Answer: D) page providing common structure for multiple views

Q154. Which option correctly identifies layout page?

A) page providing common structure for multiple views
B) database migration
C) controller action
D) model validation attribute
Answer: A) page providing common structure for multiple views

Q155. Which description is associated with layout page?

A) database migration
B) page providing common structure for multiple views
C) controller action
D) model validation attribute
Answer: B) page providing common structure for multiple views

Q156. What is the main purpose of RenderBody()?

A) starts authentication
B) loads database
C) method marking where a view's main content is rendered
D) creates route
Answer: C) method marking where a view's main content is rendered

Q157. Which statement best describes RenderBody()?

A) creates route
B) loads database
C) starts authentication
D) method marking where a view's main content is rendered
Answer: D) method marking where a view's main content is rendered

Q158. In ASP.NET Core, what does RenderBody() refer to?

A) method marking where a view's main content is rendered
B) loads database
C) starts authentication
D) creates route
Answer: A) method marking where a view's main content is rendered

Q159. Which option correctly identifies RenderBody()?

A) loads database
B) method marking where a view's main content is rendered
C) starts authentication
D) creates route
Answer: B) method marking where a view's main content is rendered

Q160. Which description is associated with RenderBody()?

A) starts authentication
B) loads database
C) method marking where a view's main content is rendered
D) creates route
Answer: C) method marking where a view's main content is rendered

Q161. What is the main purpose of RenderSection()?

A) register a service
B) delete a section
C) create a model
D) method used to render a named section defined by a view
Answer: D) method used to render a named section defined by a view

Q162. Which statement best describes RenderSection()?

A) method used to render a named section defined by a view
B) delete a section
C) create a model
D) register a service
Answer: A) method used to render a named section defined by a view

Q163. In ASP.NET Core, what does RenderSection() refer to?

A) delete a section
B) method used to render a named section defined by a view
C) create a model
D) register a service
Answer: B) method used to render a named section defined by a view

Q164. Which option correctly identifies RenderSection()?

A) create a model
B) delete a section
C) method used to render a named section defined by a view
D) register a service
Answer: C) method used to render a named section defined by a view

Q165. Which description is associated with RenderSection()?

A) register a service
B) delete a section
C) create a model
D) method used to render a named section defined by a view
Answer: D) method used to render a named section defined by a view

Q166. What is the main purpose of _ViewStart.cshtml?

A) file commonly used to set the layout for views in a folder
B) database seed file
C) controller class
D) CSS bundle
Answer: A) file commonly used to set the layout for views in a folder

Q167. Which statement best describes _ViewStart.cshtml?

A) database seed file
B) file commonly used to set the layout for views in a folder
C) controller class
D) CSS bundle
Answer: B) file commonly used to set the layout for views in a folder

Q168. In ASP.NET Core, what does _ViewStart.cshtml refer to?

A) controller class
B) database seed file
C) file commonly used to set the layout for views in a folder
D) CSS bundle
Answer: C) file commonly used to set the layout for views in a folder

Q169. Which option correctly identifies _ViewStart.cshtml?

A) CSS bundle
B) database seed file
C) controller class
D) file commonly used to set the layout for views in a folder
Answer: D) file commonly used to set the layout for views in a folder

Q170. Which description is associated with _ViewStart.cshtml?

A) file commonly used to set the layout for views in a folder
B) database seed file
C) controller class
D) CSS bundle
Answer: A) file commonly used to set the layout for views in a folder

Q171. What is the main purpose of optional section?

A) required model property
B) section that a layout does not require every view to define
C) mandatory route
D) database key
Answer: B) section that a layout does not require every view to define

Q172. Which statement best describes optional section?

A) mandatory route
B) required model property
C) section that a layout does not require every view to define
D) database key
Answer: C) section that a layout does not require every view to define

Q173. In ASP.NET Core, what does optional section refer to?

A) database key
B) required model property
C) mandatory route
D) section that a layout does not require every view to define
Answer: D) section that a layout does not require every view to define

Q174. Which option correctly identifies optional section?

A) section that a layout does not require every view to define
B) required model property
C) mandatory route
D) database key
Answer: A) section that a layout does not require every view to define

Q175. Which description is associated with optional section?

A) required model property
B) section that a layout does not require every view to define
C) mandatory route
D) database key
Answer: B) section that a layout does not require every view to define

Q176. What is the main purpose of shared navigation?

A) one product's private data
B) site header and navigation menu
C) content commonly placed in a layout
D) single action's local variable
Answer: C) content commonly placed in a layout

Q177. Which statement best describes shared navigation?

A) single action's local variable
B) site header and navigation menu
C) one product's private data
D) content commonly placed in a layout
Answer: D) content commonly placed in a layout

Q178. In ASP.NET Core, what does shared navigation refer to?

A) content commonly placed in a layout
B) site header and navigation menu
C) one product's private data
D) single action's local variable
Answer: A) content commonly placed in a layout

Q179. Which option correctly identifies shared navigation?

A) site header and navigation menu
B) content commonly placed in a layout
C) one product's private data
D) single action's local variable
Answer: B) content commonly placed in a layout

Q180. Which description is associated with shared navigation?

A) one product's private data
B) site header and navigation menu
C) content commonly placed in a layout
D) single action's local variable
Answer: C) content commonly placed in a layout

Q181. What is the main purpose of nested layout?

A) controller without actions
B) view with no HTML
C) database without tables
D) layout arrangement in which one layout uses another layout
Answer: D) layout arrangement in which one layout uses another layout

Q182. Which statement best describes nested layout?

A) layout arrangement in which one layout uses another layout
B) view with no HTML
C) database without tables
D) controller without actions
Answer: A) layout arrangement in which one layout uses another layout

Q183. In ASP.NET Core, what does nested layout refer to?

A) view with no HTML
B) layout arrangement in which one layout uses another layout
C) database without tables
D) controller without actions
Answer: B) layout arrangement in which one layout uses another layout

Q184. Which option correctly identifies nested layout?

A) database without tables
B) view with no HTML
C) layout arrangement in which one layout uses another layout
D) controller without actions
Answer: C) layout arrangement in which one layout uses another layout

Q185. Which description is associated with nested layout?

A) controller without actions
B) view with no HTML
C) database without tables
D) layout arrangement in which one layout uses another layout
Answer: D) layout arrangement in which one layout uses another layout

6. Using Partial Views

Q186. What is the main purpose of partial view?

A) reusable fragment of Razor markup rendered inside another view
B) database stored procedure
C) middleware component
D) route constraint
Answer: A) reusable fragment of Razor markup rendered inside another view

Q187. Which statement best describes partial view?

A) database stored procedure
B) reusable fragment of Razor markup rendered inside another view
C) middleware component
D) route constraint
Answer: B) reusable fragment of Razor markup rendered inside another view

Q188. In ASP.NET Core, what does partial view refer to?

A) middleware component
B) database stored procedure
C) reusable fragment of Razor markup rendered inside another view
D) route constraint
Answer: C) reusable fragment of Razor markup rendered inside another view

Q189. Which option correctly identifies partial view?

A) route constraint
B) database stored procedure
C) middleware component
D) reusable fragment of Razor markup rendered inside another view
Answer: D) reusable fragment of Razor markup rendered inside another view

Q190. Which description is associated with partial view?

A) reusable fragment of Razor markup rendered inside another view
B) database stored procedure
C) middleware component
D) route constraint
Answer: A) reusable fragment of Razor markup rendered inside another view

Q191. What is the main purpose of _ prefix?

A) required C# keyword
B) common naming convention for partial view files
C) HTML element
D) database prefix
Answer: B) common naming convention for partial view files

Q192. Which statement best describes _ prefix?

A) HTML element
B) required C# keyword
C) common naming convention for partial view files
D) database prefix
Answer: C) common naming convention for partial view files

Q193. In ASP.NET Core, what does _ prefix refer to?

A) database prefix
B) required C# keyword
C) HTML element
D) common naming convention for partial view files
Answer: D) common naming convention for partial view files

Q194. Which option correctly identifies _ prefix?

A) common naming convention for partial view files
B) required C# keyword
C) HTML element
D) database prefix
Answer: A) common naming convention for partial view files

Q195. Which description is associated with _ prefix?

A) required C# keyword
B) common naming convention for partial view files
C) HTML element
D) database prefix
Answer: B) common naming convention for partial view files

Q196. What is the main purpose of PartialAsync()?

A) database query method
B) method to delete views
C) asynchronous method used to render a partial view
D) CSS compiler
Answer: C) asynchronous method used to render a partial view

Q197. Which statement best describes PartialAsync()?

A) CSS compiler
B) method to delete views
C) database query method
D) asynchronous method used to render a partial view
Answer: D) asynchronous method used to render a partial view

Q198. In ASP.NET Core, what does PartialAsync() refer to?

A) asynchronous method used to render a partial view
B) method to delete views
C) database query method
D) CSS compiler
Answer: A) asynchronous method used to render a partial view

Q199. Which option correctly identifies PartialAsync()?

A) method to delete views
B) asynchronous method used to render a partial view
C) database query method
D) CSS compiler
Answer: B) asynchronous method used to render a partial view

Q200. Which description is associated with PartialAsync()?

A) database query method
B) method to delete views
C) asynchronous method used to render a partial view
D) CSS compiler
Answer: C) asynchronous method used to render a partial view

Q201. What is the main purpose of Html.PartialAsync()?

A) model validator
B) login provider
C) routing service
D) helper commonly used to render a partial view asynchronously
Answer: D) helper commonly used to render a partial view asynchronously

Q202. Which statement best describes Html.PartialAsync()?

A) helper commonly used to render a partial view asynchronously
B) login provider
C) routing service
D) model validator
Answer: A) helper commonly used to render a partial view asynchronously

Q203. In ASP.NET Core, what does Html.PartialAsync() refer to?

A) login provider
B) helper commonly used to render a partial view asynchronously
C) routing service
D) model validator
Answer: B) helper commonly used to render a partial view asynchronously

Q204. Which option correctly identifies Html.PartialAsync()?

A) routing service
B) login provider
C) helper commonly used to render a partial view asynchronously
D) model validator
Answer: C) helper commonly used to render a partial view asynchronously

Q205. Which description is associated with Html.PartialAsync()?

A) model validator
B) login provider
C) routing service
D) helper commonly used to render a partial view asynchronously
Answer: D) helper commonly used to render a partial view asynchronously

Q206. What is the main purpose of reusable UI?

A) main benefit of extracting repeated markup into partial views
B) reducing duplication
C) increasing password length
D) changing database schema
Answer: A) main benefit of extracting repeated markup into partial views

Q207. Which statement best describes reusable UI?

A) reducing duplication
B) main benefit of extracting repeated markup into partial views
C) increasing password length
D) changing database schema
Answer: B) main benefit of extracting repeated markup into partial views

Q208. In ASP.NET Core, what does reusable UI refer to?

A) increasing password length
B) reducing duplication
C) main benefit of extracting repeated markup into partial views
D) changing database schema
Answer: C) main benefit of extracting repeated markup into partial views

Q209. Which option correctly identifies reusable UI?

A) changing database schema
B) reducing duplication
C) increasing password length
D) main benefit of extracting repeated markup into partial views
Answer: D) main benefit of extracting repeated markup into partial views

Q210. Which description is associated with reusable UI?

A) main benefit of extracting repeated markup into partial views
B) reducing duplication
C) increasing password length
D) changing database schema
Answer: A) main benefit of extracting repeated markup into partial views

Q211. What is the main purpose of shared component?

A) repeated product card
B) content suitable for a partial view
C) entire application database
D) server operating system
Answer: B) content suitable for a partial view

Q212. Which statement best describes shared component?

A) entire application database
B) repeated product card
C) content suitable for a partial view
D) server operating system
Answer: C) content suitable for a partial view

Q213. In ASP.NET Core, what does shared component refer to?

A) server operating system
B) repeated product card
C) entire application database
D) content suitable for a partial view
Answer: D) content suitable for a partial view

Q214. Which option correctly identifies shared component?

A) content suitable for a partial view
B) repeated product card
C) entire application database
D) server operating system
Answer: A) content suitable for a partial view

Q215. Which description is associated with shared component?

A) repeated product card
B) content suitable for a partial view
C) entire application database
D) server operating system
Answer: B) content suitable for a partial view

Q216. What is the main purpose of partial model?

A) CSS media query
B) browser extension
C) data that can be passed to a partial view for rendering
D) port number
Answer: C) data that can be passed to a partial view for rendering

Q217. Which statement best describes partial model?

A) port number
B) browser extension
C) CSS media query
D) data that can be passed to a partial view for rendering
Answer: D) data that can be passed to a partial view for rendering

Q218. In ASP.NET Core, what does partial model refer to?

A) data that can be passed to a partial view for rendering
B) browser extension
C) CSS media query
D) port number
Answer: A) data that can be passed to a partial view for rendering

Q219. Which option correctly identifies partial model?

A) browser extension
B) data that can be passed to a partial view for rendering
C) CSS media query
D) port number
Answer: B) data that can be passed to a partial view for rendering

Q220. Which description is associated with partial model?

A) CSS media query
B) browser extension
C) data that can be passed to a partial view for rendering
D) port number
Answer: C) data that can be passed to a partial view for rendering

7. Understanding Content-Encoding

Q221. What is the main purpose of content encoding?

A) transformation used to represent response content, often for compression
B) user authentication
C) database normalization
D) route mapping
Answer: A) transformation used to represent response content, often for compression

Q222. Which statement best describes content encoding?

A) user authentication
B) transformation used to represent response content, often for compression
C) database normalization
D) route mapping
Answer: B) transformation used to represent response content, often for compression

Q223. In ASP.NET Core, what does content encoding refer to?

A) database normalization
B) user authentication
C) transformation used to represent response content, often for compression
D) route mapping
Answer: C) transformation used to represent response content, often for compression

Q224. Which option correctly identifies content encoding?

A) route mapping
B) user authentication
C) database normalization
D) transformation used to represent response content, often for compression
Answer: D) transformation used to represent response content, often for compression

Q225. Which description is associated with content encoding?

A) transformation used to represent response content, often for compression
B) user authentication
C) database normalization
D) route mapping
Answer: A) transformation used to represent response content, often for compression

Q226. What is the main purpose of Gzip?

A) SMTP
B) commonly supported HTTP compression format
C) OAuth
D) SQL
Answer: B) commonly supported HTTP compression format

Q227. Which statement best describes Gzip?

A) OAuth
B) SMTP
C) commonly supported HTTP compression format
D) SQL
Answer: C) commonly supported HTTP compression format

Q228. In ASP.NET Core, what does Gzip refer to?

A) SQL
B) SMTP
C) OAuth
D) commonly supported HTTP compression format
Answer: D) commonly supported HTTP compression format

Q229. Which option correctly identifies Gzip?

A) commonly supported HTTP compression format
B) SMTP
C) OAuth
D) SQL
Answer: A) commonly supported HTTP compression format

Q230. Which description is associated with Gzip?

A) SMTP
B) commonly supported HTTP compression format
C) OAuth
D) SQL
Answer: B) commonly supported HTTP compression format

Q231. What is the main purpose of Brotli?

A) authentication cookie
B) database language
C) modern compression algorithm supported by web servers and browsers
D) view engine
Answer: C) modern compression algorithm supported by web servers and browsers

Q232. Which statement best describes Brotli?

A) view engine
B) database language
C) authentication cookie
D) modern compression algorithm supported by web servers and browsers
Answer: D) modern compression algorithm supported by web servers and browsers

Q233. In ASP.NET Core, what does Brotli refer to?

A) modern compression algorithm supported by web servers and browsers
B) database language
C) authentication cookie
D) view engine
Answer: A) modern compression algorithm supported by web servers and browsers

Q234. Which option correctly identifies Brotli?

A) database language
B) modern compression algorithm supported by web servers and browsers
C) authentication cookie
D) view engine
Answer: B) modern compression algorithm supported by web servers and browsers

Q235. Which description is associated with Brotli?

A) authentication cookie
B) database language
C) modern compression algorithm supported by web servers and browsers
D) view engine
Answer: C) modern compression algorithm supported by web servers and browsers

Q236. What is the main purpose of Content-Encoding header?

A) Location
B) Content-Type
C) Set-Cookie
D) HTTP response header indicating encoding applied to message body
Answer: D) HTTP response header indicating encoding applied to message body

Q237. Which statement best describes Content-Encoding header?

A) HTTP response header indicating encoding applied to message body
B) Content-Type
C) Set-Cookie
D) Location
Answer: A) HTTP response header indicating encoding applied to message body

Q238. In ASP.NET Core, what does Content-Encoding header refer to?

A) Content-Type
B) HTTP response header indicating encoding applied to message body
C) Set-Cookie
D) Location
Answer: B) HTTP response header indicating encoding applied to message body

Q239. Which option correctly identifies Content-Encoding header?

A) Set-Cookie
B) Content-Type
C) HTTP response header indicating encoding applied to message body
D) Location
Answer: C) HTTP response header indicating encoding applied to message body

Q240. Which description is associated with Content-Encoding header?

A) Location
B) Content-Type
C) Set-Cookie
D) HTTP response header indicating encoding applied to message body
Answer: D) HTTP response header indicating encoding applied to message body

Q241. What is the main purpose of Accept-Encoding header?

A) request header through which a client indicates supported encodings
B) Authorization
C) Host
D) Referer
Answer: A) request header through which a client indicates supported encodings

Q242. Which statement best describes Accept-Encoding header?

A) Authorization
B) request header through which a client indicates supported encodings
C) Host
D) Referer
Answer: B) request header through which a client indicates supported encodings

Q243. In ASP.NET Core, what does Accept-Encoding header refer to?

A) Host
B) Authorization
C) request header through which a client indicates supported encodings
D) Referer
Answer: C) request header through which a client indicates supported encodings

Q244. Which option correctly identifies Accept-Encoding header?

A) Referer
B) Authorization
C) Host
D) request header through which a client indicates supported encodings
Answer: D) request header through which a client indicates supported encodings

Q245. Which description is associated with Accept-Encoding header?

A) request header through which a client indicates supported encodings
B) Authorization
C) Host
D) Referer
Answer: A) request header through which a client indicates supported encodings

Q246. What is the main purpose of compressed response?

A) response with no body
B) response that can reduce data transferred over a network
C) database backup
D) encrypted password
Answer: B) response that can reduce data transferred over a network

Q247. Which statement best describes compressed response?

A) database backup
B) response with no body
C) response that can reduce data transferred over a network
D) encrypted password
Answer: C) response that can reduce data transferred over a network

Q248. In ASP.NET Core, what does compressed response refer to?

A) encrypted password
B) response with no body
C) database backup
D) response that can reduce data transferred over a network
Answer: D) response that can reduce data transferred over a network

Q249. Which option correctly identifies compressed response?

A) response that can reduce data transferred over a network
B) response with no body
C) database backup
D) encrypted password
Answer: A) response that can reduce data transferred over a network

Q250. Which description is associated with compressed response?

A) response with no body
B) response that can reduce data transferred over a network
C) database backup
D) encrypted password
Answer: B) response that can reduce data transferred over a network

Q251. What is the main purpose of decompression?

A) authentication
B) routing
C) process by which a client restores compressed response content
D) model binding
Answer: C) process by which a client restores compressed response content

Q252. Which statement best describes decompression?

A) model binding
B) routing
C) authentication
D) process by which a client restores compressed response content
Answer: D) process by which a client restores compressed response content

Q253. In ASP.NET Core, what does decompression refer to?

A) process by which a client restores compressed response content
B) routing
C) authentication
D) model binding
Answer: A) process by which a client restores compressed response content

Q254. Which option correctly identifies decompression?

A) routing
B) process by which a client restores compressed response content
C) authentication
D) model binding
Answer: B) process by which a client restores compressed response content

Q255. Which description is associated with decompression?

A) authentication
B) routing
C) process by which a client restores compressed response content
D) model binding
Answer: C) process by which a client restores compressed response content

Unit VI – Working with Model, Form and Other Web Applications

1. Using Model Binding

Q256. What is the main purpose of model binding?

A) process of mapping request data to action parameters or model properties
B) rendering a layout
C) compressing a response
D) sending an email
Answer: A) process of mapping request data to action parameters or model properties

Q257. Which statement best describes model binding?

A) rendering a layout
B) process of mapping request data to action parameters or model properties
C) compressing a response
D) sending an email
Answer: B) process of mapping request data to action parameters or model properties

Q258. In ASP.NET Core, what does model binding refer to?

A) compressing a response
B) rendering a layout
C) process of mapping request data to action parameters or model properties
D) sending an email
Answer: C) process of mapping request data to action parameters or model properties

Q259. Which option correctly identifies model binding?

A) sending an email
B) rendering a layout
C) compressing a response
D) process of mapping request data to action parameters or model properties
Answer: D) process of mapping request data to action parameters or model properties

Q260. Which description is associated with model binding?

A) process of mapping request data to action parameters or model properties
B) rendering a layout
C) compressing a response
D) sending an email
Answer: A) process of mapping request data to action parameters or model properties

Q261. What is the main purpose of route data?

A) CSS file
B) one possible source of values used by model binding
C) image metadata
D) server log only
Answer: B) one possible source of values used by model binding

Q262. Which statement best describes route data?

A) image metadata
B) CSS file
C) one possible source of values used by model binding
D) server log only
Answer: C) one possible source of values used by model binding

Q263. In ASP.NET Core, what does route data refer to?

A) server log only
B) CSS file
C) image metadata
D) one possible source of values used by model binding
Answer: D) one possible source of values used by model binding

Q264. Which option correctly identifies route data?

A) one possible source of values used by model binding
B) CSS file
C) image metadata
D) server log only
Answer: A) one possible source of values used by model binding

Q265. Which description is associated with route data?

A) CSS file
B) one possible source of values used by model binding
C) image metadata
D) server log only
Answer: B) one possible source of values used by model binding

Q266. What is the main purpose of query string?

A) CSS selector
B) response body only
C) request data source appearing in URL after a question mark
D) database index
Answer: C) request data source appearing in URL after a question mark

Q267. Which statement best describes query string?

A) database index
B) response body only
C) CSS selector
D) request data source appearing in URL after a question mark
Answer: D) request data source appearing in URL after a question mark

Q268. In ASP.NET Core, what does query string refer to?

A) request data source appearing in URL after a question mark
B) response body only
C) CSS selector
D) database index
Answer: A) request data source appearing in URL after a question mark

Q269. Which option correctly identifies query string?

A) response body only
B) request data source appearing in URL after a question mark
C) CSS selector
D) database index
Answer: B) request data source appearing in URL after a question mark

Q270. Which description is associated with query string?

A) CSS selector
B) response body only
C) request data source appearing in URL after a question mark
D) database index
Answer: C) request data source appearing in URL after a question mark

Q271. What is the main purpose of form data?

A) server certificates
B) layout sections
C) image pixels
D) data commonly submitted through HTML form controls
Answer: D) data commonly submitted through HTML form controls

Q272. Which statement best describes form data?

A) data commonly submitted through HTML form controls
B) layout sections
C) image pixels
D) server certificates
Answer: A) data commonly submitted through HTML form controls

Q273. In ASP.NET Core, what does form data refer to?

A) layout sections
B) data commonly submitted through HTML form controls
C) image pixels
D) server certificates
Answer: B) data commonly submitted through HTML form controls

Q274. Which option correctly identifies form data?

A) image pixels
B) layout sections
C) data commonly submitted through HTML form controls
D) server certificates
Answer: C) data commonly submitted through HTML form controls

Q275. Which description is associated with form data?

A) server certificates
B) layout sections
C) image pixels
D) data commonly submitted through HTML form controls
Answer: D) data commonly submitted through HTML form controls

Q276. What is the main purpose of [FromBody]?

A) attribute indicating a parameter should be bound from request body
B) bind from route only
C) disable validation
D) render partial view
Answer: A) attribute indicating a parameter should be bound from request body

Q277. Which statement best describes [FromBody]?

A) bind from route only
B) attribute indicating a parameter should be bound from request body
C) disable validation
D) render partial view
Answer: B) attribute indicating a parameter should be bound from request body

Q278. In ASP.NET Core, what does [FromBody] refer to?

A) disable validation
B) bind from route only
C) attribute indicating a parameter should be bound from request body
D) render partial view
Answer: C) attribute indicating a parameter should be bound from request body

Q279. Which option correctly identifies [FromBody]?

A) render partial view
B) bind from route only
C) disable validation
D) attribute indicating a parameter should be bound from request body
Answer: D) attribute indicating a parameter should be bound from request body

Q280. Which description is associated with [FromBody]?

A) attribute indicating a parameter should be bound from request body
B) bind from route only
C) disable validation
D) render partial view
Answer: A) attribute indicating a parameter should be bound from request body

Q281. What is the main purpose of [FromRoute]?

A) bind from CSS
B) attribute indicating a parameter should be bound from route values
C) read an email
D) compress a response
Answer: B) attribute indicating a parameter should be bound from route values

Q282. Which statement best describes [FromRoute]?

A) read an email
B) bind from CSS
C) attribute indicating a parameter should be bound from route values
D) compress a response
Answer: C) attribute indicating a parameter should be bound from route values

Q283. In ASP.NET Core, what does [FromRoute] refer to?

A) compress a response
B) bind from CSS
C) read an email
D) attribute indicating a parameter should be bound from route values
Answer: D) attribute indicating a parameter should be bound from route values

Q284. Which option correctly identifies [FromRoute]?

A) attribute indicating a parameter should be bound from route values
B) bind from CSS
C) read an email
D) compress a response
Answer: A) attribute indicating a parameter should be bound from route values

Q285. Which description is associated with [FromRoute]?

A) bind from CSS
B) attribute indicating a parameter should be bound from route values
C) read an email
D) compress a response
Answer: B) attribute indicating a parameter should be bound from route values

Q286. What is the main purpose of ModelState?

A) database connection
B) view layout
C) object storing model-binding and validation state information
D) static file provider
Answer: C) object storing model-binding and validation state information

Q287. Which statement best describes ModelState?

A) static file provider
B) view layout
C) database connection
D) object storing model-binding and validation state information
Answer: D) object storing model-binding and validation state information

Q288. In ASP.NET Core, what does ModelState refer to?

A) object storing model-binding and validation state information
B) view layout
C) database connection
D) static file provider
Answer: A) object storing model-binding and validation state information

Q289. Which option correctly identifies ModelState?

A) view layout
B) object storing model-binding and validation state information
C) database connection
D) static file provider
Answer: B) object storing model-binding and validation state information

Q290. Which description is associated with ModelState?

A) database connection
B) view layout
C) object storing model-binding and validation state information
D) static file provider
Answer: C) object storing model-binding and validation state information

2. Using Model Validation

Q291. What is the main purpose of model validation?

A) process of checking submitted model data against defined rules
B) compressing HTML
C) creating routes
D) sending email
Answer: A) process of checking submitted model data against defined rules

Q292. Which statement best describes model validation?

A) compressing HTML
B) process of checking submitted model data against defined rules
C) creating routes
D) sending email
Answer: B) process of checking submitted model data against defined rules

Q293. In ASP.NET Core, what does model validation refer to?

A) creating routes
B) compressing HTML
C) process of checking submitted model data against defined rules
D) sending email
Answer: C) process of checking submitted model data against defined rules

Q294. Which option correctly identifies model validation?

A) sending email
B) compressing HTML
C) creating routes
D) process of checking submitted model data against defined rules
Answer: D) process of checking submitted model data against defined rules

Q295. Which description is associated with model validation?

A) process of checking submitted model data against defined rules
B) compressing HTML
C) creating routes
D) sending email
Answer: A) process of checking submitted model data against defined rules

Q296. What is the main purpose of [Required]?

A) sets maximum value
B) attribute marking a property as mandatory
C) formats a date
D) creates database
Answer: B) attribute marking a property as mandatory

Q297. Which statement best describes [Required]?

A) formats a date
B) sets maximum value
C) attribute marking a property as mandatory
D) creates database
Answer: C) attribute marking a property as mandatory

Q298. In ASP.NET Core, what does [Required] refer to?

A) creates database
B) sets maximum value
C) formats a date
D) attribute marking a property as mandatory
Answer: D) attribute marking a property as mandatory

Q299. Which option correctly identifies [Required]?

A) attribute marking a property as mandatory
B) sets maximum value
C) formats a date
D) creates database
Answer: A) attribute marking a property as mandatory

Q300. Which description is associated with [Required]?

A) sets maximum value
B) attribute marking a property as mandatory
C) formats a date
D) creates database
Answer: B) attribute marking a property as mandatory

Q301. What is the main purpose of [StringLength]?

A) sets a route
B) validates email server
C) attribute used to restrict the length of a string
D) encrypts cookie
Answer: C) attribute used to restrict the length of a string

Q302. Which statement best describes [StringLength]?

A) encrypts cookie
B) validates email server
C) sets a route
D) attribute used to restrict the length of a string
Answer: D) attribute used to restrict the length of a string

Q303. In ASP.NET Core, what does [StringLength] refer to?

A) attribute used to restrict the length of a string
B) validates email server
C) sets a route
D) encrypts cookie
Answer: A) attribute used to restrict the length of a string

Q304. Which option correctly identifies [StringLength]?

A) validates email server
B) attribute used to restrict the length of a string
C) sets a route
D) encrypts cookie
Answer: B) attribute used to restrict the length of a string

Q305. Which description is associated with [StringLength]?

A) sets a route
B) validates email server
C) attribute used to restrict the length of a string
D) encrypts cookie
Answer: C) attribute used to restrict the length of a string

Q306. What is the main purpose of [Range]?

A) sets a layout
B) checks file type only
C) creates a view
D) attribute used to restrict a numeric value to a specified range
Answer: D) attribute used to restrict a numeric value to a specified range

Q307. Which statement best describes [Range]?

A) attribute used to restrict a numeric value to a specified range
B) checks file type only
C) creates a view
D) sets a layout
Answer: A) attribute used to restrict a numeric value to a specified range

Q308. In ASP.NET Core, what does [Range] refer to?

A) checks file type only
B) attribute used to restrict a numeric value to a specified range
C) creates a view
D) sets a layout
Answer: B) attribute used to restrict a numeric value to a specified range

Q309. Which option correctly identifies [Range]?

A) creates a view
B) checks file type only
C) attribute used to restrict a numeric value to a specified range
D) sets a layout
Answer: C) attribute used to restrict a numeric value to a specified range

Q310. Which description is associated with [Range]?

A) sets a layout
B) checks file type only
C) creates a view
D) attribute used to restrict a numeric value to a specified range
Answer: D) attribute used to restrict a numeric value to a specified range

Q311. What is the main purpose of [EmailAddress]?

A) attribute used to validate an email address format
B) validates password length
C) sets numeric range
D) creates controller
Answer: A) attribute used to validate an email address format

Q312. Which statement best describes [EmailAddress]?

A) validates password length
B) attribute used to validate an email address format
C) sets numeric range
D) creates controller
Answer: B) attribute used to validate an email address format

Q313. In ASP.NET Core, what does [EmailAddress] refer to?

A) sets numeric range
B) validates password length
C) attribute used to validate an email address format
D) creates controller
Answer: C) attribute used to validate an email address format

Q314. Which option correctly identifies [EmailAddress]?

A) creates controller
B) validates password length
C) sets numeric range
D) attribute used to validate an email address format
Answer: D) attribute used to validate an email address format

Q315. Which description is associated with [EmailAddress]?

A) attribute used to validate an email address format
B) validates password length
C) sets numeric range
D) creates controller
Answer: A) attribute used to validate an email address format

Q316. What is the main purpose of ModelState.IsValid?

A) starts server
B) property commonly checked to determine whether model validation succeeded
C) sends email
D) view rendering helper
Answer: B) property commonly checked to determine whether model validation succeeded

Q317. Which statement best describes ModelState.IsValid?

A) sends email
B) starts server
C) property commonly checked to determine whether model validation succeeded
D) view rendering helper
Answer: C) property commonly checked to determine whether model validation succeeded

Q318. In ASP.NET Core, what does ModelState.IsValid refer to?

A) view rendering helper
B) starts server
C) sends email
D) property commonly checked to determine whether model validation succeeded
Answer: D) property commonly checked to determine whether model validation succeeded

Q319. Which option correctly identifies ModelState.IsValid?

A) property commonly checked to determine whether model validation succeeded
B) starts server
C) sends email
D) view rendering helper
Answer: A) property commonly checked to determine whether model validation succeeded

Q320. Which description is associated with ModelState.IsValid?

A) starts server
B) property commonly checked to determine whether model validation succeeded
C) sends email
D) view rendering helper
Answer: B) property commonly checked to determine whether model validation succeeded

Q321. What is the main purpose of validation message?

A) HTTP port number
B) database connection string
C) feedback displayed to explain an invalid field value
D) layout file
Answer: C) feedback displayed to explain an invalid field value

Q322. Which statement best describes validation message?

A) layout file
B) database connection string
C) HTTP port number
D) feedback displayed to explain an invalid field value
Answer: D) feedback displayed to explain an invalid field value

Q323. In ASP.NET Core, what does validation message refer to?

A) feedback displayed to explain an invalid field value
B) database connection string
C) HTTP port number
D) layout file
Answer: A) feedback displayed to explain an invalid field value

Q324. Which option correctly identifies validation message?

A) database connection string
B) feedback displayed to explain an invalid field value
C) HTTP port number
D) layout file
Answer: B) feedback displayed to explain an invalid field value

Q325. Which description is associated with validation message?

A) HTTP port number
B) database connection string
C) feedback displayed to explain an invalid field value
D) layout file
Answer: C) feedback displayed to explain an invalid field value

3. Creating Form Applications

Q326. What is the main purpose of HTML form?

A) HTML element used to collect and submit user input
B) CSS stylesheet
C) database table
D) route constraint
Answer: A) HTML element used to collect and submit user input

Q327. Which statement best describes HTML form?

A) CSS stylesheet
B) HTML element used to collect and submit user input
C) database table
D) route constraint
Answer: B) HTML element used to collect and submit user input

Q328. In ASP.NET Core, what does HTML form refer to?

A) database table
B) CSS stylesheet
C) HTML element used to collect and submit user input
D) route constraint
Answer: C) HTML element used to collect and submit user input

Q329. Which option correctly identifies HTML form?

A) route constraint
B) CSS stylesheet
C) database table
D) HTML element used to collect and submit user input
Answer: D) HTML element used to collect and submit user input

Q330. Which description is associated with HTML form?

A) HTML element used to collect and submit user input
B) CSS stylesheet
C) database table
D) route constraint
Answer: A) HTML element used to collect and submit user input

Q331. What is the main purpose of method attribute?

A) sets page colour
B) form attribute specifying GET or POST submission
C) chooses database
D) defines model class
Answer: B) form attribute specifying GET or POST submission

Q332. Which statement best describes method attribute?

A) chooses database
B) sets page colour
C) form attribute specifying GET or POST submission
D) defines model class
Answer: C) form attribute specifying GET or POST submission

Q333. In ASP.NET Core, what does method attribute refer to?

A) defines model class
B) sets page colour
C) chooses database
D) form attribute specifying GET or POST submission
Answer: D) form attribute specifying GET or POST submission

Q334. Which option correctly identifies method attribute?

A) form attribute specifying GET or POST submission
B) sets page colour
C) chooses database
D) defines model class
Answer: A) form attribute specifying GET or POST submission

Q335. Which description is associated with method attribute?

A) sets page colour
B) form attribute specifying GET or POST submission
C) chooses database
D) defines model class
Answer: B) form attribute specifying GET or POST submission

Q336. What is the main purpose of POST method?

A) DNS record
B) loads CSS only
C) HTTP method commonly used to submit data that changes server state
D) view engine
Answer: C) HTTP method commonly used to submit data that changes server state

Q337. Which statement best describes POST method?

A) view engine
B) loads CSS only
C) DNS record
D) HTTP method commonly used to submit data that changes server state
Answer: D) HTTP method commonly used to submit data that changes server state

Q338. In ASP.NET Core, what does POST method refer to?

A) HTTP method commonly used to submit data that changes server state
B) loads CSS only
C) DNS record
D) view engine
Answer: A) HTTP method commonly used to submit data that changes server state

Q339. Which option correctly identifies POST method?

A) loads CSS only
B) HTTP method commonly used to submit data that changes server state
C) DNS record
D) view engine
Answer: B) HTTP method commonly used to submit data that changes server state

Q340. Which description is associated with POST method?

A) DNS record
B) loads CSS only
C) HTTP method commonly used to submit data that changes server state
D) view engine
Answer: C) HTTP method commonly used to submit data that changes server state

Q341. What is the main purpose of asp-controller?

A) encodes image
B) sets form font
C) defines database key
D) form tag helper attribute identifying the target controller
Answer: D) form tag helper attribute identifying the target controller

Q342. Which statement best describes asp-controller?

A) form tag helper attribute identifying the target controller
B) sets form font
C) defines database key
D) encodes image
Answer: A) form tag helper attribute identifying the target controller

Q343. In ASP.NET Core, what does asp-controller refer to?

A) sets form font
B) form tag helper attribute identifying the target controller
C) defines database key
D) encodes image
Answer: B) form tag helper attribute identifying the target controller

Q344. Which option correctly identifies asp-controller?

A) defines database key
B) sets form font
C) form tag helper attribute identifying the target controller
D) encodes image
Answer: C) form tag helper attribute identifying the target controller

Q345. Which description is associated with asp-controller?

A) encodes image
B) sets form font
C) defines database key
D) form tag helper attribute identifying the target controller
Answer: D) form tag helper attribute identifying the target controller

Q346. What is the main purpose of asp-action?

A) form tag helper attribute identifying the target action method
B) sets CSS class
C) defines model property
D) sets cookie expiry
Answer: A) form tag helper attribute identifying the target action method

Q347. Which statement best describes asp-action?

A) sets CSS class
B) form tag helper attribute identifying the target action method
C) defines model property
D) sets cookie expiry
Answer: B) form tag helper attribute identifying the target action method

Q348. In ASP.NET Core, what does asp-action refer to?

A) defines model property
B) sets CSS class
C) form tag helper attribute identifying the target action method
D) sets cookie expiry
Answer: C) form tag helper attribute identifying the target action method

Q349. Which option correctly identifies asp-action?

A) sets cookie expiry
B) sets CSS class
C) defines model property
D) form tag helper attribute identifying the target action method
Answer: D) form tag helper attribute identifying the target action method

Q350. Which description is associated with asp-action?

A) form tag helper attribute identifying the target action method
B) sets CSS class
C) defines model property
D) sets cookie expiry
Answer: A) form tag helper attribute identifying the target action method

Q351. What is the main purpose of anti-forgery token?

A) payment receipt
B) security token used to help prevent cross-site request forgery
C) database password
D) layout section
Answer: B) security token used to help prevent cross-site request forgery

Q352. Which statement best describes anti-forgery token?

A) database password
B) payment receipt
C) security token used to help prevent cross-site request forgery
D) layout section
Answer: C) security token used to help prevent cross-site request forgery

Q353. In ASP.NET Core, what does anti-forgery token refer to?

A) layout section
B) payment receipt
C) database password
D) security token used to help prevent cross-site request forgery
Answer: D) security token used to help prevent cross-site request forgery

Q354. Which option correctly identifies anti-forgery token?

A) security token used to help prevent cross-site request forgery
B) payment receipt
C) database password
D) layout section
Answer: A) security token used to help prevent cross-site request forgery

Q355. Which description is associated with anti-forgery token?

A) payment receipt
B) security token used to help prevent cross-site request forgery
C) database password
D) layout section
Answer: B) security token used to help prevent cross-site request forgery

Q356. What is the main purpose of CRUD?

A) Copy, Rename, Undo, Debug
B) Compile, Run, Upload, Download
C) group of operations Create, Read, Update and Delete
D) Connect, Route, Use, Deploy
Answer: C) group of operations Create, Read, Update and Delete

Q357. Which statement best describes CRUD?

A) Connect, Route, Use, Deploy
B) Compile, Run, Upload, Download
C) Copy, Rename, Undo, Debug
D) group of operations Create, Read, Update and Delete
Answer: D) group of operations Create, Read, Update and Delete

Q358. In ASP.NET Core, what does CRUD refer to?

A) group of operations Create, Read, Update and Delete
B) Compile, Run, Upload, Download
C) Copy, Rename, Undo, Debug
D) Connect, Route, Use, Deploy
Answer: A) group of operations Create, Read, Update and Delete

Q359. Which option correctly identifies CRUD?

A) Compile, Run, Upload, Download
B) group of operations Create, Read, Update and Delete
C) Copy, Rename, Undo, Debug
D) Connect, Route, Use, Deploy
Answer: B) group of operations Create, Read, Update and Delete

Q360. Which description is associated with CRUD?

A) Copy, Rename, Undo, Debug
B) Compile, Run, Upload, Download
C) group of operations Create, Read, Update and Delete
D) Connect, Route, Use, Deploy
Answer: C) group of operations Create, Read, Update and Delete

4. Online Payment

Q361. What is the main purpose of payment gateway?

A) service that securely processes online payment transactions
B) CSS library
C) view engine
D) database editor
Answer: A) service that securely processes online payment transactions

Q362. Which statement best describes payment gateway?

A) CSS library
B) service that securely processes online payment transactions
C) view engine
D) database editor
Answer: B) service that securely processes online payment transactions

Q363. In ASP.NET Core, what does payment gateway refer to?

A) view engine
B) CSS library
C) service that securely processes online payment transactions
D) database editor
Answer: C) service that securely processes online payment transactions

Q364. Which option correctly identifies payment gateway?

A) database editor
B) CSS library
C) view engine
D) service that securely processes online payment transactions
Answer: D) service that securely processes online payment transactions

Q365. Which description is associated with payment gateway?

A) service that securely processes online payment transactions
B) CSS library
C) view engine
D) database editor
Answer: A) service that securely processes online payment transactions

Q366. What is the main purpose of payment provider?

A) browser theme
B) external service that handles payment processing for a website
C) local image folder
D) Razor layout
Answer: B) external service that handles payment processing for a website

Q367. Which statement best describes payment provider?

A) local image folder
B) browser theme
C) external service that handles payment processing for a website
D) Razor layout
Answer: C) external service that handles payment processing for a website

Q368. In ASP.NET Core, what does payment provider refer to?

A) Razor layout
B) browser theme
C) local image folder
D) external service that handles payment processing for a website
Answer: D) external service that handles payment processing for a website

Q369. Which option correctly identifies payment provider?

A) external service that handles payment processing for a website
B) browser theme
C) local image folder
D) Razor layout
Answer: A) external service that handles payment processing for a website

Q370. Which description is associated with payment provider?

A) browser theme
B) external service that handles payment processing for a website
C) local image folder
D) Razor layout
Answer: B) external service that handles payment processing for a website

Q371. What is the main purpose of HTTPS?

A) FTP
B) HTTP without encryption
C) secure protocol that should be used when transmitting payment-related information
D) Telnet
Answer: C) secure protocol that should be used when transmitting payment-related information

Q372. Which statement best describes HTTPS?

A) Telnet
B) HTTP without encryption
C) FTP
D) secure protocol that should be used when transmitting payment-related information
Answer: D) secure protocol that should be used when transmitting payment-related information

Q373. In ASP.NET Core, what does HTTPS refer to?

A) secure protocol that should be used when transmitting payment-related information
B) HTTP without encryption
C) FTP
D) Telnet
Answer: A) secure protocol that should be used when transmitting payment-related information

Q374. Which option correctly identifies HTTPS?

A) HTTP without encryption
B) secure protocol that should be used when transmitting payment-related information
C) FTP
D) Telnet
Answer: B) secure protocol that should be used when transmitting payment-related information

Q375. Which description is associated with HTTPS?

A) FTP
B) HTTP without encryption
C) secure protocol that should be used when transmitting payment-related information
D) Telnet
Answer: C) secure protocol that should be used when transmitting payment-related information

Q376. What is the main purpose of transaction ID?

A) route template
B) CSS selector
C) view name
D) unique reference used to identify a payment transaction
Answer: D) unique reference used to identify a payment transaction

Q377. Which statement best describes transaction ID?

A) unique reference used to identify a payment transaction
B) CSS selector
C) view name
D) route template
Answer: A) unique reference used to identify a payment transaction

Q378. In ASP.NET Core, what does transaction ID refer to?

A) CSS selector
B) unique reference used to identify a payment transaction
C) view name
D) route template
Answer: B) unique reference used to identify a payment transaction

Q379. Which option correctly identifies transaction ID?

A) view name
B) CSS selector
C) unique reference used to identify a payment transaction
D) route template
Answer: C) unique reference used to identify a payment transaction

Q380. Which description is associated with transaction ID?

A) route template
B) CSS selector
C) view name
D) unique reference used to identify a payment transaction
Answer: D) unique reference used to identify a payment transaction

Q381. What is the main purpose of payment status?

A) information indicating whether a transaction is pending, successful or failed
B) website font
C) browser version
D) layout name
Answer: A) information indicating whether a transaction is pending, successful or failed

Q382. Which statement best describes payment status?

A) website font
B) information indicating whether a transaction is pending, successful or failed
C) browser version
D) layout name
Answer: B) information indicating whether a transaction is pending, successful or failed

Q383. In ASP.NET Core, what does payment status refer to?

A) browser version
B) website font
C) information indicating whether a transaction is pending, successful or failed
D) layout name
Answer: C) information indicating whether a transaction is pending, successful or failed

Q384. Which option correctly identifies payment status?

A) layout name
B) website font
C) browser version
D) information indicating whether a transaction is pending, successful or failed
Answer: D) information indicating whether a transaction is pending, successful or failed

Q385. Which description is associated with payment status?

A) information indicating whether a transaction is pending, successful or failed
B) website font
C) browser version
D) layout name
Answer: A) information indicating whether a transaction is pending, successful or failed

Q386. What is the main purpose of server-side verification?

A) trusting only browser message
B) step used to verify payment results with provider or trusted server data
C) hiding submit button
D) changing page colour
Answer: B) step used to verify payment results with provider or trusted server data

Q387. Which statement best describes server-side verification?

A) hiding submit button
B) trusting only browser message
C) step used to verify payment results with provider or trusted server data
D) changing page colour
Answer: C) step used to verify payment results with provider or trusted server data

Q388. In ASP.NET Core, what does server-side verification refer to?

A) changing page colour
B) trusting only browser message
C) hiding submit button
D) step used to verify payment results with provider or trusted server data
Answer: D) step used to verify payment results with provider or trusted server data

Q389. Which option correctly identifies server-side verification?

A) step used to verify payment results with provider or trusted server data
B) trusting only browser message
C) hiding submit button
D) changing page colour
Answer: A) step used to verify payment results with provider or trusted server data

Q390. Which description is associated with server-side verification?

A) trusting only browser message
B) step used to verify payment results with provider or trusted server data
C) hiding submit button
D) changing page colour
Answer: B) step used to verify payment results with provider or trusted server data

Q391. What is the main purpose of webhook?

A) database column type
B) CSS animation
C) HTTP callback through which a payment provider notifies an application about an event
D) Razor comment
Answer: C) HTTP callback through which a payment provider notifies an application about an event

Q392. Which statement best describes webhook?

A) Razor comment
B) CSS animation
C) database column type
D) HTTP callback through which a payment provider notifies an application about an event
Answer: D) HTTP callback through which a payment provider notifies an application about an event

Q393. In ASP.NET Core, what does webhook refer to?

A) HTTP callback through which a payment provider notifies an application about an event
B) CSS animation
C) database column type
D) Razor comment
Answer: A) HTTP callback through which a payment provider notifies an application about an event

Q394. Which option correctly identifies webhook?

A) CSS animation
B) HTTP callback through which a payment provider notifies an application about an event
C) database column type
D) Razor comment
Answer: B) HTTP callback through which a payment provider notifies an application about an event

Q395. Which description is associated with webhook?

A) database column type
B) CSS animation
C) HTTP callback through which a payment provider notifies an application about an event
D) Razor comment
Answer: C) HTTP callback through which a payment provider notifies an application about an event

5. Sending Emails

Q396. What is the main purpose of SMTP?

A) protocol commonly used to send email messages
B) HTTP
C) FTP
D) CSS
Answer: A) protocol commonly used to send email messages

Q397. Which statement best describes SMTP?

A) HTTP
B) protocol commonly used to send email messages
C) FTP
D) CSS
Answer: B) protocol commonly used to send email messages

Q398. In ASP.NET Core, what does SMTP refer to?

A) FTP
B) HTTP
C) protocol commonly used to send email messages
D) CSS
Answer: C) protocol commonly used to send email messages

Q399. Which option correctly identifies SMTP?

A) CSS
B) HTTP
C) FTP
D) protocol commonly used to send email messages
Answer: D) protocol commonly used to send email messages

Q400. Which description is associated with SMTP?

A) protocol commonly used to send email messages
B) HTTP
C) FTP
D) CSS
Answer: A) protocol commonly used to send email messages

Q401. What is the main purpose of SMTP server?

A) view engine
B) server that handles outgoing email delivery
C) database table
D) browser cache
Answer: B) server that handles outgoing email delivery

Q402. Which statement best describes SMTP server?

A) database table
B) view engine
C) server that handles outgoing email delivery
D) browser cache
Answer: C) server that handles outgoing email delivery

Q403. In ASP.NET Core, what does SMTP server refer to?

A) browser cache
B) view engine
C) database table
D) server that handles outgoing email delivery
Answer: D) server that handles outgoing email delivery

Q404. Which option correctly identifies SMTP server?

A) server that handles outgoing email delivery
B) view engine
C) database table
D) browser cache
Answer: A) server that handles outgoing email delivery

Q405. Which description is associated with SMTP server?

A) view engine
B) server that handles outgoing email delivery
C) database table
D) browser cache
Answer: B) server that handles outgoing email delivery

Q406. What is the main purpose of email recipient?

A) website layout
B) sender's password
C) person or address to which an email is sent
D) database name
Answer: C) person or address to which an email is sent

Q407. Which statement best describes email recipient?

A) database name
B) sender's password
C) website layout
D) person or address to which an email is sent
Answer: D) person or address to which an email is sent

Q408. In ASP.NET Core, what does email recipient refer to?

A) person or address to which an email is sent
B) sender's password
C) website layout
D) database name
Answer: A) person or address to which an email is sent

Q409. Which option correctly identifies email recipient?

A) sender's password
B) person or address to which an email is sent
C) website layout
D) database name
Answer: B) person or address to which an email is sent

Q410. Which description is associated with email recipient?

A) website layout
B) sender's password
C) person or address to which an email is sent
D) database name
Answer: C) person or address to which an email is sent

Q411. What is the main purpose of email subject?

A) URL route
B) server port
C) attachment size
D) short heading that describes the email message
Answer: D) short heading that describes the email message

Q412. Which statement best describes email subject?

A) short heading that describes the email message
B) server port
C) attachment size
D) URL route
Answer: A) short heading that describes the email message

Q413. In ASP.NET Core, what does email subject refer to?

A) server port
B) short heading that describes the email message
C) attachment size
D) URL route
Answer: B) short heading that describes the email message

Q414. Which option correctly identifies email subject?

A) attachment size
B) server port
C) short heading that describes the email message
D) URL route
Answer: C) short heading that describes the email message

Q415. Which description is associated with email subject?

A) URL route
B) server port
C) attachment size
D) short heading that describes the email message
Answer: D) short heading that describes the email message

Q416. What is the main purpose of email body?

A) main content of an email message
B) sender's IP only
C) database schema
D) CSS selector
Answer: A) main content of an email message

Q417. Which statement best describes email body?

A) sender's IP only
B) main content of an email message
C) database schema
D) CSS selector
Answer: B) main content of an email message

Q418. In ASP.NET Core, what does email body refer to?

A) database schema
B) sender's IP only
C) main content of an email message
D) CSS selector
Answer: C) main content of an email message

Q419. Which option correctly identifies email body?

A) CSS selector
B) sender's IP only
C) database schema
D) main content of an email message
Answer: D) main content of an email message

Q420. Which description is associated with email body?

A) main content of an email message
B) sender's IP only
C) database schema
D) CSS selector
Answer: A) main content of an email message

Q421. What is the main purpose of email attachment?

A) route parameter
B) file sent along with an email message
C) model attribute
D) login cookie
Answer: B) file sent along with an email message

Q422. Which statement best describes email attachment?

A) model attribute
B) route parameter
C) file sent along with an email message
D) login cookie
Answer: C) file sent along with an email message

Q423. In ASP.NET Core, what does email attachment refer to?

A) login cookie
B) route parameter
C) model attribute
D) file sent along with an email message
Answer: D) file sent along with an email message

Q424. Which option correctly identifies email attachment?

A) file sent along with an email message
B) route parameter
C) model attribute
D) login cookie
Answer: A) file sent along with an email message

Q425. Which description is associated with email attachment?

A) route parameter
B) file sent along with an email message
C) model attribute
D) login cookie
Answer: B) file sent along with an email message

Q426. What is the main purpose of credentials?

A) CSS rules
B) HTML tags
C) authentication information used to connect to an email service
D) view names
Answer: C) authentication information used to connect to an email service

Q427. Which statement best describes credentials?

A) view names
B) HTML tags
C) CSS rules
D) authentication information used to connect to an email service
Answer: D) authentication information used to connect to an email service

Q428. In ASP.NET Core, what does credentials refer to?

A) authentication information used to connect to an email service
B) HTML tags
C) CSS rules
D) view names
Answer: A) authentication information used to connect to an email service

Q429. Which option correctly identifies credentials?

A) HTML tags
B) authentication information used to connect to an email service
C) CSS rules
D) view names
Answer: B) authentication information used to connect to an email service

Q430. Which description is associated with credentials?

A) CSS rules
B) HTML tags
C) authentication information used to connect to an email service
D) view names
Answer: C) authentication information used to connect to an email service

6. Login with Social Media

Q431. What is the main purpose of social media login?

A) allowing users to sign in using an existing third-party account
B) creating CSS theme
C) building database index
D) compressing web page
Answer: A) allowing users to sign in using an existing third-party account

Q432. Which statement best describes social media login?

A) creating CSS theme
B) allowing users to sign in using an existing third-party account
C) building database index
D) compressing web page
Answer: B) allowing users to sign in using an existing third-party account

Q433. In ASP.NET Core, what does social media login refer to?

A) building database index
B) creating CSS theme
C) allowing users to sign in using an existing third-party account
D) compressing web page
Answer: C) allowing users to sign in using an existing third-party account

Q434. Which option correctly identifies social media login?

A) compressing web page
B) creating CSS theme
C) building database index
D) allowing users to sign in using an existing third-party account
Answer: D) allowing users to sign in using an existing third-party account

Q435. Which description is associated with social media login?

A) allowing users to sign in using an existing third-party account
B) creating CSS theme
C) building database index
D) compressing web page
Answer: A) allowing users to sign in using an existing third-party account

Q436. What is the main purpose of OAuth 2.0?

A) markup language
B) framework commonly used for delegated authorization
C) email protocol
D) database query language
Answer: B) framework commonly used for delegated authorization

Q437. Which statement best describes OAuth 2.0?

A) email protocol
B) markup language
C) framework commonly used for delegated authorization
D) database query language
Answer: C) framework commonly used for delegated authorization

Q438. In ASP.NET Core, what does OAuth 2.0 refer to?

A) database query language
B) markup language
C) email protocol
D) framework commonly used for delegated authorization
Answer: D) framework commonly used for delegated authorization

Q439. Which option correctly identifies OAuth 2.0?

A) framework commonly used for delegated authorization
B) markup language
C) email protocol
D) database query language
Answer: A) framework commonly used for delegated authorization

Q440. Which description is associated with OAuth 2.0?

A) markup language
B) framework commonly used for delegated authorization
C) email protocol
D) database query language
Answer: B) framework commonly used for delegated authorization

Q441. What is the main purpose of OpenID Connect?

A) file transfer protocol
B) CSS framework
C) identity layer built on OAuth 2.0 for authentication
D) database engine
Answer: C) identity layer built on OAuth 2.0 for authentication

Q442. Which statement best describes OpenID Connect?

A) database engine
B) CSS framework
C) file transfer protocol
D) identity layer built on OAuth 2.0 for authentication
Answer: D) identity layer built on OAuth 2.0 for authentication

Q443. In ASP.NET Core, what does OpenID Connect refer to?

A) identity layer built on OAuth 2.0 for authentication
B) CSS framework
C) file transfer protocol
D) database engine
Answer: A) identity layer built on OAuth 2.0 for authentication

Q444. Which option correctly identifies OpenID Connect?

A) CSS framework
B) identity layer built on OAuth 2.0 for authentication
C) file transfer protocol
D) database engine
Answer: B) identity layer built on OAuth 2.0 for authentication

Q445. Which description is associated with OpenID Connect?

A) file transfer protocol
B) CSS framework
C) identity layer built on OAuth 2.0 for authentication
D) database engine
Answer: C) identity layer built on OAuth 2.0 for authentication

Q446. What is the main purpose of identity provider?

A) database column
B) view folder
C) CSS compiler
D) service that authenticates users and supplies identity information
Answer: D) service that authenticates users and supplies identity information

Q447. Which statement best describes identity provider?

A) service that authenticates users and supplies identity information
B) view folder
C) CSS compiler
D) database column
Answer: A) service that authenticates users and supplies identity information

Q448. In ASP.NET Core, what does identity provider refer to?

A) view folder
B) service that authenticates users and supplies identity information
C) CSS compiler
D) database column
Answer: B) service that authenticates users and supplies identity information

Q449. Which option correctly identifies identity provider?

A) CSS compiler
B) view folder
C) service that authenticates users and supplies identity information
D) database column
Answer: C) service that authenticates users and supplies identity information

Q450. Which description is associated with identity provider?

A) database column
B) view folder
C) CSS compiler
D) service that authenticates users and supplies identity information
Answer: D) service that authenticates users and supplies identity information

Q451. What is the main purpose of Client ID?

A) identifier for an application registered with an external provider
B) user's email password
C) database table name
D) CSS class
Answer: A) identifier for an application registered with an external provider

Q452. Which statement best describes Client ID?

A) user's email password
B) identifier for an application registered with an external provider
C) database table name
D) CSS class
Answer: B) identifier for an application registered with an external provider

Q453. In ASP.NET Core, what does Client ID refer to?

A) database table name
B) user's email password
C) identifier for an application registered with an external provider
D) CSS class
Answer: C) identifier for an application registered with an external provider

Q454. Which option correctly identifies Client ID?

A) CSS class
B) user's email password
C) database table name
D) identifier for an application registered with an external provider
Answer: D) identifier for an application registered with an external provider

Q455. Which description is associated with Client ID?

A) identifier for an application registered with an external provider
B) user's email password
C) database table name
D) CSS class
Answer: A) identifier for an application registered with an external provider

Q456. What is the main purpose of Client Secret?

A) public image URL
B) confidential credential used by an application when communicating with a provider
C) view name
D) route parameter
Answer: B) confidential credential used by an application when communicating with a provider

Q457. Which statement best describes Client Secret?

A) view name
B) public image URL
C) confidential credential used by an application when communicating with a provider
D) route parameter
Answer: C) confidential credential used by an application when communicating with a provider

Q458. In ASP.NET Core, what does Client Secret refer to?

A) route parameter
B) public image URL
C) view name
D) confidential credential used by an application when communicating with a provider
Answer: D) confidential credential used by an application when communicating with a provider

Q459. Which option correctly identifies Client Secret?

A) confidential credential used by an application when communicating with a provider
B) public image URL
C) view name
D) route parameter
Answer: A) confidential credential used by an application when communicating with a provider

Q460. Which description is associated with Client Secret?

A) public image URL
B) confidential credential used by an application when communicating with a provider
C) view name
D) route parameter
Answer: B) confidential credential used by an application when communicating with a provider

Q461. What is the main purpose of callback or redirect URI?

A) database backup path
B) website CSS file
C) registered URL to which provider returns the user after authentication
D) browser home page
Answer: C) registered URL to which provider returns the user after authentication

Q462. Which statement best describes callback or redirect URI?

A) browser home page
B) website CSS file
C) database backup path
D) registered URL to which provider returns the user after authentication
Answer: D) registered URL to which provider returns the user after authentication

Q463. In ASP.NET Core, what does callback or redirect URI refer to?

A) registered URL to which provider returns the user after authentication
B) website CSS file
C) database backup path
D) browser home page
Answer: A) registered URL to which provider returns the user after authentication

Q464. Which option correctly identifies callback or redirect URI?

A) website CSS file
B) registered URL to which provider returns the user after authentication
C) database backup path
D) browser home page
Answer: B) registered URL to which provider returns the user after authentication

Q465. Which description is associated with callback or redirect URI?

A) database backup path
B) website CSS file
C) registered URL to which provider returns the user after authentication
D) browser home page
Answer: C) registered URL to which provider returns the user after authentication