MOB503 – WINDOWS .NET (WPF)

COMPREHENSIVE QUESTION BANK & SELF-ASSESSMENT COMPANION

Unit V (Graphics, Templates, & Animation) & Unit VI (Windows, Pages and Rich Controls)

Total Questions: 80 MCQs | **Target Exam:** Semester Examination - 2 | **Format:** 4 Options + Verified Key & Detailed Explanation

UNIT V: GRAPHICS, TEMPLATES, & ANIMATION

Q1. Which base abstract class do all WPF/XAML shape elements (such as Rectangle, Ellipse, Line, and Polygon) derive from? [Vector Graphics & Shapes | Easy]

A) System.Windows.Shapes.Shape

B) System.Windows.Controls.Control

C) System.Windows.Media.Visual

D) System.Windows.FrameworkElement.Geometry

✓ **Correct Answer: System.Windows.Shapes.Shape**

Explanation: All standard 2D vector shapes derive from the Shape base class, which in turn inherits from FrameworkElement and UIElement.

Q2. Which properties on the Shape class control the interior fill color and the outline boundary appearance respectively? [Vector Graphics & Shapes | Easy]

A) Fill and Stroke

B) Background and BorderBrush

C) Color and Outline

D) Paint and Pen

✓ **Correct Answer: Fill and Stroke**

Explanation: Shape elements use Fill (Brush) to paint their interior and Stroke (Brush) along with StrokeThickness to draw their outline.

Q3. What property of the Shape class allows creating dashed or dotted line outlines in XAML? [Vector Graphics & Shapes | Medium]

A) StrokeDashArray

B) StrokeStyle

C) DashPattern

D) LineStipple

✓ **Correct Answer: StrokeDashArray**

Explanation: StrokeDashArray is a DoubleCollection that specifies alternating lengths of dashes and gaps that make up the outline.

Q4. What is the key difference between a Polygon shape and a Polyline shape in WPF? [Vector Graphics & Shapes | Medium]

A) A Polygon automatically closes the path from the last point to the first point; a Polyline remains an open series of connected line segments

B) A Polyline can have curved vertices while a Polygon cannot

C) A Polygon cannot have a Fill brush applied

D) A Polyline can only be drawn horizontally

✓ **Correct Answer: A Polygon automatically closes the path from the last point to the first point; a Polyline remains an open series of connected line segments**

Explanation: Polygon automatically connects the last coordinate to the first coordinate, closing the area for solid interior fills.

Q5. Which Brush subclass in WPF creates a smooth, gradual transition between two or more colors along a directional line? [Brushes & Transforms | Easy]

A) LinearGradientBrush

B) RadialGradientBrush

C) SolidColorBrush

D) ImageBrush

✓ **Correct Answer: LinearGradientBrush**

Explanation: LinearGradientBrush paints an area with a linear gradient defined by StartPoint, EndPoint, and GradientStops.

Q6. What does a RadialGradientBrush use to define the outermost boundary ellipse and the center origin of the color blend? [Brushes & Transforms | Medium]

A) Center, RadiusX, RadiusY, and GradientOrigin

B) StartPoint and EndPoint

C) Offset and Angle

D) X1, Y1, X2, and Y2

✓ **Correct Answer: Center, RadiusX, RadiusY, and GradientOrigin**

Explanation: Center and RadiusX/RadiusY define the circle/ellipse boundary, while GradientOrigin defines the focal highlight point.

Q7. Which Brush in WPF allows painting a UI area using a static or animated snapshot of another live Visual element? [Brushes & Transforms | Hard]

A) VisualBrush

B) DrawingBrush

C) BitmapBrush

D) DynamicBrush

✓ **Correct Answer: VisualBrush**

Explanation: VisualBrush enables projection of live UI elements onto surfaces, creating dynamic reflections, magnifying glasses, and interactive thumbnails.

Q8. What is the difference between RenderTransform and LayoutTransform on a WPF FrameworkElement? [Brushes & Transforms | Hard]

A) RenderTransform modifies appearance post-layout without altering surrounding layout measurements; LayoutTransform recalculates the entire layout pass

B) RenderTransform is only for 3D elements; LayoutTransform is for 2D

C) RenderTransform only supports translation; LayoutTransform only supports rotation

D) LayoutTransform has much higher rendering performance during real-time animations than RenderTransform

✓ **Correct Answer: RenderTransform modifies appearance post-layout without altering surrounding layout measurements; LayoutTransform recalculates the entire layout pass**

Explanation: RenderTransform executes during the rendering phase on the GPU without triggering measure/arrange passes, making it ideal for smooth animations.

Q9. Which Transform class in WPF is used to rotate an element around a center pivot point (CenterX, CenterY) by a specified Angle in degrees? [Brushes & Transforms | Easy]

A) RotateTransform

B) ScaleTransform

C) TranslateTransform

D) SkewTransform

✓ **Correct Answer: RotateTransform**

Explanation: RotateTransform rotates an object clockwise by a specified Angle around CenterX and CenterY coordinates.

Q10. To combine multiple transforms (e.g., rotating, scaling, and translating simultaneously) on a single UI element, which container class is used? [Brushes & Transforms | Medium]

A) TransformGroup

B) MatrixCollection

C) MultiTransform

D) TransformArray

✓ **Correct Answer: TransformGroup**

Explanation: TransformGroup aggregates multiple Transform objects into a composite transformation pipeline applied in sequence.

Q11. How does a Geometry object differ fundamentally from a Shape element in WPF? [Geometries & Effects | Hard]

A) A Geometry is a lightweight mathematical description of a 2D shape without built-in rendering/layout overhead; a Shape is a full UIElement

B) A Shape is vector-based; a Geometry is raster/pixel-based

C) A Geometry cannot be combined with other geometries

D) Shapes cannot be used inside Canvas panels

✓ **Correct Answer: A Geometry is a lightweight mathematical description of a 2D shape without built-in rendering/layout overhead; a Shape is a full UIElement**

Explanation: Geometries are non-visual mathematical path definitions (inheriting from Freezable) that consume far fewer resources than full Shape controls.

Q12. What mini-language or path syntax command in XAML represents moving the pen to coordinates (X, Y) without drawing a line? [Geometries & Effects | Medium]

A) M (Move)

B) L (Line)

C) C (Cubic Bezier)

D) Z (Close path)

✓ **Correct Answer: M (Move)**

Explanation: In WPF path mini-language, 'M' or 'm' establishes a new current start point without drawing a visible line.

Q13. Which built-in pixel shader effect in WPF applies a soft gaussian defocus blur to a visual element? [Geometries & Effects | Easy]

A) BlurEffect

B) DropShadowEffect

C) OpacityMask

D) GlowEffect

✓ **Correct Answer: BlurEffect**

Explanation: BlurEffect utilizes GPU pixel shaders to apply gaussian blur controlled by the Radius and KernelType properties.

Q14. What is the DrawingVisual class used for in WPF high-performance graphics? [Geometries & Effects | Hard]

A) A lightweight visual container used to retain and display vector drawings with minimal overhead compared to full FrameworkElements

B) A high-level window control for hosting DirectX games

C) A specialized button for drawing raster pen sketches

D) A tool for debugging memory leaks in XAML

✓ **Correct Answer: A lightweight visual container used to retain and display vector drawings with minimal overhead compared to full FrameworkElements**

Explanation: DrawingVisual bypasses layout, styling, data binding, and event routing to render thousands of graphical primitives efficiently.

Q15. What is the primary role of a DataTemplate in WPF application development? [Data Templates | Medium]

A) To define the visual representation and layout structure for presenting raw custom business data objects

B) To alter the interactive behavioral template of a Button control

C) To configure database connection strings in app.config

D) To define hardware drivers for multi-touch monitors

✓ **Correct Answer: To define the visual representation and layout structure for presenting raw custom business data objects**

Explanation: DataTemplate separates the underlying data model from its UI presentation, dictating how business objects render in controls like ListBox or ItemsControl.

Q16. How can a DataTemplate be applied automatically to all instances of a specific business class (e.g. Employee) without explicit Keys? [Data Templates | Hard]

A) By setting the DataType property of the DataTemplate to '{x:Type local:Employee}' inside resources

B) By naming the DataTemplate 'EmployeeTemplate'

C) By adding an x:Key='Employee' attribute

D) By calling Employee.SetTemplate() in C# code-behind

✓ **Correct Answer: By setting the DataType property of the DataTemplate to '{x:Type local:Employee}' inside resources**

Explanation: Omitting x:Key and assigning DataType creates an implicit DataTemplate that WPF automatically resolves whenever an instance of that type is displayed.

Q17. Which class allows custom runtime programmatic logic to choose different DataTemplates based on properties of the data item? [Data Templates | Hard]

A) DataTemplateSelector

B) StyleSelector

C) BindingConverter

D) VisualTreeHelper

✓ **Correct Answer: DataTemplateSelector**

Explanation: By overriding SelectTemplate(object item, DependencyObject container) in a DataTemplateSelector subclass, developers can dynamically select templates.

Q18. What is the function of a ControlTemplate in WPF? [Control Templates & Visual States | Medium]

A) To completely replace the visual structure, layout, and appearance of a control while retaining its built-in behavior and event handling

B) To bind controls directly to an SQL database table

C) To compile XAML into C# binary assemblies

D) To encrypt passwords stored in memory

✓ **Correct Answer: To completely replace the visual structure, layout, and appearance of a control while retaining its built-in behavior and event handling**

Explanation: ControlTemplate decouples a control's operational logic (click, focus, state machine) from its visual tree (borders, shapes, content presenters).

Q19. Inside a ControlTemplate for a ContentControl (such as a Button), which element acts as the placeholder indicating where the control's content should appear? [Control Templates & Visual States | Medium]

A) ContentPresenter

B) ItemsPresenter

C) ContentControl

D) TemplateBinding

✓ **Correct Answer: ContentPresenter**

Explanation: ContentPresenter is the specific placeholder in the control's visual tree where the Content (text, image, or UI elements) is inserted.

Q20. What XAML markup extension is optimized for binding properties within a ControlTemplate directly to properties of the templated parent control? [Control Templates & Visual States | Medium]

A) TemplateBinding

B) x:Static

C) RelativeSource Self

D) DynamicResource

✓ **Correct Answer: TemplateBinding**

Explanation: TemplateBinding is a lightweight, compile-time optimized binding designed specifically for binding template child properties to templated parent properties.

Q21. What framework was introduced in WPF to replace complex property triggers with standardized state management (e.g. Normal, MouseOver, Pressed, Disabled)? [Control Templates & Visual States | Hard]

A) Visual State Manager (VSM)

B) Windows Forms Timer

C) State Pattern Engine

D) WPF Event Hub

✓ **Correct Answer: Visual State Manager (VSM)**

Explanation: The VisualStateManager (VSM) organizes visual states into VisualStateGroups and coordinates smooth storyboard transitions between states.

Q22. Which animation class in WPF is used to smoothly transition a double-precision floating point property (such as Opacity or Width) over time? [Storyboard & Animations | Easy]

A) DoubleAnimation

B) ColorAnimation

C) PointAnimation

D) ScalarTimeline

✓ **Correct Answer: DoubleAnimation**

Explanation: DoubleAnimation animates DependencyProperties of type System.Double between a From, To, and By value over a specified Duration.

Q23. What container object in WPF coordinates the timing, targeting, and execution of one or more timeline animations? [Storyboard & Animations | Easy]

A) Storyboard

B) TimelineGroup

C) AnimationPlayer

D) ActionCoordinator

✓ **Correct Answer: Storyboard**

Explanation: A Storyboard is a specialized container timeline that uses Storyboard.TargetName and Storyboard.TargetProperty to orchestrate synchronized animations.

Q24. What attached property in XAML specifies the target dependency property that an animation inside a Storyboard will modify? [Storyboard & Animations | Medium]

A) Storyboard.TargetProperty

B) Storyboard.TargetName

C) Storyboard.PropertyName

D) Timeline.BindingProperty

✓ **Correct Answer: Storyboard.TargetProperty**

Explanation: Storyboard.TargetProperty designates the specific DependencyProperty (e.g., '(UIElement.Opacity)' or '(UIElement.RenderTransform).(RotateTransform.Angle)').

Q25. Which EasingFunction provides an acceleration and deceleration curve simulating an object bouncing against a surface before coming to rest? [Storyboard & Animations | Medium]

A) BounceEase

B) LinearEase

C) ExponentialEase

D) CircleEase

✓ **Correct Answer: BounceEase**

Explanation: BounceEase simulates natural physics bounce oscillations based on Bounces, Bounciness, and EasingMode (EaseIn, EaseOut, EaseInOut).

Q26. What property of an Animation or Timeline controls whether the animated property retains its final animated value or snaps back to its base value upon completion? [Storyboard & Animations | Hard]

A) FillBehavior (HoldEnd vs Stop)

B) RepeatBehavior

C) AutoReverse

D) SpeedRatio

✓ **Correct Answer: FillBehavior (HoldEnd vs Stop)**

Explanation: FillBehavior.HoldEnd maintains the final animation value, holding precedence over the base property value until the storyboard is stopped or removed.

Q27. Which rendering tier in WPF indicates full hardware acceleration with DirectX capability for advanced shaders and effects? [Performance Tuning | Hard]

A) Tier 2

B) Tier 0

C) Tier 1

D) Tier 3

✓ **Correct Answer: Tier 2**

Explanation: RenderCapability.Tier >> 16 returns the tier: Tier 0 (no hardware acceleration/software rasterization), Tier 1 (partial acceleration), Tier 2 (full hardware acceleration).

Q28. What attached property can be set to BitmapCache to render a complex vector visual tree onto a GPU texture cache during frequent animations? [Performance Tuning | Hard]

A) RenderOptions.BitmapScalingMode or UIElement.CacheMode

B) RenderOptions.ClearTypeHint

C) Visual.ClipToBounds

D) DrawingContext.CacheEnabled

✓ **Correct Answer: RenderOptions.BitmapScalingMode or UIElement.CacheMode**

Explanation: Setting CacheMode='{BitmapCache}' rasterizes the visual sub-tree into a GPU texture, allowing transforms and opacity changes to run without redrawing vector geometry.

UNIT VI: WINDOWS, PAGES & RICH CONTROLS

Q29. In WPF, which method of the Window class opens a modal dialog box, disabling the owner window and blocking execution until closed? [Window Class & Interaction | Easy]

A) ShowDialog()

B) Show()

C) OpenModal()

D) DisplayDialog()

✓ **Correct Answer: ShowDialog()**

Explanation: ShowDialog() opens a modal window that returns a Nullable (DialogResult) and blocks the calling thread flow until the dialog is dismissed.

Q30. Which property on a Window specifies whether closing the window is prevented or what confirmation dialog is presented before shutdown? [Window Class & Interaction | Medium]

A) Handling the Closing event and setting CancelEventArgs.Cancel = true

B) Setting Window.CanClose = false

C) Setting Window.IsModal = true

D) Overriding Window.StopClose()

✓ **Correct Answer: Handling the Closing event and setting CancelEventArgs.Cancel = true**

Explanation: The Closing event fires prior to window destruction; setting e.Cancel = true aborts the closure.

Q31. Which property of the Window class dictates how the window initializes its placement relative to the desktop screen or its owner? [Window Class & Interaction | Easy]

A) WindowStartupLocation

B) StartPosition

C) PlacementMode

D) StartupOrigin

✓ **Correct Answer: WindowStartupLocation**

Explanation: WindowStartupLocation accepts CenterScreen, CenterOwner, or Manual coordinates.

Q32. Which Window properties must be set in XAML to create a custom shaped, transparent, non-rectangular window in WPF? [Window Class & Interaction | Hard]

A) WindowStyle='None' and AllowsTransparency='True' (with Background='Transparent')

B) WindowStyle='ToolWindow' and Opacity='0.5'

C) ShowInTaskbar='False' and WindowState='Normal'

D) ClipToBounds='True' and IsHitTestVisible='False'

✓ **Correct Answer: WindowStyle='None' and AllowsTransparency='True' (with Background='Transparent')**

Explanation: To eliminate standard Win32 chrome and allow shaped borders, WindowStyle must be None and AllowsTransparency set to True.

Q33. What method on the Window class allows dragging and moving a borderless non-rectangular window when clicking anywhere on the surface? [Window Class & Interaction | Medium]

A) DragMove()

B) MoveWindow()

C) BeginDrag()

D) CaptureMouse()

✓ **Correct Answer: DragMove()**

Explanation: Calling this.DragMove() inside the MouseLeftButtonDown event handler automatically initiates native OS window movement.

Q34. Which WPF class enables modern Windows taskbar integration, such as taskbar progress bars, overlay icons, and jump lists? [Window Class & Interaction | Hard]

A) TaskbarItemInfo

B) TaskbarManager

C) ShellDesktopManager

D) NotificationIcon

✓ **Correct Answer: TaskbarItemInfo**

Explanation: Window.TaskbarItemInfo provides properties like ProgressState, ProgressValue, Overlay, and ThumbButtonInfos directly in XAML.

Q35. Which WPF top-level container inherits from Window and provides built-in browser-style navigation buttons (Forward/Back) and a history journal? [Page-Based Navigation | Easy]

A) NavigationWindow

B) PageWindow

C) BrowserWindow

D) ExplorerFrame

✓ **Correct Answer: NavigationWindow**

Explanation: NavigationWindow is a root window designed for hosting Page instances, equipped with automatic navigation chrome and journal history.

Q36. Which content control can be embedded inside any WPF window or layout panel to host Page navigation with its own isolated journal history? [Page-Based Navigation | Medium]

A) Frame

B) ContentControl

C) DocumentViewer

D) ScrollViewer

✓ **Correct Answer: Frame**

Explanation: The Frame control can host WPF Pages, HTML, or external URIs and manages its own forward/backward navigation history stack.

Q37. Which central service object provides programmatic navigation methods (such as Navigate, GoBack, GoForward, and Refresh) in a page-based WPF app? [Page-Based Navigation | Medium]

A) NavigationService

B) PageCoordinator

C) JournalManager

D) HistoryDispatcher

✓ **Correct Answer: NavigationService**

Explanation: NavigationService handles asynchronous navigation between content and provides access to the navigation journal stack.

Q38. By default, what happens to Page instances in WPF when navigated away from? [Page-Based Navigation | Hard]

A) The Page object is discarded and garbage collected, and re-instantiated upon returning unless KeepAlive is set to True

B) The Page is kept in RAM forever regardless of system memory

C) The Page state is automatically saved to an SQLite database

D) The application crashes with an OutOfMemoryException

✓ **Correct Answer: The Page object is discarded and garbage collected, and re-instantiated upon returning unless KeepAlive is set to True**

Explanation: WPF discards Page instances to conserve memory, keeping only journal entry metadata unless Page.KeepAlive is explicitly set to true.

Q39. Which control in WPF hosts web pages and displays HTML content by wrapping an embedded web engine? [Page-Based Navigation | Easy]

A) WebBrowser

B) HtmlViewer

C) HttpRenderer

D) WebViewHost

✓ **Correct Answer: WebBrowser**

Explanation: The System.Windows.Controls.WebBrowser control hosts web pages, executing scripts and displaying local or remote web content.

Q40. What element in WPF represents an individual item or command within a Menu or ContextMenu? [Menus, Toolbars & Ribbons | Easy]

A) MenuItem

B) MenuButton

C) CommandEntry

D) ActionItem

✓ **Correct Answer: MenuItem**

Explanation: MenuItem can act as a clickable command button, a checkable option (IsCheckable=true), or a parent container for submenu items.

Q41. Which property on a MenuItem or Button connects the element directly to WPF's command routing architecture (e.g. ApplicationCommands.Open)? [Menus, Toolbars & Ribbons | Medium]

A) Command

B) ActionTarget

C) EventTrigger

D) RoutedHandler

✓ **Correct Answer: Command**

Explanation: Setting Command automatically handles click dispatching and enables/disables the control based on the command's CanExecute status.

Q42. What container control groups related ToolBar controls together and provides an overflow dropdown button when items exceed available width? [Menus, Toolbars & Ribbons | Medium]

A) ToolBarTray

B) ToolBarPanel

C) CommandBar

D) RibbonGroup

✓ **Correct Answer: ToolBarTray**

Explanation: ToolBarTray arranges multiple ToolBar controls across rows and columns and manages toolbar reordering and overflow menus.

Q43. What suite of controls provides Microsoft Office-style tabbed command interfaces with ApplicationMenu, Tabs, Groups, and QuickAccessToolBar? [Menus, Toolbars & Ribbons | Easy]

A) Ribbon (System.Windows.Controls.Ribbon)

B) OfficeBarControl

C) FluentMenuStrip

D) AccordionPanel

✓ **Correct Answer: Ribbon (System.Windows.Controls.Ribbon)**

Explanation: The WPF Ribbon library implements the standard Microsoft Office Fluent ribbon user interface.

Q44. Which WPF control is capable of playing audio and video streams directly within the UI visual tree? [Sound & Video | Easy]

A) MediaElement

B) SoundPlayer

C) VideoView

D) AudioStreamer

✓ **Correct Answer: MediaElement**

Explanation: MediaElement can render video and playback audio streams, supporting standard playback controls (Play, Pause, Stop, Position).

Q45. What lightweight .NET class is used strictly for playing simple uncompressed .wav audio files without the visual overhead of MediaElement? [Sound & Video | Medium]

A) System.Media.SoundPlayer

B) System.Windows.Media.MediaPlayer

C) System.IO.AudioPlayer

D) System.Windows.Forms.Beeper

✓ **Correct Answer: System.Media.SoundPlayer**

Explanation: SoundPlayer is a simple, lightweight class intended specifically for playing basic system notification sounds and .wav audio clips.

Q46. Which property on MediaElement must be set to 'Manual' to control playback using C# methods (Play, Pause) when a clock is not used? [Sound & Video | Hard]

A) LoadedBehavior

B) UnloadedBehavior

C) PlayMode

D) StreamStatus

✓ **Correct Answer: LoadedBehavior**

Explanation: LoadedBehavior must be set to MediaState.Manual so that programmatic calls like media.Play() take effect instead of default storyboard clocks.

Q47. What WPF control acts as the 2D bridge to host and render 3D scenes within a standard XAML visual layout? [3D Drawing | Easy]

A) Viewport3D

B) Canvas3D

C) SceneGraph3D

D) DirectXHost

✓ **Correct Answer: Viewport3D**

Explanation: Viewport3D hosts 3D visual content, containing Camera, Children (ModelVisual3D), and handling 3D-to-2D projection.

Q48. Which camera type in WPF 3D graphics simulates human eye vision where distant objects appear smaller than near objects? [3D Drawing | Medium]

A) PerspectiveCamera

B) OrthographicCamera

C) MatrixCamera

D) ParallelCamera

✓ **Correct Answer: PerspectiveCamera**

Explanation: PerspectiveCamera creates realistic perspective foreshortening based on Position, LookDirection, UpDirection, and FieldOfView.

Q49. In WPF 3D modeling, what geometry class defines 3D surfaces using collections of Positions, TriangleIndices, and Normals? [3D Drawing | Hard]

A) MeshGeometry3D

B) GeometryModel3D

C) Surface3D

D) Polyhedron3D

✓ **Correct Answer: MeshGeometry3D**

Explanation: MeshGeometry3D specifies the vertex positions (Point3DCollection) and triangle index list that compose 3D triangle mesh surfaces.

Q50. Which light source in WPF 3D illuminates all surfaces in a scene uniformly from all directions without a specific source location? [3D Drawing | Medium]

A) AmbientLight

B) DirectionalLight

C) PointLight

D) SpotLight

✓ **Correct Answer: AmbientLight**

Explanation: AmbientLight provides constant, non-directional illumination across every surface in a 3D scene regardless of surface normal orientation.

Q51. Which 3D material in WPF paints a diffuse matte surface using a standard 2D Brush (such as SolidColorBrush or ImageBrush)? [3D Drawing | Medium]

A) DiffuseMaterial

B) SpecularMaterial

C) EmissiveMaterial

D) MaterialGroup

✓ **Correct Answer: DiffuseMaterial**

Explanation: DiffuseMaterial reflects light diffusely across the surface of a 3D mesh model using any WPF 2D Brush.

UNIT V: GRAPHICS, TEMPLATES, & ANIMATION

Q52. What does the Stretch property on a Shape or Viewbox control when its container dimensions change? [Vector Graphics & Shapes | Medium]

A) Determines whether and how the graphical content scales to fill allocated space (None, Fill, Uniform, UniformToFill)

B) Determines the thickness of the border

C) Controls the elastic bounce animation of the shape

D) Stretches the color spectrum across RGB components

✓ **Correct Answer: Determines whether and how the graphical content scales to fill allocated space (None, Fill, Uniform, UniformToFill)**

Explanation: Stretch governs aspect ratio preservation and scaling: Uniform preserves aspect ratio, while Fill distorts to fill dimensions.

Q53. What is the function of the MatrixTransform class in WPF graphics? [Brushes & Transforms | Hard]

A) Applies an arbitrary 3x3 affine transformation matrix (supporting simultaneous translation, rotation, scaling, and skewing)

B) Converts color matrices into grayscale

C) Converts 3D models into 2D bitmaps

D) Calculates neural network weight multiplications

✓ Correct Answer: Applies an arbitrary 3x3 affine transformation matrix (supporting simultaneous translation, rotation, scaling, and skewing)

Explanation: MatrixTransform allows low-level mathematical manipulation of 2D coordinates through a 3x3 affine transformation matrix.

Q54. Which element is used inside an ItemsControl's ControlTemplate to dictate where the collection items are generated? [Control Templates & Visual States | Hard]

A) ItemsPresenter

B) ContentPresenter

C) ItemTemplate

D) ItemsPanel

✓ Correct Answer: ItemsPresenter

Explanation: ItemsPresenter marks the insertion point within the template where the items (specified by ItemsPanel) are physically placed.

Q55. What is an Animation Clock in the WPF animation engine? [Storyboard & Animations | Hard]

A) A runtime object created from a Timeline that tracks the current tick, progress, and playback state of an animation

B) A physical hardware timer chip on the motherboard

C) A visual analog clock control for user dashboards

D) A profiler tool that calculates CPU usage during rendering

✓ Correct Answer: A runtime object created from a Timeline that tracks the current tick, progress, and playback state of an animation

Explanation: WPF timelines are blueprints; when started, the animation engine instantiates an AnimationClock to manage progression over time.

UNIT VI: WINDOWS, PAGES & RICH CONTROLS

Q56. What is a PageFunction in WPF navigation architecture? [Page-Based Navigation | Hard]

A) A specialized Page that behaves like a navigational sub-routine, returning a typed result to the calling page when completed

B) A C# delegate attached to page button clicks

C) A JavaScript function executing inside a WebBrowser

D) A mathematical formula for calculating page dimensions

✓ Correct Answer: A specialized Page that behaves like a navigational sub-routine, returning a typed result to the calling page when completed

Explanation: PageFunction enables structured navigation workflows (like wizards) by firing a Return event with a typed result back to the parent page.

Q57. Which event on MediaElement notifies the application that an audio or video file has finished playing? [Sound & Video | Easy]

A) MediaEnded

B) MediaFailed

C) MediaOpened

D) PlaybackFinished

✓ Correct Answer: MediaEnded

Explanation: MediaEnded fires when the media stream reaches the end of its duration, allowing loop restarting or playlist progression.

Q58. Which light type in WPF casts light in all directions from a specific point in 3D space and attenuates with distance? [3D Drawing | Medium]

A) PointLight

B) DirectionalLight

C) AmbientLight

D) SpotLight

✓ Correct Answer: PointLight

Explanation: PointLight occupies a specific 3D Point3D position and radiates light outward with optional distance attenuation.

Q59. What property allows a WPF Window to remain visibly on top of all other non-topmost desktop windows even when losing focus? [Window Class & Interaction | Easy]

A) Topmost='True'

B) IsActive='True'

C) Focusable='True'

D) AlwaysOnTop='True'

✓ **Correct Answer: Topmost='True'**

Explanation: Window.Topmost = true ensures the window floats above other regular application windows in the OS Z-order.

UNIT V: GRAPHICS, TEMPLATES, & ANIMATION

Q60. Which Geometry class represents a complex composite 2D shape composed of sub-paths, arcs, lines, and Bezier curves? [Geometries & Effects | Medium]

A) PathGeometry

B) LineGeometry

C) RectangleGeometry

D) EllipseGeometry

✓ **Correct Answer: PathGeometry**

Explanation: PathGeometry is the most versatile geometry, containing PathFigures comprised of PathSegments (LineSegment, ArcSegment, BezierSegment).

Q61. Which WPF brush paints an area with repeated tiled patterns of vector or bitmap drawings? [Brushes & Transforms | Medium]

A) TileBrush (e.g., ImageBrush, DrawingBrush)

B) SolidColorBrush

C) GradientBrush

D) ShaderBrush

✓ **Correct Answer: TileBrush (e.g., ImageBrush, DrawingBrush)**

Explanation: TileBrush provides TileMode properties (None, Tile, FlipX, FlipY, FlipXY) to repeat images or drawings across infinite surfaces.

Q62. What does the Viewport property on a TileBrush determine? [Brushes & Transforms | Hard]

A) The position and dimensions of the fundamental tile relative to the painted bounding box

B) The 3D camera angle

C) The window resolution

D) The border stroke thickness

✓ **Correct Answer: The position and dimensions of the fundamental tile relative to the painted bounding box**

Explanation: Viewport specifies the size and position of the base tile, which is then repeated if TileMode is set to Tile.

Q63. Which Geometry class in WPF combines two existing geometries using Boolean operations like Union, Intersect, Exclude, or Xor? [Geometries & Effects | Medium]

A) CombinedGeometry

B) GeometryGroup

C) StreamGeometry

D) PathGeometry

✓ **Correct Answer: CombinedGeometry**

Explanation: CombinedGeometry takes Geometry1 and Geometry2 and applies a GeometryCombineMode operation (Union, Intersect, Xor, Exclude).

Q64. Why is StreamGeometry preferred over PathGeometry when creating lightweight, non-modifiable vector icons in XAML? [Geometries & Effects | Hard]

A) StreamGeometry cannot be animated or modified after creation, using significantly less memory and CPU than PathGeometry

B) StreamGeometry supports audio streaming

C) StreamGeometry automatically converts to JPEG

D) PathGeometry does not support Bezier curves

✓ **Correct Answer: StreamGeometry cannot be animated or modified after creation, using significantly less memory and CPU than PathGeometry**

Explanation: StreamGeometry is an immutable, read-only geometry optimized for performance and resource consumption.

Q65. What control property in ItemsControl/ListBox specifies the visual template applied to individual list items? [Data Templates | Easy]

A) ItemTemplate

B) ItemsPanel

C) ItemContainerStyle

D) Template

✓ **Correct Answer: ItemTemplate**

Explanation: ItemTemplate specifies the DataTemplate used to render each business object bound to the ItemsSource.

Q66. What is the function of the ItemsPanelTemplate in WPF collection controls? [Data Templates | Medium]

A) Defines the layout container panel (such as StackPanel, WrapPanel, or VirtualizingStackPanel) that holds the generated item containers

B) Defines the visual appearance of each individual item

C) Controls database SQL paging queries

D) Configures keyboard shortcut hotkeys

✓ **Correct Answer: Defines the layout container panel (such as StackPanel, WrapPanel, or VirtualizingStackPanel) that holds the generated item containers**

Explanation: ItemsControl.ItemsPanel specifies the internal panel type used to arrange the child items.

Q67. What happens when you apply a custom ControlTemplate to a Button without defining visual cues for mouse clicks or hover? [Control Templates & Visual States | Hard]

A) The Button loses all default hover highlights and click press animations, remaining visually static unless custom triggers/states are defined

B) The Button throws a compilation error in XAML

C) The Button ceases to fire the Click event

D) WPF restores the Windows 95 fallback theme

✓ **Correct Answer: The Button loses all default hover highlights and click press animations, remaining visually static unless custom triggers/states are defined**

Explanation: A ControlTemplate replaces the complete visual tree; all visual state feedback (MouseOver, Pressed) must be explicitly reconstructed.

Q68. What is the difference between a Trigger and an EventTrigger in WPF styling? [Control Templates & Visual States | Medium]

A) A Property Trigger monitors a DependencyProperty value (e.g., IsMouseOver); an EventTrigger fires actions (like Storyboards) in response to a routed event

B) Property Triggers only work in code-behind; EventTriggers work in XAML

C) EventTriggers can modify property values directly without animations

D) There is no difference; they are exact synonyms

✓ **Correct Answer: A Property Trigger monitors a DependencyProperty value (e.g., IsMouseOver); an EventTrigger fires actions (like Storyboards) in response to a routed event**

Explanation: Property Triggers set Setters while conditions evaluate true; EventTriggers execute actions like BeginStoryboard upon event occurrence.

Q69. Which animation class is used to animate transitions between discrete states that cannot be smoothly interpolated (e.g., Visibility or Object references)? [Storyboard & Animations | Hard]

A) ObjectAnimationUsingKeyFrames (with DiscreteObjectKeyFrame)

B) LinearDoubleAnimation

C) ContinuousColorAnimation

D) Vector3DAnimation

✓ **Correct Answer: ObjectAnimationUsingKeyFrames (with DiscreteObjectKeyFrame)**

Explanation: Discrete keyframes snap immediately to the target value at the key time rather than interpolating gradual increments.

Q70. What property of an Animation specifies how many times it should loop (e.g. 'Forever' or '3x')? [Storyboard & Animations | Easy]

A) RepeatBehavior

B) LoopCount

C) IterationLimit

D) CycleBehavior

✓ **Correct Answer: RepeatBehavior**

Explanation: RepeatBehavior can be set to an iteration count (e.g., '3x'), a TimeSpan duration, or 'Forever' for infinite continuous looping.

UNIT VI: WINDOWS, PAGES & RICH CONTROLS

Q71. What property determines whether a Window shows standard Minimize, Maximize, and Close buttons on its title bar? [Window Class & Interaction | Medium]

A) ResizeMode

B) WindowStyle

C) ShowInTaskbar

D) TitleButtonsVisible

✓ **Correct Answer: ResizeMode**

Explanation: ResizeMode settings like NoResize remove maximize/minimize buttons, while CanMinimize disables maximize.

Q72. How can a WPF Window be closed programmatically from C# code-behind? [Window Class & Interaction | Easy]

A) this.Close()

B) this.Destroy()

C) this.Exit()

D) this.Kill()

✓ **Correct Answer: this.Close()**

Explanation: Calling Window.Close() initiates the Closing and Closed events, closing the window and releasing its Win32 HWND handle.

Q73. What event on NavigationService or Frame is triggered when a navigation operation fails (e.g. invalid URI or network drop)? [Page-Based Navigation | Medium]

A) NavigationFailed

B) NavigationError

C) LoadFailed

D) UriNotFound

✓ **Correct Answer: NavigationFailed**

Explanation: NavigationFailed provides details on the exception and lets developers set Handled = true to prevent app crashing.

Q74. What is an XBAP (XAML Browser Application) in classical WPF architecture? [Page-Based Navigation | Hard]

A) A WPF application compiled to execute inside Internet Explorer/Web browser sandbox

B) An XML database parser

C) A cross-platform Android compiler

D) A cloud database migration script

✓ **Correct Answer: A WPF application compiled to execute inside Internet Explorer/Web browser sandbox**

Explanation: XBAPs were designed to deploy WPF rich client applications hosted directly within web browser windows.

Q75. What control is commonly placed between MenuItems or ToolBar buttons to create a vertical or horizontal dividing line? [Menus, Toolbars & Ribbons | Easy]

A) Separator

B) Divider

C) Splitter

D) LineControl

✓ **Correct Answer: Separator**

Explanation: The Separator control renders a styled dividing bar between grouped commands in menus and toolbars.

Q76. In WPF Ribbon architecture, what is the 'Quick Access Toolbar' (QAT)? [Menus, Toolbars & Ribbons | Medium]

A) A customizable toolbar pinned to the top window chrome containing frequently used commands

B) The Windows start menu

C) A status bar at the bottom of the screen

D) A floating context menu on right-click

✓ **Correct Answer: A customizable toolbar pinned to the top window chrome containing frequently used commands**

Explanation: The QuickAccessToolBar provides immediate one-click access to essential application commands regardless of the active ribbon tab.

Q77. Which property on MediaElement specifies the playback rate, allowing fast-forwarding or slow-motion video playback? [Sound & Video | Medium]

A) SpeedRatio

B) PlaybackSpeed

C) RateMultiplier

D) VideoRatio

✓ **Correct Answer: SpeedRatio**

Explanation: SpeedRatio accepts a double multiplier (e.g., 2.0 for 2x fast-forward, 0.5 for half speed).

Q78. What 3D transformation class rotates a 3D model around a specified axis vector by a given angle in degrees? [3D Drawing | Hard]

A) AxisAngleRotation3D (inside RotateTransform3D)

B) TranslateTransform3D

C) ScaleTransform3D

D) MatrixTransform3D

✓ **Correct Answer: AxisAngleRotation3D (inside RotateTransform3D)**

Explanation: RotateTransform3D uses an AxisAngleRotation3D specifying the rotation Axis (e.g. 0,1,0 for Y-axis) and the Angle.

Q79. What is the function of the Normals property on a MeshGeometry3D? [3D Drawing | Hard]

A) Specifies vectors perpendicular to each vertex used for realistic lighting and surface shading calculations

B) Specifies the color of the mesh

C) Normalizes the screen DPI resolution

D) Defines camera view clipping planes

✓ **Correct Answer: Specifies vectors perpendicular to each vertex used for realistic lighting and surface shading calculations**

Explanation: Surface normal vectors determine how light reflects off faces, producing smooth curved shading rather than faceted polygons.

Q80. Which 3D light type emits a directed conical beam of light with inner and outer cone angles from a point in space? [3D Drawing | Medium]

A) SpotLight

B) DirectionalLight

C) PointLight

D) AmbientLight

✓ **Correct Answer: SpotLight**

Explanation: SpotLight radiates light in a directed cone defined by InnerConeAngle and OuterConeAngle, attenuating towards the edges.