

Assignment 4

Target = adarshcare.com

Nmap Open Port Report:

```
nmap -sV -O adarshcare.com -v
Starting Nmap 7.95 ( https://nmap.org ) at 2025-12-07 21:34 IST
NSE: Loaded 47 scripts for scanning.
Initiating Ping Scan at 21:34
Scanning adarshcare.com (217.21.94.155) [4 ports]
Completed Ping Scan at 21:34, 0.09s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 21:34
Completed Parallel DNS resolution of 1 host. at 21:34, 0.00s elapsed
Initiating SYN Stealth Scan at 21:34
Scanning adarshcare.com (217.21.94.155) [1000 ports]
Discovered open port 21/tcp on 217.21.94.155
Discovered open port 80/tcp on 217.21.94.155
Discovered open port 3306/tcp on 217.21.94.155
Discovered open port 443/tcp on 217.21.94.155
Completed SYN Stealth Scan at 21:34, 7.19s elapsed (1000 total ports)
Initiating Service scan at 21:34
Scanning 4 services on adarshcare.com (217.21.94.155)
Completed Service scan at 21:34, 12.62s elapsed (4 services on 1 host)
Initiating OS detection (try #1) against adarshcare.com (217.21.94.155)
Retrying OS detection (try #2) against adarshcare.com (217.21.94.155)
NSE: Script scanning 217.21.94.155.
Initiating NSE at 21:34
Completed NSE at 21:34, 1.25s elapsed
Initiating NSE at 21:34
Completed NSE at 21:34, 0.74s elapsed
Nmap scan report for adarshcare.com (217.21.94.155)
Host is up (0.072s latency).
Other addresses for adarshcare.com (not scanned): 2a02:4780:11:885:0:1fc8:b19c:2
Not shown: 962 filtered tcp ports (no-response)
PORT      STATE SERVICE      VERSION
20/tcp    closed ftp-data
21/tcp    open  ftp          ProFTPD or KnFTPD
80/tcp    open  http         LiteSpeed httpd
443/tcp   open  ssl/http     LiteSpeed httpd
2100/tcp  closed amiganetfs
2103/tcp  closed zephyr-clt
2105/tcp  closed eklogin
2106/tcp  closed ekshell
2107/tcp  closed msmq-mgmt
2111/tcp  closed kx
2119/tcp  closed gsgatekeeper
2121/tcp  closed ccproxy-ftp
2126/tcp  closed pktcable-cops
2135/tcp  closed gris
```

2144/tcp closed lv-ffx
2160/tcp closed apc-2160
2161/tcp closed apc-agent
2170/tcp closed eyetv
2179/tcp closed vmrdp
2190/tcp closed tivoconnect
2191/tcp closed tvbus
2196/tcp closed unknown
2200/tcp closed ici
2222/tcp closed EtherNetIP-1
2251/tcp closed dif-port
2260/tcp closed apc-2260
2288/tcp closed netml
2301/tcp closed compaqdiag
2323/tcp closed 3d-nfsd
2366/tcp closed qip-login
2381/tcp closed compaq-https
2382/tcp closed ms-olap3
2383/tcp closed ms-olap4
2393/tcp closed ms-olap1
2394/tcp closed ms-olap2
2399/tcp closed fmpro-fdal
3306/tcp open mysql MariaDB 11.8.3
60443/tcp closed unknown

OS fingerprint not ideal because: Didn't receive UDP response. Please try again with -sSU

No OS matches for host

Uptime guess: 11.444 days (since Wed Nov 26 10:54:49 2025)

TCP Sequence Prediction: Difficulty=260 (Good luck!)

IP ID Sequence Generation: All zeros
Service Info: OS: Unix

```
Completed NSE at 21:34, 0.74s elapsed
Nmap scan report for adarshcare.com (217.21.94.15)
Host is up (0.072s latency).
Other addresses for adarshcare.com (not scanned):
Not shown: 962 filtered tcp ports (no-response)
PORT      STATE SERVICE      VERSION
20/tcp    closed ftp-data
21/tcp    open  ftp          ProFTPD or KnFTPD
80/tcp    open  http         LiteSpeed httpd
443/tcp   open  ssl/http     LiteSpeed httpd
2100/tcp  closed amiganetfs
2103/tcp  closed zephyr-clt
2105/tcp  closed eklogin
2106/tcp  closed ekshell
2107/tcp  closed msmq-mgmt
2111/tcp  closed kx
2119/tcp  closed gsigatekeeper
2121/tcp  closed ccproxy-ftp
2126/tcp  closed pktcable-cops
2135/tcp  closed gris
2144/tcp  closed lv-ffx
2160/tcp  closed apc-2160
2161/tcp  closed apc-agent
2170/tcp  closed eyetv
2179/tcp  closed vmrdp
2190/tcp  closed tivoconnect
2191/tcp  closed tvbus
2196/tcp  closed unknown
2200/tcp  closed ici
2222/tcp  closed EtherNetIP-1
```

```
(root@Win)-[~]
# nmap -sn adarshcare.com -v
Starting Nmap 7.95 ( https://nmap.org ) at 2025-12-07 21:43 IST
Initiating Ping Scan at 21:43
Scanning adarshcare.com (217.21.94.155) [4 ports]
Completed Ping Scan at 21:43, 0.06s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 21:43
Completed Parallel DNS resolution of 1 host. at 21:43, 0.01s elapsed
Nmap scan report for adarshcare.com (217.21.94.155)
Host is up (0.043s latency).
Other addresses for adarshcare.com (not scanned): 2a02:4780:11:885:0:1fc8:b19c:2
Nmap done: 1 IP address (1 host up) scanned in 0.19 seconds
Raw packets sent: 4 (152B) | Rcvd: 1 (40B)
```

```

└─(root@Win)-[~]
└─# nmap -sV -p 22,80,443 -sC adarshcare.com
Starting Nmap 7.95 ( https://nmap.org ) at 2025-12-07 21:46 IST
Nmap scan report for adarshcare.com (217.21.94.155)
Host is up (0.044s latency).
Other addresses for adarshcare.com (not scanned): 2a02:4780:11:885:0:1fc8:b19c:2

PORT      STATE      SERVICE  VERSION
22/tcp    filtered  ssh
80/tcp    open      http     LiteSpeed httpd
|_http-title: Did not follow redirect to https://adarshcare.com/
|_http-server-header: LiteSpeed
443/tcp   open      ssl/http LiteSpeed httpd
|_http-title: 403 Forbidden
|_tls-alpn:
|_  h2
|_  http/1.1
|_ssl-date: TLS randomness does not represent time
|_ssl-cert: Subject: commonName=adarshcare.com
|_ Subject Alternative Name: DNS:adarshcare.com, DNS:www.adarshcare.com
|_ Not valid before: 2025-11-21T10:36:10
|_ Not valid after: 2026-02-19T10:36:09
|_http-server-header: LiteSpeed

Service detection performed. Please report any incorrect results at https://nmap.
Nmap done: 1 IP address (1 host up) scanned in 23.39 seconds

```

Dirb Tool Report:

```

└─(root@Win)-[~]
└─# dirb https://adarshcare.com/

```

```

-----
DIRB v2.22
By The Dark Raver
-----

```

```

START_TIME: Sun Dec 7 21:51:15 2025
URL_BASE: https://adarshcare.com/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt

```

```

-----
GENERATED WORDS: 4612

```

```

---- Scanning URL: https://adarshcare.com/ ----
==> DIRECTORY: https://adarshcare.com/~adm/
==> DIRECTORY: https://adarshcare.com/~admin/
==> DIRECTORY: https://adarshcare.com/~administrator/
==> DIRECTORY: https://adarshcare.com/~amanda/
==> DIRECTORY: https://adarshcare.com/~apache/
==> DIRECTORY: https://adarshcare.com/~bin/
==> DIRECTORY: https://adarshcare.com/~ftp/

```

==> DIRECTORY: <https://adarshcare.com/~guest/>
==> DIRECTORY: <https://adarshcare.com/~http/>
==> DIRECTORY: <https://adarshcare.com/~httpd/>
==> DIRECTORY: <https://adarshcare.com/~log/>
==> DIRECTORY: <https://adarshcare.com/~logs/>
==> DIRECTORY: <https://adarshcare.com/~lp/>
==> DIRECTORY: <https://adarshcare.com/~mail/>
==> DIRECTORY: <https://adarshcare.com/~nobody/>
==> DIRECTORY: <https://adarshcare.com/~operator/>
==> DIRECTORY: <https://adarshcare.com/~root/>
==> DIRECTORY: <https://adarshcare.com/~sys/>
==> DIRECTORY: <https://adarshcare.com/~sysadm/>
==> DIRECTORY: <https://adarshcare.com/~sysadmin/>
==> DIRECTORY: <https://adarshcare.com/~test/>
==> DIRECTORY: <https://adarshcare.com/~tmp/>
==> DIRECTORY: <https://adarshcare.com/~user/>
==> DIRECTORY: <https://adarshcare.com/~webmaster/>
==> DIRECTORY: <https://adarshcare.com/~www/>
==> DIRECTORY: <https://adarshcare.com/admin/>
==> DIRECTORY: <https://adarshcare.com/backend/>
==> DIRECTORY: <https://adarshcare.com/check/>
==> DIRECTORY: <https://adarshcare.com/css/>
==> DIRECTORY: <https://adarshcare.com/dashboard/>
==> DIRECTORY: <https://adarshcare.com/images/>
+ <https://adarshcare.com/index.php> (CODE:200|SIZE:46459)
==> DIRECTORY: <https://adarshcare.com/js/>
==> DIRECTORY: <https://adarshcare.com/staging/>

---- Entering directory: <https://adarshcare.com/~adm/> ----

---- Entering directory: <https://adarshcare.com/~admin/> ----

---- Entering directory: <https://adarshcare.com/~administrator/> ----

---- Entering directory: <https://adarshcare.com/~amanda/> ----

---- Entering directory: <https://adarshcare.com/~apache/> ----

(!) FATAL: Too many errors connecting to host
(Possible cause: OPERATION TIMEOUT)

END_TIME: Sun Dec 7 22:25:59 2025
DOWNLOADED: 23457 - FOUND: 1

```

⇒ DIRECTORY: https://adarshcare.com/admin/
⇒ DIRECTORY: https://adarshcare.com/backend/
⇒ DIRECTORY: https://adarshcare.com/check/
⇒ DIRECTORY: https://adarshcare.com/css/
⇒ DIRECTORY: https://adarshcare.com/dashboard/
⇒ DIRECTORY: https://adarshcare.com/images/
+ https://adarshcare.com/index.php (CODE:200|SIZE:46459)
⇒ DIRECTORY: https://adarshcare.com/js/
⇒ DIRECTORY: https://adarshcare.com/staging/

—— Entering directory: https://adarshcare.com/~adm/ ——
—— Entering directory: https://adarshcare.com/~admin/ ——
—— Entering directory: https://adarshcare.com/~administrator/ ——
—— Entering directory: https://adarshcare.com/~amanda/ ——
—— Entering directory: https://adarshcare.com/~apache/ ——

(!) FATAL: Too many errors connecting to host
(Possible cause: OPERATION TIMEOUT)

—————
END_TIME: Sun Dec 7 22:25:59 2025
DOWNLOADED: 23457 - FOUND: 1

```

Whatweb report:

```

(root@Win)-[~]
# whatweb adarshcare.com
http://adarshcare.com [301 Moved Permanently] Country[UNITED KINGDOM][GB], HTML5, HTTPServer[LiteSpeed], IP[217.21.94.155], LiteSpeed, RedirectLocation[https://adarshcare.com/], Title[301 Moved Permanently][Title element contains newline(s)!], UncommonHeaders[platform,panel,content-security-policy]
https://adarshcare.com [403 Forbidden] Country[UNITED KINGDOM][GB], HTML5, HTTPServer[LiteSpeed], IP[217.21.94.155], LiteSpeed, Title[403 Forbidden][Title element contains newline(s)!], UncommonHeaders[platform,panel,content-security-policy,alt-svc]
https://adarshcare.com/ [403 Forbidden] Country[UNITED KINGDOM][GB], HTML5, HTTPServer[LiteSpeed], IP[217.21.94.155], LiteSpeed, Title[403 Forbidden][Title element contains newline(s)!], UncommonHeaders[platform,panel,content-security-policy,alt-svc]

```

Nikto report:

```

(root@Win)-[~]
# cat nikto.txt
- Nikto v2.5.0/
+ Target Host: adarshcare.com
+ Target Port: 443
+ GET /: Retrieved x-powered-by header: PHP/8.2.27.
+ GET /: The anti-clickjacking X-Frame-Options header is not present.
See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options:
+ GET /: Uncommon header 'panel' found, with contents: hpanel.

```

- + GET /: Uncommon header 'platform' found, with contents: hostinger.
- + GET /: The site uses TLS and the Strict-Transport-Security HTTP header is not defined. See: <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>:
- + GET /: An alt-svc header was found which is advertising HTTP/3. The endpoint is: ':443'. Nikto cannot test HTTP/3 over QUIC. See: <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/alt-svc>:
- + GET /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: <https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/>:
- + GET /bLLdrNwd.jsa: Server may leak inodes via ETags, header found with file /bLLdrNwd.jsa, inode: 119f, size: 68074bd6, mtime: 78ab0f9c02bc9039;;;. See: CVE-2003-1418:
- + GET /: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack. See: <http://breachattack.com/>:

```
(root@Win)-[~]
# nikto -h https://adarshcare.com -o nikto.txt
- Nikto v2.5.0

+ Multiple IPs found: 217.21.94.155, 2a02:4780:11:885:0:1fc8:b19c:2
+ Target IP: 217.21.94.155
+ Target Hostname: adarshcare.com
+ Target Port: 443

+ SSL Info: Subject: /CN=adarshcare.com
            Ciphers: TLS_AES_256_GCM_SHA384
            Issuer: /C=US/O=Let's Encrypt/CN=R12
+ Start Time: 2025-12-07 23:10:18 (GMT5.5)

+ Server: LiteSpeed
+ /: Retrieved x-powered-by header: PHP/8.2.27.
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: Uncommon header 'panel' found, with contents: hpanel.
+ /: Uncommon header 'platform' found, with contents: hostinger.
+ /: The site uses TLS and the Strict-Transport-Security HTTP header is not defined. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
+ /: An alt-svc header was found which is advertising HTTP/3. The endpoint is: ':443'. Nikto cannot test HTTP/3 over QUIC. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/alt-svc
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ /bLLdrNwd.jsa: Server may leak inodes via ETags, header found with file /bLLdrNwd.jsa, inode: 119f, size: 68074bd6, mtime: 78ab0f9c02bc9039;;;. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1418
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ /: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack. See: http://breachattack.com/
+ ERROR: Error limit (20) reached for host, giving up. Last error: opening stream: can't connect: SSL negotiation failed: error:0A000438:SSL routines::tls alert internal error at /var/lib/nikto/plugins/LW2.pm line 5254.
; at /var/lib/nikto/plugins/LW2.pm line 5254.
```

```
(root@Win)-[~]
# cat nikto.txt
- Nikto v2.5.0/
+ Target Host: adarshcare.com
+ Target Port: 443
+ GET /: Retrieved x-powered-by header: PHP/8.2.27.
+ GET /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options:
+ GET /: Uncommon header 'panel' found, with contents: hpanel.
+ GET /: Uncommon header 'platform' found, with contents: hostinger.
+ GET /: The site uses TLS and the Strict-Transport-Security HTTP header is not defined. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security:
+ GET /: An alt-svc header was found which is advertising HTTP/3. The endpoint is: ':443'. Nikto cannot test HTTP/3 over QUIC. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/alt-svc:
+ GET /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/:
+ GET /bLLdrNwd.jsa: Server may leak inodes via ETags, header found with file /bLLdrNwd.jsa, inode: 119f, size: 68074bd6, mtime: 78ab0f9c02bc9039;;;. See: CVE-2003-1418:
+ GET /: The Content-Encoding header is set to "deflate" which may mean that the server is vulnerable to the BREACH attack. See: http://breachattack.com/:
```