https://github.com/Anand8423/ca-2-FSD/blob/main/feedback.js

Files

main


Go to file T


- Node.js
- feedback.js
- feedbackRoutes.js
- server.js

Anand8423 and Copilot Initial feedback API project

Code Blame 28 lines (26 loc) · 524 Bytes

```
1   const mongoose = require("mongoose");
2
3   const feedbackSchema = new mongoose.Schema({
4       studentName: {
5           type: String,
6           required: true
7       },
8       courseName: {
9           type: String,
10          required: true
11      },
12      message: {
13          type: String,
14          required: true
15      },
16      rating: {
17          type: Number,
18          required: true,
19          min: 1,
20          max: 5
21      },
22      status: {
23          type: String,
24          default: "Pending"
25      }
26  });
27
28  module.exports = mongoose.model("Feedback", feedbackSchema);
```


Files
main
Go to file
Node.js
feedback.js
feedbackRoutes.js
server.js
Anand8423 and Copilot Initial feedback API project
Code
Blame
77 lines (58 loc) · 1.61 KB
const express = require("express");
const router = express.Router();
const Feedback = require("./feedback");
// POST
router.post("/", async (req, res) => {
try {
const { studentName, courseName, message, rating } = req.body;
const feedback = await Feedback.create({
studentName,
courseName,
message,
rating
});
res.status(201).json(feedback);
} catch (error) {
res.status(500).json({ message: error.message });
}
});
// GET with Pagination
router.get("/", async (req, res) => {
try {
const page = Number(req.query.page) || 1;


main
Go to file
Node.js
feedback.js
feedbackRoutes.js
server.js
Anand8423 and Copilot Initial feedback API project
eb9f474 · 8 minutes ago
Code
Blame
35 lines (33 loc) · 630 Bytes
Raw
const mongoose = require("mongoose");
const feedbackSchema = new mongoose.Schema(
{
studentName: {
type: String,
required: true,
trim: true
},
courseName: {
type: String,
required: true,
trim: true
},
message: {
type: String,
required: true
},
rating: {
type: Number,
required: true,
min: 1,
max: 5
},
status: {
type: String,
enum: ["Pending", "Reviewed"],
default: "Pending"
}