
Day 12 Dune, 2021, Mayday et you want to break the filled flow, we can you custom styling method. to use enternal fant. fant-favily: Name"

you need to greport Southing just
see the decture duch. en plore ?- https://mycalor.spall which Calor your should Chocose.

Margin; ope auto; drue-heighti: 20 pm > ++ aucept ay 1 Resolution project Management tools Day 13, 5 June, 2021 Tuesday float peans allignment to left or regut Span. Interest (der dass="content") -

HTML color codes. -> chart.



Selector, the Selector is either Houl element, class 14 June and Colaums. (Make 4-5 border: i Pre salld black: background horaut 110 Pu : 190 Pm overflow: Midden > wed to give space B/w or Inside the Content

19 Ke paper lut > html color (od os. com/ color-chart. tent-align o Justify" & equal 19me + font-size: 18 pr., f défault value is > fout-weight: bold; { woght (au be bald Han we don't won't hovidity faut, just go with inherit. > font-family: "Times New Roman", Times, suit It you wont default browser related fout, > for background we can use More than 2 calors, that is called gradient.
> for fant we can't yee 2 colors. Jan want to break the flow and want 2 9 teny befow. then we In now, of ter 3 (P) Hore der to break
the flow. Wear: both < day · clas = (c dr) </dir>

	4+tps://fonts.googdercom/speimen/Roboto.
-	I tow to set any font (eg googlefonts)
	Method (1) > < dinky N 2 > @IMport. > delorator.
_	M 2 > OIMPOTT
1	1) 10 10 10 10 10 10 10 10 10 10 10 10 10
	THE STATE OF THE S
	Ing f
1	V
4	width: 190Px
-	Meight: 110Ph Margin; 5 ph 10Ph;
1	9 border-bottom: 3px salld blue:
1	Jerner vollont? Spec Swide box
1	The state of the s
	Islector elevent Name. Classyane
-	P. boul + 1
	eg dev. bout
	I Duble of the last of the Court of Mary
1	* enploye :- inttps://mycolorispace. Lalor
-	15 7 Mulyersal Sclector.
	3 body 1
1	backgraund-calor
+	and almost into a vision in the green's
-	the same was a first that the same was
-	wrapper
1	1) html, body (
1	Hayon: opus
1	padding ! opu; borders;

> Just make a dry, glue 9t wrapper class and place all the content gustde body guto that dry. singlary as we game container dass gu- bootstrap.
Concept og Ryalutaus.
O Entra small devole
1 Medzen deurce
(5) entra large defonsce. > normally we use
scarch
Aus eg 1280 n 726
screenwordth serven herget
94 you want e make the wrapper or
défaut at left side & sharoging by
yau com do:-
uargin: opu auto:
The state of the s
Hu-hught! 20pn! (this encreases tue hight on the bloo the two leves!
Direction of the second of the

MOI :- graphical usor Interface. html, body and body

html and body both are elements

they will show affect on the long-tent

within they but t 95 ling yewsal selector

it does't depend any any element invesses

frue af any element of coil cook. + you land write + bour lake that. Ksec. Hor class = "corapper">

Ksec. Hor class = "corapper">

Ksec. Hor class = "cantent"> (/d)v> 3 same dex </sectlany

diffrent class and just grue thank class ascall.

It you are ground have then I no ay class to an element, just keep in your that, properties should be keep and. Deloctor: The Selectors 9s esther html Clanerot, 17) selector Name 2 · · · · ·) delector Navel, _ Selector Name 2 1 - - - -Selector Name + & elector Name 2 1 - - - -Selector 2 starts as the yorstone Coupleter
only if it is placed just Neut after the
first one (parent child should not be there for
melessary, > Not recorsory to place gut Nont