	06 July, 202	
	Js - Day-02	
	Commenting:	=
_		-
_	From the executions.	_
_	Here are 2 ways :-	
	Søngde 19re - 1/	_
_	4 mg 29 me - /* */	_
_		_
_	formating the data in Javascript.	_
	1 10 10 10 10 10 10 10 10 10 10 10 10 10	_
1	All the utal element should be enclosed on ""or".	_
	document. write ("xpx my name is Anand xpx);	
1		-
_	neary it you want 2 une Would elevents	-
_	to work, you have to write In "	-
_	ner 14 yall want to show In Multilines	-
1	tuen use backtas.	-
_	Then was such in S	-
\	Adentifier (s) and keyword (s)	
	Jacob Tigles Cos was a way and the	
	Identifiens - (1) lant start with Numbers	_
-	and can start with latters	_
1	- (underscore) and some with the	_
)	staces are not allawed.	_
3	They are Case Sensi Fine.	_
	J. KINIM AFFORD & DA	_
1	ef'- var das Name;	_
	V	_
-	Keyword. Identifier	_
	J	_

Def. of Identifier: The name 9+set is laying that the portilular Keyword 5-Flu term 'Keyword' (an alco be called a) Built-In' (or) 'Reserved' word var. type of, and, It, Switch, async Here are 3 ways to declare au deutsfrer. In Javascript wing var keyword sava a hut " 1) court 1) They are adding var my closs numt muny Identifier. function my 19 ke ... What do Muny 7 You want 2 do with My