LAPORAN PRAKTIKUM 4

Pemograman Berorientasi Obyek



Oleh:


ANANDA PUTRI R (21091397046)

PROGRAM STUDI D4 MANAJEMEN INFORMATIKA FAKULTAS VOKASI UNIVERSITAS NEGERI SURABAYA

2022

Praktikum 4 PBO

1. Buatlah Program berdasarkan UML dibawah ini



Source Code


♣ PHP

```
凸

∨ NO FOLDER OPENED

        You have not yet opened a folder.
                                             $this->umur = $umur;
        Opening a folder will close all currently
                                             private $nip:
        open editors. To keep
them open, add a
        folder instead.
        To learn more about
        how to use git and source control in VS
                                  40 $dosen2 = new Dosen('Zesyca', 25, 21091397010);
41 $dosen3 = new Dosen('Rahmadila', 19, 21091397004).
                                                                                                                                                              Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
      ∨ OUTLINE
                                 Try the new cross-platform PowerShell https://aka.ms/pscore6
      > TIMELINE
                                                                                                                                   Ln 41, Col 36 Spaces: 4 UTF-8 CRLF PHP @ Go Live 🔊 🚨
```

CSS



Output



Analisis

Menggunakan kata kunci super di konstruktor dan method, pada program tersebut masingmasing kita tambahkan konstruktor dengan paramaternya.

2. Buatlah Program berdasarkan UML dibawah ini

```
RerataNilai
+ int average(int, int)
+ double average(double, double)
+ int average(int, int, int)
```


Source Code




INDEX

```
📢 File Edit Selection View Go Run Terminal Help
                                                                praktikum4 no.2 index.php - Visual Studio Code
                                                                                                                                     Ф
     ∨ NO FOLDER OPENED
                                                require_once 'praktikum4 no.2 php.php';
      currently open editors. To keep
them open, add a folder instead.
                                           <html lang="id">
                                           <head>
    rel="stylesheet" href="praktikum 4 no.2 css.css">
    <title>Praktikum 4</title>
       and source control in VS Code read
                                           <div class="container">
<h2>Soal No.2</h2>
                                            <div class="form":
å
                                                     O File Saved
O File Saved
                                                                       $value1 = new RerataNilai2($_POST['input1'], $_POST['input2']);
echo $value1->average($_POST['input3']);
                                                                                                                             Activate Windows
      O File Saved
     O File Saved
⊗ 0 ▲ 0
```

CSS




OUTPUT



Analisis

Diatas adalah program dengan nama method boleh Sama, Tapi Jumlah parameter mesti berbeda nilai yang di Return harus mempunyai tipe yang sama

3. Buatlah Program berdasarkan UML dibawah ini




Dan buat objek dengan karakteristik seperti tabel dibawah ini

Obyek	umur	nama	panjangEkor	caraBergerak
O1	5	Froggy		melompat
O2	2	Junior Frog	10	berenang

Source Code





```
prak4 no3.php - Visual Studio Code
                                                                                                                          mprak4 no3.php X index no3.php # prak4 n
<u>C</u>

∨ NO FOLDER OPENED

                 Open Folder
       Opening a folder will close all
                                                         public function getUmur(){
    return $this->umur;
        currently open editors. To keep
them open, add a folder instead.
                                                          public function getNama(){
                                                         public function caraBergerak(){
    return 'Melompat';
4
                                                     class Kecebong extends Katak{
                                                         private $panjangEkor;
                                                         public function _construct($umur, $nama, $ekor){
$this->panjangEkor = $ekor;
parent::_construct($umur, $nama);
                                                          public function getpanjangekor(){
                                                          public function carabergerak(){
                                                               return 'Berenang';
      > OUTLINE

✓ TIMELINE prak4 no3.php

      O File Saved
                                                    $katak = new katak(5, 'Froggy');
$kecebong = new kecebong(5, 'Junior Froggy', 10);
                                                                                                                                                         Activate Windows
                                                                                                                                      Ln 1, Col 28 Spaces: 4 UTF-8 CRLF PHP @
⊗ 0 △ 0
```

INDEX

```
da.
                                                                                                                       m index no3.php • # prak4

∨ NO FOLDER OPENED

                                       1 <!-- ANANDA PUTRI RAHMADANI
2 21091397046-->
              Open Folder
      Opening a folder will close all currently open editors. To keep them open, add a folder instead.
                                            <html lang="id">
                                              To learn more about how to use git and source control in VS Code read
                                            4
                                               Objek
                                                Panjang Ekor
Cara Bergerak

✓ TIMELINE index no3.php

                                                <?=$katak->getUmur() ?> 
                                                <?=$katak->getnama() ?> 
                                               <?=$katak->carabergerak() ?> 
                                                                                                              Ln 1, Col 28 Spaces: 4 UTF-8 CRLF PHP
⊗ o ∧ o
```

```
👫 index no3.php 🍑 🖊 prak4
da.

∨ NO FOLDER OPENED

       You have not yet opened a folder.
                                                 <thead>
Objek
                                                   Nama
       currently open editors. To keep
them open, add a folder instead.
                                                   Panjang Ekor
                                                   Cara Bergerak
                                                 01

ş
                                                   <?=$katak->carabergerak() ?> 
                                                  <?=$kecebong->getUmur() ?>
<?=$kecebong->getNama() ?>
                                                  <?=$kecebong->getpanjangekor() ?>
<?=$kecebong->carabergerak() ?>
     > OUTLINE

✓ TIMELINE index no3.php

⊗ 0 ∆ 0
                                                                                                                       Ln 1, Col 28 Spaces: 4 UTF-8 CRLF PHP
```

CSS

```
prak4 no3.css - Visual Studio Code

∨ NO FOLDER OPENED

                                       C: > XMAP pemrogaman web > htdocs > PBOPraktikum4 > # prak4 no3.css > 42 h2
                                              h2{
  You have not yet opened a folder.
                                                   margin: auto;
                                                   text-align: center;
           Open Folder
                                                   padding-bottom: 10px;
  Opening a folder will close all
  currently open editors. To keep
  them open, add a folder instead.
                                                   margin: auto;
  You can clone a repository locally.
                                                   font-family: sans-serif;
                                                   border-collapse: collapse;
  To learn more about how to use git
  and source control in VS Code read
                                                   border: 1px solid;
                                                   padding: 8px 10px;
                                              thead{
                                                   font-weight: bold;
```

Soal No.3

Objek	Umur	Nama	Panjang Ekor	Cara Bergerak
01	5	Froggy	-	Melompat
02	5	Junior Froggy	10	Berenang

Analisis

keyword super tidak bisa digunakan secara langsung didalam method static seperti pada method main, jadi harus di panggil pada method void atau return terlebih dahulu lalu panggil pada method main/static.