AWS CLOUD & DATA ENGINEERING


Name: - CVV ANAND,


USN: - 23BTRCL176,


Batch: - 2027,


Date: - 11/10/2026.


SQL Practice: -









MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Untitled-1.sql
('6', 'Vikram Singh', 'Engineering', 72000, 'Delhi'),
('7', 'Kavya Nair', 'Sales', 54000, 'Kochi'),
('8', 'Rohan Das', 'IT Support', 45000, 'Kolkata'),
('9', 'Meera Iyer', 'Finance', 61000, 'Coimbatore'),
('10', 'Karthik Verma', 'Engineering', 68000, 'Hyderabad'),
('11', 'Divya Menon', 'HR', 47000, 'Bengaluru'),
('12', 'Aditya Joshi', 'Marketing', 56000, 'Jaipur'),
('13', 'Pooja Gupta', 'Sales', 53000, 'Ahmedabad'),
('14', 'Nikhil Rao', 'IT Support', 46000, 'Visakhapatnam'),
('15', 'Ishita Bose', 'Engineering', 70000, 'Mysuru');
SELECT * FROM employees;
SELECT * FROM employees
WHERE Salary =50000;
SELECT Name, Department, Salary
FROM employees
WHERE Salary > 50000;
Ln 36, Col 1
Output
Result #7
Name Department Salary
Ananya Rao Engineering 65000.00
Rahul Sharma Sales 52000.00
Arjun Kumar Finance 58000.00
Vikram Singh Engineering 72000.00
Kavya Nair Sales 54000.00
Meera Iyer Finance 61000.00
Karthik Verma Engineering 68000.00
Aditya Joshi Marketing 56000.00
Pooja Gupta Sales 53000.00
Ishita Bose Engineering 70000.00
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 10 records retrieved in 1.182ms
32°C
Sunny
Search
ENG
IN
60%
15:30
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Untitled-1.sql
('10', 'Karthik Verma', 'Engineering', 68000, 'Hyderabad'),
('11', 'Divya Menon', 'HR', 47000, 'Bengaluru'),
('12', 'Aditya Joshi', 'Marketing', 56000, 'Jaipur'),
('13', 'Pooja Gupta', 'Sales', 53000, 'Ahmedabad'),
('14', 'Nikhil Rao', 'IT Support', 46000, 'Visakhapatnam'),
('15', 'Ishita Bose', 'Engineering', 70000, 'Mysuru');
SELECT * FROM employees;
SELECT * FROM employees
WHERE Salary =50000;
SELECT Name, Department, Salary
FROM employees
WHERE Salary > 50000;
SELECT * FROM employees
WHERE Department = 'Sales'
AND Salary > 40000;
Ln 40, Col 1
Output
Result #8
EmployeeID Name Department Salary City
2 Rahul Sharma Sales 52000.00 Hyderabad
7 Kavya Nair Sales 54000.00 Kochi
13 Pooja Gupta Sales 53000.00 Ahmedabad
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 3 records retrieved in 1.495ms
32°C
Sunny
Search
ENG
IN
60%
15:31
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Untitled-1.sql
('14', 'Nikhil Rao', 'IT Support', 46000, 'Visakhapatnam'),
('15', 'Ishita Bose', 'Engineering', 78000, 'Mysuru');
SELECT * FROM employees;
SELECT * FROM employees
WHERE Salary =50000;
SELECT Name, Department, Salary
FROM employees
WHERE Salary > 50000;
SELECT * FROM employees
WHERE Department = 'Sales'
AND Salary > 40000;
SELECT Name, Salary
FROM employees
ORDER BY Salary DESC;
Ln 44, Col 1
Output
Result #9
Name
Salary
Vikram Singh 72000.00
Ishita Bose 70000.00
Karthik Verma 68000.00
Ananya Rao 65000.00
Meera Iyer 61000.00
Arjun Kumar 58000.00
Aditya Joshi 56000.00
Kavya Nair 54000.00
Pooja Gupta 53000.00
Rahul Sharma 52000.00
OK, 15 records retrieved in 1.245ms
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
32°C
Sunny
Search
ENG
IN
59%
15:31
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Untitled-1.sql
SELECT * FROM employees;
SELECT * FROM employees
WHERE Salary =50000;
SELECT Name, Department, Salary
FROM employees
WHERE Salary > 50000;
SELECT * FROM employees
WHERE Department = 'Sales'
AND Salary > 40000;
SELECT Name, Salary
FROM employees
ORDER BY Salary DESC;
SELECT * FROM employees
WHERE Name LIKE 'A%';
Ln 48, Col 1
Output
Result #10
EmployeeID
Name
Department
Salary
City
1 Ananya Rao Engineering 65000.00 Bengaluru
4 Arjun Kumar Finance 58000.00 Pune
12 Aditya Joshi Marketing 56000.00 Jaipur
OK, 3 records retrieved in 1.65ms
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
32°C
Sunny
Search
ENG
IN
59%
15:32
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
Run
Untitled-1.sql
WHERE Salary =50000;
SELECT Name, Department, Salary
FROM employees
WHERE Salary > 50000;
SELECT * FROM employees
WHERE Department = 'Sales'
AND Salary > 40000;
SELECT Name, Salary
FROM employees
ORDER BY Salary DESC;
SELECT * FROM employees
WHERE Name LIKE 'A%';
SELECT * FROM employees
WHERE Name LIKE '%a';
Ln 50, Col 1
Output
Result #11
EmployeeID Name Department Salary City
2 Rahul Sharma Sales 52000.00 Hyderabad
10 Karthik Verma Engineering 68000.00 Hyderabad
13 Pooja Gupta Sales 53000.00 Ahmedabad
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 3 records retrieved in 1.44ms
32°C
Sunny
Search
ENG
IN
59%
15:32
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
Run
Untitled-1.sql
WHERE Salary > 50000;
SELECT * FROM employees
WHERE Department = 'Sales'
AND Salary > 40000;
SELECT Name, Salary
FROM employees
ORDER BY Salary DESC;
SELECT * FROM employees
WHERE Name LIKE 'A%';
SELECT * FROM employees
WHERE Name LIKE '%a';
SELECT Department, COUNT(*) AS TotalEmployees
FROM employees
GROUP BY Department;
Ln 54, Col 1
Output
Result #12
Department TotalEmployees
Engineering 4
Sales 3
HR 2
Finance 2
Marketing 2
IT Support 2
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 6 records retrieved in 1.342ms
32°C
Sunny
Search
ENG
IN
59%
15:33
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
Untitled-1.sql
AND Salary > 40000;
SELECT Name, Salary
FROM employees
ORDER BY Salary DESC;
SELECT * FROM employees
WHERE Name LIKE 'A%';
SELECT * FROM employees
WHERE Name LIKE '%a';
SELECT Department, COUNT(*) AS TotalEmployees
FROM employees
GROUP BY Department;
SELECT Department, AVG(Salary) AS AverageSalary
FROM employees
GROUP BY Department;
Ln 58, Col 1
Output
Result #13
Department
AverageSalary
Engineering
68750.000000
Sales
53000.000000
HR
47500.000000
Finance
59500.000000
Marketing
53000.000000
IT Support
45500.000000
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 6 records retrieved in 1.54ms
32°C
Sunny
Search
ENG
IN
58%
15:34
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
Untitled-1.sql
ORDER BY Salary DESC;
SELECT * FROM employees
WHERE Name LIKE 'A%';
SELECT * FROM employees
WHERE Name LIKE '%a';
SELECT Department, COUNT(*) AS TotalEmployees
FROM employees
GROUP BY Department;
SELECT Department, AVG(Salary) AS AverageSalary
FROM employees
GROUP BY Department;
SELECT City, SUM(Salary) AS TotalSalary
FROM employees
GROUP BY City;
Ln 62, Col 1
Output
Result #14
City
TotalSalary
Bengaluru
112000.00
Hyderabad
120000.00
Chennai
48000.00
Pune
58000.00
Mumbai
50000.00
Delhi
72000.00
Kochi
54000.00
Kolkata
45000.00
Coimbatore
61000.00
Jaipur
56000.00
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 13 records retrieved in 1.269ms
32°C
Sunny
Search
ENG
IN
58%
15:35
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Untitled-1.sql
SELECT * FROM employees
WHERE Name LIKE '%a';
SELECT Department, COUNT(*) AS TotalEmployees
FROM employees
GROUP BY Department;
SELECT Department, AVG(Salary) AS AverageSalary
FROM employees
GROUP BY Department;
SELECT City, SUM(Salary) AS TotalSalary
FROM employees
GROUP BY City;
SELECT Department, AVG(Salary) AS AverageSalary
FROM employees
GROUP BY Department
HAVING AVG(Salary) > 50000;
Ln 66, Col 1
Output
Result #15
Department
AverageSalary
Engineering
68750.000000
Sales
53000.000000
Finance
59500.000000
Marketing
53000.000000
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 4 records retrieved in 1.277ms
32°C
Sunny
Search
ENG
IN
57%
15:35
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Untitled-1.sql
GROUP BY Department;
SELECT Department, AVG(Salary) AS AverageSalary
FROM employees
GROUP BY Department;
SELECT City, SUM(Salary) AS TotalSalary
FROM employees
GROUP BY City;
SELECT Department, AVG(Salary) AS AverageSalary
FROM employees
GROUP BY Department
HAVING AVG(Salary) > 50000;
SELECT Department, COUNT(*) AS TotalEmployees
FROM employees
GROUP BY Department
HAVING COUNT(*) > 1;
Ln 71, Col 1
Output
Result #16
Department
TotalEmployees
Engineering
4
Sales
3
HR
2
Finance
2
Marketing
2
IT Support
2
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 6 records retrieved in 1.916ms
32°C
Sunny
Search
ENG
IN
57%
15:35
11-10-2026


MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Untitled-1.sql
GROUP BY Department;
SELECT City, SUM(Salary) AS TotalSalary
FROM employees
GROUP BY City;
SELECT Department, AVG(Salary) AS AverageSalary
FROM employees
GROUP BY Department
HAVING AVG(Salary) > 50000;
SELECT Department, COUNT(*) AS TotalEmployees
FROM employees
GROUP BY Department
HAVING COUNT(*) > 1;
SELECT Department, MIN(Salary) AS LowestSalary, MAX(Salary) AS HighestSalary
FROM employees
GROUP BY Department;
Ln 76, Col 1
Output
Result #17
Department
LowestSalary
HighestSalary
Engineering
65000.00
72000.00
Sales
52000.00
54000.00
HR
47000.00
48000.00
Finance
58000.00
61000.00
Marketing
50000.00
56000.00
IT Support
45000.00
46000.00
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 6 records retrieved in 1.258ms
32°C
Sunny
Search
ENG
IN
56%
15:38
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Untitled-1.sql
SELECT Department, MIN(Salary) AS LowestSalary, MAX(Salary) AS HighestSalary
FROM employees
GROUP BY Department;
CREATE TABLE departments (
Department VARCHAR(50),
Manager VARCHAR(50)
);
INSERT INTO departments (Department, Manager)
VALUES
('Engineering', 'Ramesh'),
('Sales', 'Suresh'),
('HR', 'Lakshmi'),
('Finance', 'Kiran'),
('Marketing', 'Priya');
SELECT * FROM departments;
Ln 94, Col 1
Output
Result #20
Department
Manager
Engineering
Ramesh
Sales
Suresh
HR
Lakshmi
Finance
Kiran
Marketing
Priya
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
OK, 5 records retrieved in 1.341ms
32°C
Sunny
Search
ENG
IN
55%
15:41
11-10-2026



MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
Untitled-1.sql
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
81 CREATE TABLE departments (
84);
86 INSERT INTO departments (Department, Manager)
87 VALUES
88 ('Engineering', 'Ramesh'),
89 ('Sales', 'Suresh'),
90 ('HR', 'Lakshmi'),
91 ('Finance', 'Kiran'),
92 ('Marketing', 'Priya');
94 SELECT * FROM departments;
96 SELECT
97 e.Name,
98 e.Department,
99 d.Manager
100 From employees e INNER JOIN departments d
101 ON e.Department = d.Department;
Ln 96, Col 1
Output
Result #21
Name | Department | Manager
Ananya Rao | Engineering | Ramesh
Rahul Sharma | Sales | Suresh
Priya Reddy | HR | Lakshmi
Arjun Kumar | Finance | Kiran
Sneha Patel | Marketing | Priya
Vikram Singh | Engineering | Ramesh
Kavya Nair | Sales | Suresh
Meera Iyer | Finance | Kiran
Karthik Verma | Engineering | Ramesh
Divya Menon | HR | Lakshmi
OK, 13 records retrieved in 1.27ms
32°C
Sunny
Search
ENG
IN
53%
15:44
11-10-2026


MySQL Workbench
File Edit View Run Database Window Help
Task (2)
root@localhost:3306
MySQL Community Server - GPL (26.7.0)
Connected
AUTO-COMMIT ON
Run
Untitled-1.sql
ADMINISTRATION
Server Status
Client Connections
User Accounts
Performance Reports
Enterprise Backup
SCHEMAS
company
ecommerce
information_schema
performance_schema
practice_db
sys
Search DB objects
ORACLE CLOUD INFRASTRUCTURE
91 ('Finance', 'Kiran'),
92 ('Marketing', 'Priya');
94 SELECT * FROM departments;
96 SELECT
97 e.Name,
98 e.Department,
99 d.Manager
100 From employees e INNER JOIN departments d
101 ON e.Department = d.Department;
103 SELECT
104 e.EmployeeID,
105 e.Name,
106 e.Department,
107 d.Manager
108 FROM employees e LEFT JOIN departments d
109 ON e.Department = d.Department;
Ln 102, Col 1
Output
Result #22
EmployeeID | Name | Department | Manager
1 | Ananya Rao | Engineering | Ramesh
2 | Rahul Sharma | Sales | Suresh
3 | Priya Reddy | HR | Lakshmi
4 | Arjun Kumar | Finance | Kiran
5 | Sneha Patel | Marketing | Priya
6 | Vikram Singh | Engineering | Ramesh
7 | Kavya Nair | Sales | Suresh
8 | Rohan Das | IT Support | NULL
9 | Meera Iyer | Finance | Kiran
10 | Karthik Verma | Engineering | Ramesh
OK, 15 records retrieved in 1.122ms
32°C
Sunny
Search
ENG
IN
51%
15:48
11-10-2026





Linux Practice: -




cvvanand@AnandCVV: ~
none 3.8G 4.0K 3.8G 1% /mnt/wsl
drivers 476G 194G 283G 41% /usr/lib/wsl/drivers
/dev/sdd 1007G 1.6G 955G 1% /
none 3.8G 32K 3.8G 1% /mnt/wslg
none 3.8G 0 3.8G 0% /usr/lib/wsl/lib
rootfs 3.8G 2.8M 3.8G 1% /init
none 3.8G 528K 3.8G 1% /run
none 3.8G 0 3.8G 0% /run/lock
none 3.8G 0 3.8G 0% /run/shm
none 3.8G 80K 3.8G 1% /mnt/wslg/versions.txt
none 3.8G 80K 3.8G 1% /mnt/wslg/doc
C:\ 476G 194G 283G 41% /mnt/c
tmpfs 3.8G 0 3.8G 0% /tmp
none 1.0M 0 1.0M 0% /run/credentials/systemd-journald.service
none 1.0M 0 1.0M 0% /run/credentials/systemd-resolved.service
none 1.0M 0 1.0M 0% /run/credentials/getty@tty1.service
tmpfs 778M 12K 778M 1% /run/user/1000
cvvanand@AnandCVV:~$ free -h
total used free shared buff/cache available
Mem: 7.6Gi 550Mi 6.6Gi 3.5Mi 626Mi 7.1Gi
Swap: 2.0Gi 0B 2.0Gi
cvvanand@AnandCVV:~$ uptime
10:31:42 up 6 min, 1 user, load average: 0.12, 0.06, 0.01
cvvanand@AnandCVV:~$ hostname
AnandCVV
cvvanand@AnandCVV:~$ mkdir LinuxPractice
cvvanand@AnandCVV:~$ touch practice.txt
cvvanand@AnandCVV:~$ cat practice.txt
cvvanand@AnandCVV:~$ ^C
cvvanand@AnandCVV:~$ echo "id, name, salary" > practice.txt
cvvanand@AnandCVV:~$ echo "1, Anand, 200000" >> practice.txt
cvvanand@AnandCVV:~$ echo "2,Cvv, 100000" >> practice.txt
cvvanand@AnandCVV:~$ cat practice.txt
id, name, salary
1, Anand, 200000
2,Cvv, 100000
cvvanand@AnandCVV:~$
32°C
Sunny
Search


AWS Account / Region: -






Amazon S3: -


S3 bucket created




raw/ folder



curated/ folder



employees.csv uploaded inside raw/



Bucket name and file name should be visible


‘VISIBLE’ in the screenshots.

IAM: -

IAM Role used for AWS Glue


Role name: - ‘task-role’

Relevant permissions/policies




AWS Glue Database: -

AWS Glue Console




Data Catalog and Database created




Database name: glue_training_db

Glue Crawler: -


Crawler name




S3 source location


Gmail
USN Mail
Maps
YouTube
NetMirror APP - Wa...
No Context Provided
My page | Yaaay Fre...
Java Basic Topics
Java Student Program
All Bookmarks
aws
Search
[Alt+S]
United States (N. Virginia)
cvvanand (363647120012)
root
AWS Glue > Crawlers > Add crawler
AWS Glue
Getting started
SageMaker Unified Studio
ETL jobs
Visual ETL
Notebooks
Job run monitoring
Data Catalog tables
Data connections
Workflows (orchestration)
Zero-ETL integrations
Data Catalog
Catalogs
Databases
Tables
Stream schema registries
Schemas
Connections
Crawlers
Classifiers
Catalog settings
Data Integration and ETL
Announcing new optimization features for Apache Iceberg tables
Optimize storage for Apache Iceberg tables with automatic snapshot retention and orphan file deletion. Learn more
Step 1
Set crawler properties
Step 2
Choose data sources and classifiers
Step 3
Configure security settings
Step 4
Set output and scheduling
Step 5
Review and create
Choose data sources and classifiers
Data source configuration
Is your data already mapped to Glue tables?
Not yet
Select one or more data sources to be crawled.
Yes
Select existing tables from your Glue Data Catalog.
Data sources (1) Q help
Edit
Remove
Add a data source
The list of data sources to be scanned by the crawler.
Type
Data source
Parameters
S3
s3://cvv-task/task-raw/
Recrawl all
Custom classifiers - optional
A classifier checks whether a given file is in a format the crawler can handle. If it is, the classifier creates a schema in the form of a StructType object that matches that data format.
Cancel
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
26°C
Partly cloudy
Search
ENG
IN
57%
23:19
10-10-2026


IAM role


Gmail
USN Mail
Maps
YouTube
NetMirror APP - Wa...
No Context Provided
My page | Yaaay Fre...
Java Basic Topics
Java Student Program
All Bookmarks
aws
Search
[Alt+S]
United States (N. Virginia)
cvvanand (363647120012)
root
AWS Glue > Crawlers > Add crawler
AWS Glue
Getting started
SageMaker Unified Studio
ETL jobs
Visual ETL
Notebooks
Job run monitoring
Data Catalog tables
Data connections
Workflows (orchestration)
Zero-ETL integrations
Data Catalog
Catalogs
Databases
Tables
Stream schema registries
Schemas
Connections
Crawlers
Classifiers
Catalog settings
Data Integration and ETL
Step 1
Set crawler properties
Step 2
Choose data sources and classifiers
Step 3
Configure security settings
Step 4
Set output and scheduling
Step 5
Review and create
Configure security settings
IAM role Q help
Existing IAM role
task-role
View
Create new IAM role
Update chosen IAM role
Only IAM roles created by the AWS Glue console and have the prefix "AWSGlueServiceRole-" can be updated.
Lake Formation configuration - optional
Allow the crawler to use Lake Formation credentials for crawling the data source. Learn more.
Use Lake Formation credentials for crawling S3 data source
Checking this box will allow the crawler to use Lake Formation credentials for crawling the data source. If the data source is registered in another account, you must provide the registered account ID. Otherwise, the crawler will crawl only those data sources associated to the account. Only applicable to S3, Glue Catalog, Iceberg, and Hudi data sources.
Security configuration - optional
Enable at-rest encryption with a security configuration.
Cancel
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
26°C
Partly cloudy
Search
ENG
IN
56%
23:21
10-10-2026

Target database




Crawler configuration




Crawler Execution: -

Crawler successfully completed and Crawler status



Glue Data Catalog: -

Database



employees table




Table successfully created





Table Schema: -

employee_id , name, department, salary, city, Data types should also be visible if possible.





Glue Visual ETL: -


Show the complete workflow:


Data Catalog → employees → Transformation → S3 Target

The entire Visual ETL canvas should be visible.






AWS Glue
Untitled job
Job has not been saved
Actions
Save
Run
Visual
Script
Job details
Runs
Data quality
Schedules
Version Control
Transform - Change Sch...
Change Schema
Data preview
Output schema
Schema
WAITING FOR SESSION
Infer schema from session
Key
Data type
employee_id string
name varchar
department varchar
salary int
city varchar
Choose which nodes will provide inputs for this one.
Choose one or more parent node
AWS Glue Data Catalog
Catalog - DataSource
Change Schema (Apply mapping)
Source key
Target key
Data type
employeeid employee string
name name var...
department departme var...
salary salary int
city city var...



AWS Glue
Untitled job
Job has not been saved
Actions
Save
Run
Visual
Script
Job details
Runs
Data quality
Schedules
Version Control
Data target - S3 bucket
Amazon S3
Data preview
Output schema
Schema
WAITING FOR SESSION
Infer schema from session
Key
Data type
Partition
employee_id string -
name varchar -
department varchar -
salary int -
city varchar -
Amazon S3
Node parents
Choose which nodes will provide inputs for this one.
Choose one or more parent node
Change Schema
ApplyMapping - Transform
Format
CSV
Compression Type
None
S3 Target Location
Choose an S3 location in the format s3://bucket/prefix/object/ with a trailing slash (/).
s3://cvv-task/task-raw/
View
Browse S3

Glue Transformation: -

Show the transformation performed.


Example: employees → Drop Fields → Remove city

The transformation configuration should be visible.



S3 Target Configuration: -

S3 target, curated/ output location, Output format – Parquet, Relevant target configuration




Glue ETL Job Execution: -

Job name, Job status = Succeeded

Final S3 Output: -

curated/ folder, Generated output files, Parquet output



Failed to update job

[gluestudio-service.us-east-1.amazonaws.com]createJob: AccessDeniedException: Account 363647120012 is denied access.

Final Explanation: -

AWS Glue complete workflow

Explanation:-

1) Amazon S3 :- S3 is a bucket where we store the data, in this task we stored employees.csv file in S3 bucket.

2) AWS Glue crawler:- Glue crawler is one which scan the csv in S3 bucket (or) database and send the result into Glue data catalog database.

Ex:- emp_id, name, dept, salary, city along with their data types.

Glue:- It is the one where we can process the data whenever we want.

Glue data catalog:- The crawler stores the scanned table in

csv file in data catalog data base. Here in this task database name is glue_training_db & tables name is employee table.


Glue visual ETL :- This is the plat-form where we can read the tables in data catalog and process data.

Change schema transformation :- Here we changed the employeeid into employee_id and ensured all columns have appropriate data types.

Drop field :- In this we can remove the columns as we need. According to the task we removed city column.

S3 Curated data:- The transformed data in visual ETL is stored in curated folder in S3 bucket.

Verification:- After the glue ETL is saved and excuted the job is saved succefully the prequet file formate is reflected in curated folder in S3.


Architecture Diagram:-
Amazon S3
(Raw data)
employees.csv
Aws Glue
crawler
Scanes S3
data and
infers Schema
Aws Glue Data
catalog
Database:-
glue_training_db
tables:-
employees
Aws Glue
visual ETL Job
Change
Schema
Rename
employeeid into
employee_id.
Drop
fields
Remove
City
Amazon S3
(Curated data)
output file
(parquet)