## SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

## KADAYIRUPPU, KOLENCHERY 682311

(Affiliated to APJ Abdul Kalam Technological University)

ACADEMIC YEAR 2021-22



## 20 MCA 132 PROGRAMMING LABORATORY RECORD

Submitted by

**ANANDHU RAJ** 

**REG NO: SNG21MCA-2007** 

in partial fulfilment for the award of the degree in

MASTER OF COMPUTER APPLICATIONS

## SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING KADAYIRUPPU, KOLENCHERY 682 311

(Affiliated to APJ Abdul Kalam Technological University)



## 20 MCA 132 PROGRAMMING LABORATORY RECORD

Certified that this is a Bonafide record of practical work done by ANANDHU RAJ to the APJ Abdul Kalam Technological University in partial fulfillment of the requirements for the award of the Degree in Master of Computer Applications of Sree Narayana Gurukulam College of Engineering done during the Academic year 2021-22..

Kadayiruppu	Course Instructor
Date:	
Head of the Department	
Prof.Dr.SANDHYA R	
Submitted for University Practical Examination	
Reg No.SNG21MCA-2007 on	-

**Internal Examiner** 

**External Examiner** 

SL NO.	DATE	NAME OF EXPERIMENT	PAGE NO.	REMARK
I	CO1			
1	24/11/21	Familiarizing Text Editor, IDE, Code Analysis Tools etc	1	
2	24/11/21	Leap Year	3	
3	24/11/21	List comprehensions	4	
4	24/11/21	occurrences of each word	6	
5	24/11/21	Prompt the user for a list of integers.	7	
6	24/11/21	Store a list of first names.	8	
7	24/11/21	Checking list are of same length,sums to same value,any value occur in both	9	
8	24/11/21	Get a string from an input string and replacing a character	11	
9	24/11/21	Create a string from given string where first and last characters exchanged.	12	
10	24/11/21	Accept the radius from user and find area of circle	13	
11	29/11/21	Find biggest of 3 numbers entered	14	
12	29/11/21	Accept a file name from user and print extension of that	15	
13	29/11/21	Create a list of colors, Display first and last colors.	16	
14	29/11/21	Accept an integer n and compute n+nn+nnn	17	
15	29/11/21	Print out all colors from color-list1 not contained in color-list2	18	
16	29/11/21	Create a single string separated with space from two strings by swapping the character at position 1.	19	

17	29/12/21	Sort dictionary in ascending and	20	
	20/12/21	descending order		
18	29/12/21	Merge two dictionaries	21	
19	29/11/21	Find gcd of 2 numbers.	22	
20	29/11/21	From a list of integers, create a list removing even numbers.	23	
II	CO2			
1	2/12/21	Program to find the factorial of a number	24	
2	2/12/21	Generate Fibonacci series of N terms	25	
3	2/12/21	Find the sum of all items in a list	26	
4	2/12/21	Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect square.	27	
5	2/12/21	Display the given pyramid with step number accepted from user	28	
6	2/12/21	Count the number of characters (character frequency) in a string	29	
7	2/12/21	Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly'	30	
8	2/12/21	Accept a list of words and return length of longest word	31	
9	2/12/21	Construct pattern using nested loop	32	
10	8/12/21	Generate all factors of a number. def print_factors(x):	34	
11	8/12/21	Write lambda functions to find area of square, rectangle and triangle.	35	
III	CO3			
1	20/12/21	Work with built-in packages	36	
2	20/12/21	Creation of packages	41	
IV	CO4			

1	11/1/22	Compare two Rectangle objects by their area	44	
2	11/1/22	Create a Bank account with members account number, name, type of account and balance.	46	
3	11/1/22	Overload '<' operator to compare the area of 2 rectangles.	50	
4	11/1/22	Overload '+' operator to find sum of 2 time	52	
5	12/1/22	Use base class constructor invocation and method overriding.	54	
V	CO5			
1	19/1/22	Write a Python program to read a file line by line and store it into a list.	56	
2	19/1/22	Python program to copy odd lines of one file to other.	57	
3	30/1/22	Write a Python program to read each row from a given csv file and print a list of strings.	59	
4	30/1/22	Write a Python program to read specific columns of a given CSV file.	63	
5	30/1/22	Write a Python program to write a Python dictionary to a csv file.	65	

## I. COURSE OUTCOME 1(CO1)

## **PROGRAM NO:1**

DATE:29/11/2021

**AIM:**Familiarizing Text Editor, IDE, Code Analysis Tools etc // Use any IDE.

A code editor is a tool that is used to write and edit code. They are usually lightweight and can be great for learning. However, once your program gets larger, you need to test and debug your code, that's where IDEs come in.

An IDE (Integrated Development Environment) understand your code much better than a text editor. It usually provides features such as build automation, code linting, testing and debugging. This can significantly speed up your work. The downside is that IDEs can be complicated to use.

#### Some IDE's are:

- Eclipse PyDev. ...
- IDLE. ...
- Wing. ...
- Emacs. ...
- Visual Studio Code. ...
- Sublime Text:
- Thonny
- PyCharm
- Atom
- Spyder

## **IDLE**

IDLE is Python's Integrated Development and Learning Environment.

IDLE has the following features:

- coded in 100% pure Python, using the tkinter GUI toolkit
- cross-platform: works mostly the same on Windows, Unix, and macOS
- Python shell window (interactive interpreter) with colorizing of code input, output, and error messages
- multi-window text editor with multiple undo, Python colorizing, smart indent, call tips, auto completion, and other features
- search within any window, replace within editor windows, and search through multiple files (grep)
- debugger with persistent breakpoints, stepping, and viewing of global and local namespaces
- configuration, browsers, and other dialogs

**DATE:29/11/2021** 

AIM:Display future leap years from current year to a final year entered by user.

## **PROGRAM**

```
y1=int(input("enter the year1 :"));
y2=int(input("enter the year2 :"));
print("Future leap years:")
for i in range(y1,y2):
    if i%4==0 and i%100!=0:
        print(i)
```

## **OUTPUT:**

enter the year1:2021

enter the year2:2060

Future leap years:

2024

2028

2032

2036

2040

2044

2048

2052

2056

## DATE:29/11/2021

**AIM:**List comprehensions:

• Generate positive list of numbers from a given list of integers.

## **PROGRAM**

```
list1=[]
l=[2,-2,45,65,-64,32,-111]

print("positive numbers are :")

for i in range(len(l)):
    if(l[i]>0):
        list1.append(l[i])
print(list1)

OUTPUT:

positive numbers are :
[2, 45, 65, 32]
```

• Square of N number

## **PROGRAM**

```
n=int(input("enter the limit\n"))
s=[ i**2 for i in range(1,n+1)]
print(s)
OUTPUT
enter the limit
7
[1, 4, 9, 16, 25, 36, 49]
```

Form a list of vowels selected from a given word

#### **PROGRAM**

```
word =str(input("Enter the word :"))
print("The vowels in the word is: ",end="")
for i in word:
    if i in 'aeiouAEIOU':
        print([i],end=" ")

OUTPUT
Enter the word :hai World
The vowels in the word is: ['a'] ['i'] ['o']
```

• List ordinal value of each element of a word (Hint: use ord() to get ordinal values)

## **PROGRAM**

```
w=input("Enter a word:")
print("Ordinal values for each elements:")
for i in w:
    print(i,end=":")
    print(ord(i),end=" ")
```

#### **OUTPUT**

Enter a word: Anandhu

Ordinal values for each elements:

A:65 n:110 a:97 n:110 d:100 h:104 u:117

#### DATE:29/11/2021

**AIM:**Count the occurrences of each word in a line of text.

## **PROGRAM**

```
s= input("Enter a string : ")
word = s.split()
count= []
for w in word:
    count.append(word.count(w))
print("count of the occurrence:" + str(list(zip(word, count))))
```

#### **OUTPUT**

Enter a string: This is python

count of the occurrence:[('This', 1), ('is', 1), ('python', 1)]

#### DATE:29/11/2021

**AIM:**Prompt the user for a list of integers. For all values greater than 100, store 'over' instead.

## **PROGRAM**

```
lt=[]
n1=int(input("Enter a limit:"))
print("Enter values")
for i in range(0,n1):
    lt.append(int(input()))
print("\nThe list is:\n")
for i in range(0,len(lt)):
    if lt[i]>=100:
        print("over")
    else:
        print(lt[i])
```

#### **OUTPUT**

Enter a limit:3

Enter values

23

456

1000

The list is:

23

over

over

DATE:29/11/2021

AIM:Store a list of first names. Count the occurrences of 'a' within the list.

## **PROGRAM**

list1=['a','a','b','a']

N=list1.count('a')

print("occurance of a:",N)

## **OUTPUT**

occurance of a: 3

## DATE:29/11/2021

**AIM:**Enter 2 lists of integers. Check (a) Whether list are of same length. (b) whether list sums to same value. (c) whether any value occur in both.

#### **PROGRAM**

```
l1=[1,3,5,7,9,11,34]
12=[5,13,45,7,20,65,1]
s=int(0)
c=int(0)
if len(l1)==len(l2):
 print("same length")
else:
 print("different length")
for i in range(0,len(l1)):
 s=s+l1[i]
for i in range(0,len(l2)):
 c=c+l1[i]
if(s==c):
 print("equal sum")
else:
 print("not same sum")
print("Same elements are:")
l=[]
for i in range(0,len(l1)):
```

```
for j in range(0,len(l2)):
    if l1[i]==l2[j]:
        l.append(l1[i] and l2[j])
    else:
        continue
print(l)
```

## **OUTPUT**

[5, 7]

different length
not same sum
Same elements are:

DATE:29/11/2021

**AIM:**Get a string from an input string where all occurrences of first character replaced with '\$', except first character. [eg: onion -> oni\$n]

## **PROGRAM**

```
str="onion";
str1=str[0];
str2=str[1:];
str3=str2.replace(str1,"$")
print("Before replace:",str)
print("After replace:")
print(str1+str3)
```

## **OUTPUT**

Before replace: onion

After replace:

oni\$n

## DATE:29/11/2021

**AIM:**Create a string from given string where first and last characters exchanged. [eg: python -> nythop]

## **PROGRAM**

```
str=input("enter the string: ")
s1=str[0];
s2=str[-1];
print("after swap")
print(s2+str[1:-1]+s1)
```

## **OUTPUT**

```
enter the string: javascript
after swap
tavascripj
```

## DATE:29/11/2021

**AIM:**Accept the radius from user and find area of circle.

## **PROGRAM**

r=float(input("enter the radius of the circle: ")) print("Area=",3.14\*r\*r);

## **OUTPUT**

enter the radius of the circle: 2

Area= 12.56

DATE:29/11/2021

**AIM:**Find biggest of 3 numbers entered.

## **PROGRAM**

```
x = int(input("Enter 1st number: "))
y = int(input("Enter 2nd number: "))
z = int(input("Enter 3rd number: "))
large=x
if (large<y) and (y>z):
    large = y
elif (large< z) and (y < z):
    large = z
print("The largest number is",large)</pre>
```

## **OUTPUT**

Enter 1st number: 3 Enter 2nd number: 2 Enter 3rd number: 15 The largest number is 15

DATE:29/11/2021

AIM: Accept a file name from user and print extension of that.

## **PROGRAM**

```
s1=input("enter the string with extension: ")
s2=s1.split(".")
print("extension is:")
print(s2[1])
```

## **OUTPUT**

enter the string with extension: first.py extension is:
py

#### DATE:29/11/2021

**AIM:**Create a list of colors from comma-separated color names entered by user.Display first and last colors.

## **PROGRAM**

```
a=[]
for i in range(3):
    b=input("enter the color:")
    a.append(b)
print("first color:",a[0])
print("last color:",a[2])
```

## **OUTPUT**

enter the color:red enter the color:blue enter the color:black

first color: red last color: black

## DATE:29/11/2021

**AIM:**Accept an integer n and compute n+nn+nnn.

## **PROGRAM**

```
n=input("enter n :");
n1=n*2;
n2=n*3;
print("n+nn+nnn:")
print(int(n)+int(n1)+int(n2));
```

## **OUTPUT**

enter n :5 n+nn+nnn: 615

## DATE:29/11/2021

AIM:Print out all colors from color-list1 not contained in color-list2.

## **PROGRAM**

```
color_list_1 = set(["White", "pink", "Red", "Blue"])
color_list_2 = set(["Red", "Green", "pink"])
print(color_list_1.difference(color_list_2))
```

## **OUTPUT**

{'Blue', 'White'}

#### DATE:29/11/2021

**AIM:**Create a single string separated with space from two strings by swapping the character at position 1.

## **PROGRAM**

```
str1=input("enter string 1: ")
str2=input("enter string 2: ")
s1=str1[0]
s2=str2[0]
print(s2+str1[1:]+" "+s1+str2[1:])
```

## **OUTPUT**

enter string 1: javascript enter string 2: Python Pavascript jython

DATE:29/12/2021

AIM:Sort dictionary in ascending and descending order.

## **PROGRAM**

```
import operator
dic={"javascript":2,"java":1,"python":3}
print("Before Sorting",dic);
print("Sorting Ascending")
s1=sorted(dic.items(),key=operator.itemgetter(0))
print(s1)
print("Sorting descending")
s2=sorted(dic.items(),key=operator.itemgetter(0),reverse=True)
print(s2)
```

## **OUTPUT**

```
Before Sorting {'javascript': 2, 'java': 1, 'python': 3}
Sorting Ascending
[('java', 1), ('javascript', 2), ('python', 3)]
Sorting descending
[('python', 3), ('javascript', 2), ('java', 1)]
```

DATE:29/12/2021

**AIM:**Merge two dictionaries.

## **PROGRAM**

```
n1={"Anandhu":22,"Dist":"Ernakulam"}
n2={"Hari":23,"Dist":"Idukki"}
print("D1=",n1)
print("D2=",n2)
d1=n1.copy()
d1.update(n2)
print("After Merge ")
print(d1)

OUTPUT

D1= {'Anandhu': 22, 'Dist': 'Ernakulam'}
D2= {'Hari': 23, 'Dist': 'Idukki'}
After Merge
{'Anandhu': 22, 'Dist': 'Idukki', 'Hari': 23}
```

DATE:29/11/2021

AIM: Find gcd of 2 numbers.

## **PROGRAM**

```
 \begin{aligned} x &= int(input("Enter 1st number:")) \\ y &= int(input("Enter 2nd number:")) \\ i &= 1 \\ while(i <= x \text{ and } i <= y): \\ if(x \% i == 0 \text{ and } y\% i == 0): \\ gcd &= i \\ i &= i+1 \\ print("GCD :", gcd) \end{aligned}
```

## **OUTPUT**

Enter 1st number: 5
Enter 2nd number: 3

GCD: 1

## DATE:29/11/2021

**AIM:**From a list of integers, create a list removing even numbers.

## **PROGRAM**

```
l=[2,27,54,33,45]
l2=[]
for i in l:
    if(i%2!=0):
        l2.append(int(i))
print("after removing even no.s")
print(l2)
```

## **OUTPUT**

after removing even no.s

[27, 33, 45]

## II. COURSE OUTCOME 2(CO2)

## **PROGRAM NO:1**

DATE:2/12/2021

AIM: Program to find the factorial of a number.

## **PROGRAM**

```
n=int(input("enter the number\n"))
f=1
print("Factorial of",n,"is")
for i in range(1,n+1):
    f=f*i
print(f)
```

## **OUTPUT:**

enter the number

5

Factorial of 5 is

120

# **PROGRAM NO:2 DATE:2/12/2021** AIM: Generate Fibonacci series of N terms. **PROGRAM** n=int(input("enter the number :")) f1=0 f2=1 f3=0 print("Fibonacci series:\n") for i in range(n): print(f3) f1=f2 f2=f3 f3=f1+f2 **OUTPUT:** enter the number:6 Fibonacci series: 0 1 1 2 3 5

DATE:2/12/2021

AIM: Find the sum of all items in a list.

## **PROGRAM**

l1=[2,3,5,15]

print("Sum of elements in the list is:\n")

print(sum(l1))

## **OUTPUT:**

Sum of elements in the list is:

25

#### DATE:2/12/2021

**AIM:**Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect square.

## **PROGRAM**

```
from math import sqrt as s

print("Numbers are:")

for i in range(999,10000):

if s(i)==int(s(i)) and i%2==0:

print(i,end=" ")
```

## **OUTPUT:**

## Numbers are:

1024 1156 1296 1444 1600 1764 1936 2116 2304 2500 2704 2916 3136 3364 3600 3844 4096 4356 4624 4900 5184 5476 5776 6084 6400 6724 7056 7396 7744 8100 8464 8836 9216 9604

DATE:2/12/2021

**AIM:**Display the given pyramid with step number accepted from user.

## **PROGRAM**

```
n=int(input("enter the limit\n"));
print("The pattern is:");
for i in range(n):
   for j in range(1,i+2):
      print(j,end="")
   print()
```

## **OUTPUT:**

enter the limit

5

The pattern is:

1

12

123

1234

12345

#### **DATE:2/12/2021**

AIM: Count the number of characters (character frequency) in a string.

## **PROGRAM**

```
str1=str(input("Enter the string : "))
fq= {}
for i in str1:
    if i in fq:
        fq[i] += 1
    else:
        fq[i] = 1
print ("Count of all characters : ",fq)
```

## **OUTPUT**

Enter the string: Anandhu

Count of all characters: {'A': 1, 'n': 2, 'a': 1, 'd': 1, 'h': 1, 'u': 1}

#### **DATE:2/12/2021**

**AIM:**Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly'.

## **PROGRAM**

```
str=input("enter a string:")
if(str.endswith("ing")):
    str+='ly'
else:
    str+='ing'
print("new string is:",str)
```

## **OUTPUT:**

enter a string:Ride

new string is: Rideing

DATE:2/12/2021

AIM: Accept a list of words and return length of longest word.

## **PROGRAM**

```
a=[]
n=int(input("Enter the number of elements in list:"))
for x in range(0,n):
    s=input("Enter element "+ str(x+1))
    a.append(s)
    m=len(a[0])
    t=a[0]
for i in a:
    if(len(i)>m):
        m=len(i)
        t=i
print("Longest Word is:",t)
print("Length of longest word is:",m)
```

#### **OUTPUT:**

Enter the number of elements in list:3

Enter element1Anandhu

Enter element2Hari

Enter element3Athul

Longest Word is: Anandhu

Length of longest word is: 7

# DATE:2/12/2021

**AIM:**Construct following pattern using nested loop.

\*
\* \* \*
\* \* \*
\* \* \* \*

```
n= int(input("Enter the limit:"))
for i in range(n):
    for j in range(i):
        print ('* ', end="")
    print(")

for i in range(n,0,-1):
    for j in range(i):
        print('* ', end="")
    print(")
```

OUTPUT:		
Enter the limit:5		
*		
* *		
* * *		
* * * *		
* * * * *		
* * * *		
* * *		
*		
	Dept. Of Computer Applications , SNGCE	Page 33

```
PROGRAM NO:10
DATE:8/12/2021
AIM:Generate all factors of a number. def print_factors(x):
PROGRAM
def fact(a):
  print("Factors of",a,"is")
  for i in range(1,a+1):
    if(a%i==0):
      print(i)
n=int(input("Enter the Number "))
fact(n)
OUTPUT
Enter the Number 20
Factors of 20 is
1
2
4
5
10
20
```

DATE:8/12/2021

**AIM:**Write lambda functions to find area of square, rectangle and triangle.

#### **PROGRAM**

```
rect=lambda l,b:l*b
sq=lambda s:s*s
tri=lambda a,b:1/2*a*b
I,b=int(input("Enter the length and breadth of rectangle")),int(input())
print("Area of rectangle is :",rect(I,b))
s=int(input("Enter the side of square"))
print("Area of square is :",sq(s))
I,h=int(input("Enter the breadth and height of triangle")),int(input())
print("Area of triangle is :",tri(l,h))
```

#### **OUTPUT**

Enter the length and breadth of rectangle 30

20

Area of rectangle is: 600

Enter the side of square15

Area of square is: 225

Enter the breadth and height of triangle 10

20

Area of triangle is: 100.0

# III. COURSE OUTCOME 3(CO3)

#### **PROGRAM NO:1**

DATE:20/12/2021

**AIM:** Work with built-in packages.

# **Math Module**

• CO3 math.py

#### **PROGRAM**

```
import math
print("Factorial:",math.factorial(5))
print ("GCD:",math.gcd(4,12))
print ("sqrt:",math.sqrt(25))
```

#### **OUTPUT:**

Factorial: 120 GCD: 4

sqrt: 5.0

# **Time Module**

• CO3\_time.py

```
import time
print("Current time in sec:",time.time())
print("Current time:",time.ctime())
print("Time After 30 sec:",time.ctime(time.time()+30))
t=time.localtime()
print("Time:",t)
print("Time-current year:",t.tm_year)
print("Time:-current month",t.tm_mon)
print("Time:-current day",t.tm_mday)
```

```
print("Time:-current hour",t.tm_hour)
print("Time:-current minute",t.tm_min)
print("Time:-current sec",t.tm_sec)
print("Time:-current week day",t.tm_wday)
print("Time:-current year day",t.tm_yday)
```

Current time in sec: 1639961383.5407367

#### **OUTPUT:**

Current time: Mon Dec 20 06:19:43 2021

Time After 30 sec: Mon Dec 20 06:20:13 2021

Time: time.struct\_time(tm\_year=2021, tm\_mon=12, tm\_mday=20, tm\_hour=6, tm\_min=19, tm\_sec=43, tm\_wday=0, tm\_yday=354, tm\_isdst=0)

Time-current year: 2021

Time:-current month 12

Time:-current day 20

Time:-current day 20
Time:-current hour 6
Time:-current minute 19
Time:-current sec 43

Time:-current week day 0
Time:-current year day 354

#### **Date Time Module**

# • CO3\_dtime.py

```
import datetime
t=datetime.time(22,56,20,67)
print(t)
print("Hour",t.hour)
print("Minutes",t.minute)
print("Seconds",t.second)
print("Microsecond:",t.microsecond)

print("\n")
d=datetime.date.today()
print("Today:",d)
```

```
print("Year:",d.year)
print("Month:",d.month)
print("Day:",d.day)

d1=datetime.date.today()
print(d1)
td=datetime.timedelta(days=2)
print(td)
d2=d1+td
print(d2)

dt=datetime.datetime.combine(d1,t)
print("date-time comb:",dt)
```

22:56:20.000067

Hour 22

Minutes 56

Seconds 20

Microsecond: 67

Today: 2021-12-20

Year: 2021 Month: 12 Day: 20 2021-12-20 2 days, 0:00:00 2021-12-22

date-time comb: 2021-12-20 22:56:20.000067

# **Calendar Module**

#### CO3\_cal.py

```
import calendar
mm=int(input("Enter month:"))
yy=int(input("Enter year:"))
```

```
print(calendar.month(yy,mm))

OUTPUT:

Enter month:2

Enter year:2022
```

February 2022

Mo Tu We Th Fr Sa Su

1 2 3 4 5 6

7 8 9 10 11 12 13

14 15 16 17 18 19 20

21 22 23 24 25 26 27

28

# **Statistics Module**

CO3\_statistics.py

# **PROGRAM**

```
import statistics
print("MEAN:",statistics.mean([2,4,7,6,10]))
print("MEDIAN:",statistics.median([1, 3, 5, 7, 9, 11, 13]))
print("MODE:",statistics.mode([1, 1, -3, 3, 7, -9]))
print("VARIENCE:",statistics.variance([1, 3, 5, 7, 9, 11]))
print("HARMONIC MEAN:",statistics.harmonic_mean([40, 60, 80]))
```

#### **OUTPUT:**

MEAN: 5.8 MEDIAN: 7 MODE: 1 VARIENCE: 14

HARMONIC MEAN: 55.38461538461538

# **Random Module**

# CO3\_random.py

```
import random
print("seed:",random.seed(10))
print("random float:",random.random())
mylist = ["apple", "banana", "cherry"]
print("sample:",random.sample(mylist, k=2))
print(random.random())
mylist2 = ["apple", "banana", "cherry"]
random.shuffle(mylist2)
print("shuffle:",mylist2)
mylist3 = ["apple", "banana", "cherry"]
print("choice:",random.choice(mylist3))
OUTPUT:
seed: None
random float: 0.5714025946899135
sample: ['banana', 'cherry']
0.5780913011344704
shuffle: ['cherry', 'banana', 'apple']
choice: banana
```

**DATE:20/12/2021** 

**AIM:**Create a package graphics with modules rectangle, circle and subpackage 3D-graphics with modules cuboid and sphere. Include methods to find area and perimeter of respective figures in each module. Write programs that finds area and perimeter of figures by different importing statements. (Include selective import of modules and import \* statements)

#### CO3\_area.py

#### **PROGRAM**

from graphics import rectangle

```
from graphics import circle
from graphics import cuboid
from graphics import sphere
l=int(input("Enter the length of rectangle:"))
b=int(input("Enter the breadth of rectangle:"))
print("Area=",rectangle.area(l,b))
print("Perimeter=",rectangle.perimeter(l,b))
r=int(input("\nEnter the radius of circle:"))
print("Area=",circle.area(r))
print("Perimeter=",circle.perimeter(r))
l=int(input("\nEnter the length of cuboid:"))
w=int(input("Enter the width of cuboid:"))
h=int(input("Enter the height of cuboid:"))
b=int(input("Enter the breadth of cuboid:"))
print("Area=",cuboid.area(l,w,h))
print("perimeter=",cuboid.perimeter(l,b,h))
r=int(input("\nEnter the radius of sphere:"))
```

```
print("Area=",sphere.area(r))
print("perimeter=",sphere.perimeter(r))
graphics package:
circle.py
PROGRAM
def area(r):
return(3.14*r*r)
def perimeter(r):
return(2*3.14*r)
rectangle.py
PROGRAM
def area(I,b):
return(I*b)
def perimeter(I,b):
return(2*(l+b))
cuboid.py
PROGRAM
def area(I,w,h):
return(2*I*w+2*I*h+2*h*w)
def perimeter(l,b,h):
```

return(4\*(l+b+h))

#### **PROGRAM**

```
def area(r):
  return(4*3.14*r*r)
def perimeter(r):
  return(2*3.14*r)
```

#### **OUTPUT:**

Enter the length of rectangle:4 Enter the breadth of rectangle:3 Area= 12 Perimeter= 14

Enter the radius of circle:2 Area= 12.56 Perimeter= 12.56

Enter the length of cuboid:4 Enter the width of cuboid:3 Enter the height of cuboid:5 Enter the breadth of cuboid:6 Area= 94 perimeter= 60

Enter the radius of sphere:4 Area= 200.96 perimeter= 25.12

# IV. COURSE OUTCOME 4(CO4)

#### **PROGRAM NO:1**

DATE:11/1/2022

**AIM:**Create Rectangle class with attributes length and breadth and methods to find area and perimeter. Compare two Rectangle objects by their area.

```
class rectangle:
  def __init__(self,le,br):
    self.le=le
    self.br=br
  def area(self):
    ar=self.le*self.br
    return(ar)
  def perimeter(self):
    pr=2*(self.le+self.br)
    return(pr)
print("First rectangle")
l1=int(input("Enter the length :"))
b1=int(input("Enter the breadth:"))
p1=rectangle(l1,b1)
print("Area=",p1.area())
print("Perimeter=",p1.perimeter())
print("----")
print("Second rectangle")
12=int(input("Enter the length :"))
b2=int(input("Enter the breadth:"))
p2=rectangle(I2,b2)
```

```
print("Area=",p2.area())
print("Perimeter=",p2.perimeter())
if(p1.area()>p2.area()):
    print("Rectangle 1 area is large")
else:
    print("Rectangle 2 area is large")
```

First rectangle

Enter the length:2

Enter the breadth:4

Area= 8

Perimeter= 12

\_\_\_\_\_

Second rectangle

Enter the length:3

Enter the breadth:6

Area= 18

Perimeter= 18

Rectangle 2 area is large

**DATE:11/1/2022** 

**AIM:**Create a Bank account with members account number, name, type of account and balance. Write constructor and methods to deposit at the bank and withdraw an amount from the bank.

```
class bank:
  def __init__(self,an,name,tp,bal=0):
    self.an=an
    self.name=name
    self.tp=tp
    self.bal=bal
  def deposit(self,bal):
    self.bal=self.bal+bal
  def withdraw(self,bal):
    if(bal<self.bal):
      self.bal=self.bal-bal
    else:
       print("Insufficient Balance")
  def dis(self):
    print("Name:",self.name)
    print("Account number:",self.an)
    print("Account Type:",self.tp)
    print("Balance Ammount:",self.bal)
```

```
an=int(input("Enter the account number: "))
name=input("Enter the name: ")
tp=input("Enter Account type:(AC/C)")
bn=bank(an,name,tp)
print("Enter your option: ")
print("1.Deposit")
print("2.Withdraw")
print("3.Display")
print("4.Exit")
while(True):
  opt=input("Enter your option: ")
  if(opt=='1'):
    print("deposit")
    am=int(input("Enter the amount to deposit: "))
    bn.deposit(am)
  elif(opt=='2'):
    print("withdraw")
    am1=int(input("Enter the amount to withdraw: "))
    bn.withdraw(am1)
  elif(opt=='3'):
    bn.dis()
  elif(opt=='4'):
    break
  else:
    print("Invalid Input")
```

Enter the account number: 123

Enter the name: Anandhu

Enter Account type:(AC/C)AC

Enter your option:

1.Deposit

2.Withdraw

3.Display

4.Exit

Enter your option: 1

deposit

Enter the amount to deposit: 1000

Enter your option: 3

Name: Anandhu

Account number: 123

Account Type: AC

Balance Ammount: 1000

Enter your option: 2

withdraw

Enter the amount to withdraw: 500

Enter your option: 3

Name: Anandhu

Account number: 123

Account Type: AC

Balance Ammount: 500

	Dent Of Co	mputer Applications , SN	ICCF.	Page 49
	our option: 4			
	ent Balance	w. 330		
withdra	w e amount to withdra	w: 550		
	our option: 2			

#### DATE:11/1/2022

**AIM:**Create a class Rectangle with private attributes length and width. Overload "<" operator to compare the area of 2 rectangles.

```
class rect:
  def init (self,l,b):
    self.__l=l
    self. b=b
  def __lt__(self,a):
    a1=self.__l*self.__b
    a2=a. I*a. b
    if(a1<a2):
      return(True)
print("recatngle1")
l1=int(input("Enter the length: "))
b1=int(input("Enter the breadth: "))
print("recatngle2")
12=int(input("Enter the length: "))
b2=int(input("Enter the breadth: "))
ar1=rect(l1,b1)
ar2=rect(l2,b2)
if(ar1<ar2):
  print("rect1 area less")
else:
  print("rect2 area less")
```

recatngle1

Enter the length: 4

Enter the breadth: 6

recatngle2

Enter the length: 2

Enter the breadth: 5

rect2 area less

#### **DATE:11/1/2022**

**AIM:**Create a class Time with private attributes hour, minute and second. Overload '+' operator to find sum of 2 time.

```
class time:
  def __init__(self,hr,mt,sec):
    self.__hr=hr
    self.__mt=mt
    self.__sec=sec
  def __add__(self,a):
    h=self.__hr+a.__hr
    m=self.__mt+a.__mt
    if(m>60):
      q=int(m/60)
      r=m%60
      h=h+q
      m=r
    s=self.__sec+a.__sec
    if(s>60):
      q1=int(s/60)
      r1=s%60
      m=m+q1
      s=r1
    print("Added Time is:")
    print(h,":",m,":",s)
```

```
print("Time 1")
h1=int(input("Enter Hour: "))
m1=int(input("Enter Minute: "))
s1=int(input("Enter Second: "))
tm1=time(h1,m1,s1)
print("Time 2")
h2=int(input("Enter Hour: "))
m2=int(input("Enter Minute: "))
s2=int(input("Enter Second: "))
tm2=time(h2,m2,s2)
tm1+tm2
```

Time 1

Enter Hour: 2

**Enter Minute: 45** 

Enter Second: 33

Time 2

Enter Hour: 3

Enter Minute: 44

Enter Second: 22

Added Time is:

6:29:55

DATE:12/1/2022

**AIM:**Create a class Publisher (name). Derive class Book from Publisher with attributes title and author. Derive class Python from Book with attributes price and no\_of\_pages. Write a program that displays information about a Python book. Use base class constructor invocation and method overriding.

```
class publisher:
  def __init__(self,name):
    self.name=name
  def display1(self):
    print("Publisher:",self.name)
class book(publisher):
  def TA(self,title,author):
    self.title=title
    self.author=author
  def display1(self):
    print("Title:",self.title)
    print("Author:",self.author)
class python(book):
  def __init__(self,price,no_of_page,name):
    self.price=price
    self.no_of_page=no_of_page
    super().__init__(name)
```

```
def display(self):
    print("Price:",self.price)
    print("No Of Pages:",self.no_of_page)

obj=python(1000,500,"Van Bossom")
obj.TA("Python","Van Bossom")
obj.display1()
obj.display()
```

Title: Python

Author: Van Bossom

Price: 1000

No Of Pages: 500

# V. COURSE OUTCOME 5(CO5)

# **PROGRAM NO:1**

**DATE:19/1/2022** 

**AIM:** Write a Python program to read a file line by line and store it into a list.

#### **PROGRAM**

```
f1=open("secfile.txt","w")
f1.write("This is my first file in python.\n want to work with files \n This is my third
line")
f1=open("secfile.txt","r")
ff=f1.readlines()
print(ff)
```

# Output

['This is my first file in python.\n', ' want to work with files \n', ' This is my third line']

**DATE:19/1/2022** 

**AIM:** Python program to copy odd lines of one file to other.

# **PROGRAM**

```
f1=open("secfile.txt","r")
ff=f1.readlines()
with open("odd.txt","w") as f2:
  for x in range(0,len(ff)):
    if(x%2!=0):
    f2.write(ff[x])
```

# secfile.txt

#### secfile - Notepad

File Edit Format View Help This is my first file in python. want to work with files This is my third line

# **Output:**




#### **DATE:30/1/2022**

**AIM:** Write a Python program to read each row from a given csv file and print a list of strings.

```
import csv
# csv file name
filename = "username.csv"
# initializing the titles and rows list
fields = []
rows = []
# reading csv file
cf=open(filename, 'r')
  # creating a csv reader object
csvreader = csv.reader(cf)
  # extracting field names through first row
fields = next(cf)
print(fields)
print("\n....\n")
  # extracting each data row one by one
for r in csvreader:
 rows.append(r)
```

```
#print the list containing the rows of csv file
print(rows)
print("\n.....\n")
print('\nFirst 3 rows are:\n')
for r in rows[:3]:
    print(*r)
print("\n....\n")
print("\nThe file content\n")
for sl in rows:
    for l in sl:
    print(l),
    #print(l,end=" ")
print()
```

#### username.csv



Output:		
Username; Identifie	r;Firstname;Lastname	
	chel;Booker'], ['grey07;2070;Laura;Grey'], aig;Johnson'], ['jenkins46;9346;Mary;Jenkins'], e;Smith']]	
First 3 rows are:		
booker12;9012;Rach	nel;Booker	
grey07;2070;Laura;0	Grey	
johnson81;4081;Cra	ig;Johnson	
The file content		
booker12;9012;Rach	nel;Booker	
grey07;2070;Laura;0	Grey	

johnson81;4081;Crai	g;Johnson		
jenkins46;9346;Mary	;Jenkins		
smith79;5079;Jamie;	Smith		
	Dept. Of Computer Ap	oplications , SNGCE	Page 62

#### DATE:30/1/2022

**AIM:** Write a Python program to read specific columns of a given CSV file and print the content of the columns.

# **PROGRAM**

```
import csv

filename = "Names.csv"


cf=open(filename, 'r')

#csvreader = csv.reader(cf)

data = csv.DictReader(cf)
print("No Company")

for r in data:
    print(r['No'], r['Company'])
```

#### Names.csv




Output:		
No Company 1 Ferrari 2 Porsche 3 Bugatti 4 Rolls Royce 5 BMW		
	Dept. Of Computer Applications , SNGCE	Page 64

#### DATE:30/1/2022

**AIM:** Write a Python program to write a Python dictionary to a csv file. After writing the CSV file read the CSV file and display the content.

```
import csv
field names = ['No', 'Company', 'Car Model']
cars = [
{'No': 1, 'Company': 'Ferrari', 'Car Model': '488 GTB'},
{'No': 2, 'Company': 'Porsche', 'Car Model': '918 Spyder'},
{'No': 3, 'Company': 'Bugatti', 'Car Model': 'La Voiture Noire'},
{'No': 4, 'Company': 'Rolls Royce', 'Car Model': 'Phantom'},
{'No': 5, 'Company': 'BMW', 'Car Model': 'BMW X7'},
with open('Names1.csv', 'w') as csvfile:
  writer = csv.DictWriter(csvfile, fieldnames = field names)
  writer.writeheader()
  writer.writerows(cars)
  #print("....")
filename = "Names1.csv"
cf=open(filename, 'r')
rows=[]
csvreader = csv.reader(cf)
for r in csvreader:
 rows.append(r)
for r in rows:
   print(*r)
```

# Names1.csv



# **Output:**

No Company Car Model

- 1 Ferrari 488 GTB
- 2 Porsche 918 Spyder
- 3 Bugatti La Voiture Noire
- 4 Rolls Royce Phantom
- 5 BMW BMW X7