




```
1 <!doctype html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8" />
5 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6 <title>My First Webpage</title>
7 <style>
8   body {
9     font-family: Arial, sans-serif;
10    margin: 40px;
11    line-height: 1.6;
12  }
13  h1 {
14    color: #0066cc;
15  }
16 </style>
17 </head>
18 <body>
19 <h1>Hello, World!</h1>
20 <p>This is a simple HTML page structure with basic styling.</p>
21
22 <button onclick="alert('Button clicked!')">Click Me</button>
23 </body>
24 </html>
25
```

p1.cpp p1.java 1 sample.html Extension: Live Server p2.java p.py

C: > Users > anand > p.py

```
1 print("hello world")
2 print("hello Anand")
```

PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL PORTS

- PS C:\Users\anand> python -u "c:\Users\anand\p.py"  
hello world  
hello Anand
- PS C:\Users\anand> cd "c:\Users\anand\" ; if (\$?) { javac p1.java } ; if (\$?) { java p1 }  
hello world
- PS C:\Users\anand>

p1.cpp p1.java sample.html Extension: Live Server p2.java p.py

C: > Users > anand > p1.java > p1 > main(String[])

```
1 public class p1 {  
    Run | Debug  
2     public static void main(String args[])  
3     {  
4         System.out.println(x: "hello world");  
5     }  
}
```

println(String x) : void  
03/10

PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\anand> python -U "c:\Users\anand\p.py"  
hello world  
hello Anand  
PS C:\Users\anand> cd "c:\Users\anand\" ; if ($?) { javac p1.java } ; if ($?) { java p1 }  
hello world  
PS C:\Users\anand>
```

+ - ... |

Code  
powersh  
Code  
Code  
Code