
Experiment - 2

Aim - To convert the ER diagram of an indian E-commerce platform into Relational Schema, create My Sql table with primary key foriegn key Not Null, Unique. On delete CASCADE and ON DELETE SET NULL Constraint, insert sample data, and demonstrate referential integrity violation.

Relational Schema



Source Code (My SQL)

```
CREATE DATABASE College DB;
Use College DB;
CREATE TABLE DEPARTMENT;
Dept ID INT PRIMARY KEY;
Dept Name VARCHAR (50] NOT Null UNIQUE
);
CREATE TABLE Student (
    Student ID INT PRIMARY KEY,
    Student Name VARCHAR (50) NOT NULL,
    Email VARCHAR (100) UNIQUE
    Dept ID INT,
    FOREIGN KEY (Dept ID)
    REFERENCE Department (Dept ID)
    ON DELETE SET NULL
);
    CREATE TABLE Course (
    Course ID INT PRIMARY KEY,
    Course Name VARCHAR (50), Not NULL,
    Credits INT NOT NULL
```

```
);
CREATE TABLE Enrollment (
Enroll ID INT Primary KEY,
student ID INT,
Course ID INT,

ON DELETE CASCADE
FOREIGN KEY (Course ID)
REFERENCES Course (Course ID)
ON DELETE CASCADE
);
```

Output :

Department


Dept ID	Dept Name
1	~~CS~~ CSE
2	AI/ML

Student

ID	Name	Email	Dept ID
101	Rohit	rohit32@gmail.com	1
102	Rahul	rahul@gmail.com	2

Course

ID	Name	Credits
201	DBMS	4
202	Operating System	4



Enrollment

Enroll ID	Student ID	Course ID
1	101	201
2	102	202