

Here is the combined documentation of your Neovim configuration, plugins, and keybindings:

1. Telescope (Fuzzy File & Text Search)

- **<Space>ff** — Find Files: Open a popup to search for any file in your project by typing its name.
- **<Space>fg** — Live Grep: Search for exact text or code inside all files across your project in real time.

Inside the Telescope popup:

- **Ctrl + j / Ctrl + k** (or **Up / Down** arrows) — Move selection up/down.
- **<CR> (Enter)** — Open the selected file.
- **<Esc>** — Exit Telescope.

2. Oil.nvim (File Explorer)

- **-** (Minus key in Normal mode) — Open the file directory as a text buffer, and go up one parent directory.

Editing Files & Folders:

- **<CR> (Enter)** on a folder/file — Open that folder or file.
- **cw** (or edit text normally) — Rename a file or folder on screen, then type **:w** to save changes to disk.
- **dd** — Delete a file/folder line, then type **:w** to confirm deletion.
- **o** — Create a new line, type a filename (e.g., `Test.java`), then type **:w** to create the new file.

3. Gitsigns (Git Indicators in Gutter)

- **]}c** — Jump forward to the next modified Git chunk.
- **[c** — Jump backward to the previous modified Git chunk.

4. Lazy.nvim (Plugin Management)

- **:Lazy** — Open the dashboard window to check plugin status, update them (U), or clean up unused ones (X).

5. Custom Keybindings & Modes

Leader Key

- Your **<leader>** is set to **<Space>** (the Spacebar).

Normal Mode Keybindings

- **Diagnostics (Errors & Warnings):**
 - **]d** → Jump to the next diagnostic.
 - **[d** → Jump to the previous diagnostic.
 - **<Space>d** → Open a floating window with detailed diagnostic info for the current line.
 - **<Space>q** → Add all project diagnostics to the location list.
 - **<Space>tw** → Toggle warning visibility (virtual text/underlines).
- **Formatting & Search:**
 - **<Space>f** → Format the current buffer using the active LSP (e.g., auto-formatting Java).

code).

- **<Esc>** → Clear active search term highlighting.

Insert Mode Keybindings

- **Autocomplete & Suggestions:**

- **<C-Space>** (Ctrl + Space) → Trigger built-in LSP completion menu.

- **Smart Pairs & Quotes:**

- **Typing (, [, {** → Auto-inserts closing pair and places cursor inside.
- **Typing),], }** → Steps over the closing bracket if directly ahead.
- **Typing ", ', ``** → Auto-inserts matching quote pair (unless escaped or inside a word).
- **<BS> (Backspace)** → Smart Delete (deletes both opening and closing characters of an empty pair).
- **<CR> (Enter)** → Smart Indent (press Enter inside {} to open a new indented line with the closing brace pushed down).

6. Built-In Neovim Features

- **System Clipboard Sync:** Copy (y) and paste (p) directly to and from your OS clipboard (clipboard = "unnamedplus").
- **Mouse Support:** Click to position cursor or resize splits (mouse = "a").
- **Yank Highlight:** Copied/yanked text briefly highlights in yellow/gray for 150ms.
- **Auto-format on Save:** Java files (.java) automatically format on save (BufWritePre).