


Ananta Ions — site guide

This is a **single self-contained HTML file** — `index.html`. No build step, no package manager, no framework. Everything (CSS, JS, content, even the favicon) lives inside that one file. Open it directly in a browser to preview; there's nothing to compile.


Related docs: [SECURITY.md](#) · [DEPLOYMENT.md](#)

File map



Editing content (the common case)

Most of the page's text isn't hardcoded in the HTML — it's rendered from plain JS arrays near the top of the `<script>` block, then injected into an empty container `<div>` in the matching section:



To change what's on the page, **edit the array** — you don't need to touch the HTML or add new markup:

Section on page	Array in JS	Renders into
What we build (Services)	SERVICES	#servicesList
Where we're called in (Firmware)	FIRMWARE	#firmwareList
Products	PRODUCTS	#productsList
Selected work	WORK	#workList
How a project runs (Process)	PROCESS	#processList
Before you ask (FAQ)	FAQ	#faqList

Each array entry is a plain array of strings, e.g. for **PRODUCTS**:

```
[ 'Category label', 'Product name', 'Description text', 'Tag1 · Tag2 · Tag3',  
'https://optional-link.example (or null)']
```

Add, remove, or reorder entries directly — the render functions just `.map()` over whatever's there.

Content in plain HTML (not in an array — edit in place): the hero headline/paragraph, the `<meta>` description, the contact rows, and the footer line.

🚧 Known placeholders — fill these in before launch

- ☐ `[[GITHUB_URL]]` in the Contact section (`#contact`) — add this once the company GitHub exists.
- ☐ The two **WORK** entries (DLMS/COSEM Protocol Analyzer, Environment Monitoring System) are marked `[[DRAFT – verify/edit]]` — plausible descriptions written from the project titles alone; rewrite with the real specifics.
- ☐ The contact form doesn't submit anywhere yet — see the **TODO** comment near `form.addEventListener('submit', ...)` in the script, and `DEPLOYMENT.md` for backend options.

🎨 Design tokens (`:root` in the `<style>` block)

Theme: **two-metal — trace copper + contact gold on a graphite ground**. Every text/background pairing below is WCAG AA verified ($\geq 4.5:1$ for body text, $\geq 3:1$ for large text/UI elements).

Swatch	Variable	Value	Controls
	<code>--bg</code>	<code>#08090C</code>	Page background (graphite)
	<code>--surf</code>	<code>#0F1319</code>	Card/panel surface (work & product plates)
	<code>--surf-2</code>	<code>#161B23</code>	Elevated surface / hover
	<code>--line</code>	<code>#232833</code>	Default hairline
	<code>--line-2</code>	<code>#333B49</code>	Rule that needs to read (form inputs, list tops)
	<code>--cu</code>	<code>#AE5F24</code>	Trace copper — icon stroke, decorative borders (4.2:1, UI-only)
	<code>--cu-txt</code>	<code>#D07E3A</code>	Copper, text-safe — 6.4:1 on graphite
	<code>--cu-deep</code>	<code>#7E3F13</code>	Deep copper, decorative only
	<code>--au</code>	<code>#EBD08A</code>	Contact gold — CTAs, node icon fill — 13.2:1
	<code>--au-m</code>	<code>#C6A350</code>	Muted gold, secondary accent — 8.3:1
	<code>--txt</code>	<code>#E7E9ED</code>	Primary text — 16.4:1
	<code>--txt-2</code>	<code>#A8AFBB</code>	Secondary text — 9.0:1
	<code>--txt-3</code>	<code>#7A828E</code>	Tertiary text / mono labels — 5.1:1

⚠️ **Note:** alternating section backgrounds and the footer are hardcoded as `rgba(...)` instead of `var()` so they can carry their own opacity for the ambient circuit field (`#stars`) to show through

underneath. If you change `--surf/--bg`, also update those `rgba()` values — search for `rgba(15,19,25` and `rgba(8,9,12`.

🚫 **Never gradient the metal icon.** The ring-and-node mark (copper stroke + gold node, `viewBox="13.5 13.5 93 93"`) always renders in flat `--cu/--au` — a gradient reads as plastic, not metal. Gradients are fine for *text* treatments (the `<b>` emphasis word in `h1`, gold words in the statement reveal, the nav/submit CTA background).

Fonts: Geist (headings, body, logo) + Geist Mono (eyebrow labels, list numbers, category tags, form labels), both loaded from Google Fonts. Inter and Space Grotesk were dropped deliberately — both are on the banned-font list in this project's frontend-design skill (too generic/overused).

✨ Interactive features (all in the closing `<script>`)

Feature	Elements	Notes
Reveal on scroll	<code>.rv</code> → <code>.rv.in</code>	<code>IntersectionObserver</code> -driven fade/slide-in
Ambient circuit field	<code>#stars</code> canvas	Copper trace dots connect to nearby gold "contact node" dots, both gently twinkling — fixed full-page background
Cursor dust trail	<code>#dust</code> , <code>#cur</code> , <code>#ring</code>	Gold particles trail the mouse like rocket exhaust; ring grows on hover over links/buttons
File upload	<code>#drop</code> / <code>#file</code>	Client-side only: type allow-list, 10 MB cap, drag-and-drop
FAQ	<code><details>/<summary></code>	Native disclosure — no JS needed

🖱️ **Desktop-only by design:** the cursor trail is gated behind `matchMedia('(pointer: fine)')` and disabled under `prefers-reduced-motion`, so touch devices and motion-sensitive users never see it — and never lose their real cursor.

🔒 The file upload's client-side checks are a UX nicety, not a security boundary — see `SECURITY.md`.

🔍 Previewing changes

Just open `index.html` in a browser (double-click, or `start index.html` / `open index.html`). There's no dev server required for local editing. Once you're near ready to publish, test it once from an actual local server too (e.g. `npx serve .`) since `file://` and `https://` can behave slightly differently for things like the CSP meta tag.