

Programme: B E – Information Science & Engineering

Internal Assessment – II

TERM : 9/2/26 - 6/6/26	COURSE NAME: Machine learning
DATE : 25-05-26 TIME: 9:30 – 10:30	COURSE CODE : IS62
MAX MARKS: 30	PORTIONS : L15 –L28



Mobile Phones are banned

Instructions to Candidates: **Answer any TWO full questions.** Marks:15x2=30

Q. NO	Questions	Blooms Levels (L1 to L6)*	CO	Marks																									
1.a	Explain the working of the CART algorithm.	L2	3	3																									
b	Apply AGNES Algorithm for the following: <table><tr><td></td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>0</td><td>2</td><td>6</td><td>10</td></tr><tr><td>B</td><td>2</td><td>0</td><td>5</td><td>9</td></tr><tr><td>C</td><td>6</td><td>5</td><td>0</td><td>4</td></tr><tr><td>D</td><td>10</td><td>9</td><td>4</td><td>0</td></tr></table> Show the clusters formed at each step.		A	B	C	D	A	0	2	6	10	B	2	0	5	9	C	6	5	0	4	D	10	9	4	0	L3	4	6
	A	B	C	D																									
A	0	2	6	10																									
B	2	0	5	9																									
C	6	5	0	4																									
D	10	9	4	0																									
c	Explain any three types of Cross-Validation techniques with examples.	L2	5	6																									
2.a	Apply Naive Bayes classification algorithm for the following: <table><tr><td>Outlook</td><td>Play</td></tr><tr><td>Sunny</td><td>No</td></tr><tr><td>Rainy</td><td>Yes</td></tr><tr><td>Sunny</td><td>Yes</td></tr><tr><td>Rain</td><td>No</td></tr></table> Calculate the probability of “Play = Yes” when Outlook = Sunny	Outlook	Play	Sunny	No	Rainy	Yes	Sunny	Yes	Rain	No	L3	3	3															
Outlook	Play																												
Sunny	No																												
Rainy	Yes																												
Sunny	Yes																												
Rain	No																												
b	Explain the Elbow Method used for selecting the optimal value of k in clustering	L2	4	6																									
c	Using the covariance matrix Apply PCA: 1. Find the Eigenvalues. 2. Find the Eigenvectors. 3. Identify the First Principal Component (PC1) $C = \begin{bmatrix} 4 & 2 \\ 2 & 4 \end{bmatrix}$	L3	5	6																									

3.a	Age and Loan are the predictors in the given dataset and House Price Index (HPI) is the numerical target attribute. The distance given below is the Euclidean distance. Apply K-NN Regression to find the HPI if Age is 48 and Loan is \$142,000. Assume $K = 3$	L3	3	3																																																
	<table><tr><th>Age</th><th>Loan</th><th>House Price Index (HPI)</th><th>Distance</th></tr><tr><td>25</td><td>\$40,000</td><td>135</td><td>102000</td></tr><tr><td>35</td><td>\$60,000</td><td>256</td><td>82000</td></tr><tr><td>45</td><td>\$80,000</td><td>231</td><td>62000</td></tr><tr><td>20</td><td>\$20,000</td><td>267</td><td>122000</td></tr><tr><td>35</td><td>\$120,000</td><td>139</td><td>22000</td></tr><tr><td>52</td><td>\$18,000</td><td>150</td><td>124000</td></tr><tr><td>23</td><td>\$95,000</td><td>127</td><td>47000</td></tr><tr><td>40</td><td>\$62,000</td><td>216</td><td>80000</td></tr><tr><td>60</td><td>\$100,000</td><td>139</td><td>42000</td></tr><tr><td>48</td><td>\$220,000</td><td>250</td><td>78000</td></tr><tr><td>33</td><td>\$150,000</td><td>264</td><td>8000</td></tr></table>				Age	Loan	House Price Index (HPI)	Distance	25	\$40,000	135	102000	35	\$60,000	256	82000	45	\$80,000	231	62000	20	\$20,000	267	122000	35	\$120,000	139	22000	52	\$18,000	150	124000	23	\$95,000	127	47000	40	\$62,000	216	80000	60	\$100,000	139	42000	48	\$220,000	250	78000	33	\$150,000	264	8000
	Age				Loan	House Price Index (HPI)	Distance																																													
	25				\$40,000	135	102000																																													
	35				\$60,000	256	82000																																													
	45				\$80,000	231	62000																																													
	20				\$20,000	267	122000																																													
	35				\$120,000	139	22000																																													
	52				\$18,000	150	124000																																													
	23				\$95,000	127	47000																																													
	40				\$62,000	216	80000																																													
	60				\$100,000	139	42000																																													
48	\$220,000	250	78000																																																	
33	\$150,000	264	8000																																																	
b	Illustrate with an example, the DBSCAN clustering algorithm and identify core points, border points, and noise points.	L2	4	6																																																
c	Explain the working of Random Forest and AdaBoost algorithms with suitable examples.	L2	5	6																																																

* L1 – Remember, L2 – Understand, L3- Apply, L4- Analyze, L5-Evaluate, L6-Create

Programme: B E – Information Science & Engineering
Internal Assessment – I

TERM : 09-02-2026 to 30-05-2026	COURSE NAME: Machine Learning
DATE : 26-03-2026 TIME: 09.30 AM to 10.30 AM	COURSE CODE : IS62
MAX MARKS: 30	PORTIONS : L1 – L13



Mobile Phones are banned

Instructions to Candidates: **Answer any TWO full questions.**

Marks: 15x2=30

Q. NO	Questions	Blooms Levels (L1 to L6)*	CO	Marks												
1.a	Explain the difference between supervised and unsupervised learning with suitable examples.	L2	CO1	06												
1.b	Consider the given data, provide step-by-step solutions with formulas and calculations for computing dissimilarity for ordinal attributes. <table><tr><th>Object identifier</th><th>Test(ordinal)</th></tr><tr><td>1</td><td>Excellent</td></tr><tr><td>2</td><td>Fair</td></tr><tr><td>3</td><td>Good</td></tr><tr><td>4</td><td>Excellent</td></tr></table>	Object identifier	Test(ordinal)	1	Excellent	2	Fair	3	Good	4	Excellent	L3	CO2	06		
Object identifier	Test(ordinal)															
1	Excellent															
2	Fair															
3	Good															
4	Excellent															
1.c	The following data represents hours studied (X) and marks obtained (Y): <table><tr><th>X</th><th>Y</th></tr><tr><td>2</td><td>50</td></tr><tr><td>4</td><td>60</td></tr><tr><td>6</td><td>65</td></tr><tr><td>8</td><td>80</td></tr><tr><td>10</td><td>85</td></tr></table> i. Compute slope (b) and intercept (a). ii. Write the regression equation. iii. Predict marks for X = 7 hours.	X	Y	2	50	4	60	6	65	8	80	10	85	L3	CO3	03
X	Y															
2	50															
4	60															
6	65															
8	80															
10	85															
2.a	A model predicts whether an email is spam or not. The results are: TP = 70, TN = 50, FP = 20, FN = 10. Compute the following performance measure with necessary mathematical equations. a) Accuracy b) Precision c) Recall d) F1-Score e) Sensitivity f) Specificity	L3	CO1	06												



2.b	Consider the following dataset and apply Find-S algorithm.						L3	CO2	06
	Sample	Age	Income	Student	Credit_rating	Buys_Computer			
	1	Youth	High	No	Fair	No			
	2	Youth	High	No	Excellent	No			
	3	Middle	High	No	Fair	Yes			
	4	Senior	Medium	No	Fair	Yes			
	5	Senior	Low	Yes	Fair	Yes			
	6	Senior	Low	Yes	Excellent	No			
	7	Middle	Low	Yes	Excellent	Yes			
	8	Youth	Medium	No	Fair	No			
	9	Youth	Low	Yes	Fair	Yes			
	10	Senior	Medium	Yes	Fair	Yes			
	i. Initialize the most specific hypothesis S. ii. Apply the FIND-S algorithm step by step to update S using the positive examples. iii. Identify the final hypothesis learned by FIND-S.								
2.c Differentiate Logistic Regression and Linear Regression in machine learning.						L2	CO3	03	
3.a What is overfitting and under fitting in machine learning? What are the common techniques used to prevent overfitting and under fitting.						L2	CO1	06	
3.b Explain the Candidate Elimination Algorithm in concept learning.						L2	CO2	06	
3.c	Consider the following dataset of 10 samples for predicting whether to Play Tennis. Compute information gain of attribute outlook using ID3 algorithm.						L3	CO3	03
	Outlook	Temperature	Humidity	Wind	Play Tennis				
	Sunny	Hot	High	Weak	No				
	Sunny	Hot	High	Strong	No				
	Overcast	Hot	High	Weak	Yes				
	Rain	Mild	High	Weak	Yes				
	Rain	Cool	Normal	Weak	Yes				
	Rain	Cool	Normal	Strong	No				
	Overcast	Cool	Normal	Strong	Yes				
	Sunny	Mild	High	Weak	No				
	Sunny	Cool	Normal	Weak	Yes				
	Rain	Mild	Normal	Weak	Yes				



SEMESTER END EXAMINATIONS - JUNE / JULY 2026

Program : **B.E. - Information Science and Engineering**
Course Name : **Machine Learning**
Course Code : **23IS62**

Semester : **VI**
Max. Marks : **100**
Duration : **3 Hrs**

Instructions to the Candidates:

- Answer one full question from each unit.

UNIT - I

- Describe the complete Machine Learning process with a neat diagram. CO1 (06)
 - A binary classifier produced the following confusion matrix: CO1 (08)

	Predicted Positive	Predicted Negative
Actual Positive	50	10
Actual Negative	5	35

- Calculate Accuracy, Precision, Recall, and F1-score.
 - Interpret the performance of the model.
 - Comment on whether the model is suitable for critical applications like medical diagnosis.
- Explain how bias and variance change with model complexity using a suitable example. CO1 (06)
- Compare supervised, unsupervised, and reinforcement learning with one simple example. CO1 (07)
 - A machine learning model is developed using a dataset and produces the following results: CO1 (07)
 - Training Accuracy = 98%
 - Validation Accuracy = 72%

Based on the above information, answer the following:

- Determine whether the model is overfitting or underfitting.
 - Suggest at least two methods to improve the model performance.
 - Explain the role of training, validation, and testing datasets in identifying such issues.
- Discuss the challenges posed by unbalanced datasets and methods to handle them. CO1 (06)

UNIT - II

- Differentiate data matrix and dissimilarity matrix with an example. CO2 (06)
 - Discuss the steps of the algorithm and how S and G boundaries are updated for Positive examples and Negative examples. CO2 (08)
 - Consider the following dataset CO2 (06)

Student	Study	Attendance	Assignment	Result
S1	High	Good	Yes	Pass
S2	Low	Poor	No	Fail
S3	Medium	Good	Yes	Pass
S4	High	Poor	Yes	Pass
S5	Low	Good	No	Fail
S6	Medium	Poor	Yes	Pass

Frame the concept learning task and identify, Instance space, Hypothesis space and Target concept.

4. a) Consider the dataset

CO2 (06)

Object	Height (cm)	Weight (kg)	Color	Shape	Class
A	160	55	Red	Round	Yes
B	170	65	Blue	Round	No
C	165	60	Red	Square	Yes

Convert categorical attributes into suitable form, normalize numeric attributes, Compute pairwise dissimilarity matrix using mixed-attribute distance and draw dissimilarity matrix.

- b) Consider the following dataset.

CO2 (06)

Color	Size	Shape	Texture	Target
Red	Small	Round	Smooth	Yes
Red	Large	Round	Smooth	Yes
Red	Small	Square	Smooth	Yes
Blue	Small	Round	Smooth	No
Red	Small	Round	Rough	Yes

Apply the Find-S algorithm step-by-step. Show hypothesis after each positive example, identify attributes that become generalized (?) and write the final hypothesis.

- c) Explain the working of LDA with suitable mathematical expressions.

CO2 (08)

UNIT - III

5. a) Compare simple linear regression and multiple linear regression with suitable examples. Using the following housing dataset, formulate a multiple linear regression equation to predict house price based on Size, Number of Bedrooms, and Age of the house.

CO3 (08)

Size (sq.ft)	Bedrooms	Age (years)	House Price (₹ Lakhs)
1200	2	10	50
1500	3	8	65
1800	3	6	80
2000	4	5	90

- b) For the Play-Tennis dataset below, build the complete ID3 Decision Tree. Show the Entropy and Information Gain computation for each attribute at each level.

CO3 (12)

Day	Outlook	Temp	Humidity	Wind	Play?
D1	Sunny	Hot	High	Weak	No
D2	Sunny	Hot	High	Strong	No
D3	Overcast	Hot	High	Weak	Yes
D4	Rain	Mild	High	Weak	Yes
D5	Rain	Cool	Normal	Weak	Yes
D6	Rain	Cool	Normal	Strong	No
D7	Overcast	Cool	Normal	Strong	Yes
D8	Sunny	Mild	High	Weak	No
D9	Sunny	Cool	Normal	Weak	Yes
D10	Rain	Mild	Normal	Weak	Yes

6. a) A medical dataset is given below for predicting whether a patient has Flu:

CO3 (10)

Fever	Cough	Flu
Yes	Yes	Yes
Yes	No	Yes
No	Yes	No
Yes	Yes	Yes
No	No	No

Using Naïve Bayes Classifier, predict whether a patient with:
Fever = Yes, Cough = No has Flu.

Calculate:

- i. Prior probabilities
 - ii. Likelihood probabilities
 - iii. Posterior probability
 - iv. Final predicted class
- b) A bank fraud detection dataset contains transaction points: CO3 (10)
 Fraudulent:
 (2,5), (3,6), (4,5)
 Non-Fraudulent:
 (8,9), (9,8), (10,10)
 i. Build linear SVM classification boundary.
 ii. Identify support vectors.
 iii. If fraudulent patterns overlap, explain how non-linear SVM handles this case.

UNIT- IV

7. a) Apply the K-Means Clustering algorithm to group the following set of 2D CO4 (07)
 points into K=2 clusters.
 Data Points: P1(2,3), P2(5,6), P3(8,7), P4(1,4)
 Initial Centroids: C1 = (2,3) and C2 = (5,6)
 Show the cluster assignments for each point after one full iteration using Euclidean distance.
- b) Explain DBSCAN and how it defines Core points, Border points, and Noise. CO4 (07)
- c) Describe the Elbow Method for choosing the right value of 'k' in clustering. CO4 (06)
8. a) Describe the working of DIANA (Divisive) Hierarchical Clustering techniques with an example. CO4 (07)
- b) Given the following proximity (distance) matrix for three data points A, B, and C, perform hierarchical clustering using the Single-linkage technique. CO4 (07)
 Proximity Matrix:
- | | A | B | C |
|---|------|------|------|
| A | 0 | 0.15 | 0.25 |
| B | 0.15 | 0 | 0.20 |
| C | 0.25 | 0.20 | 0 |
- c) Explain the Expectation Maximization (EM) algorithm in the context of unsupervised learning. CO4 (06)

UNIT - V

9. a) Explain Principal Component Analysis (PCA) and its importance in unsupervised dimensionality reduction. CO5 (07)
- b) Describe Ensemble Methods. Explain how Bagging improves performance. CO5 (07)
- c) Describe three methods of Feature Subset Selection for model selection and evaluation. CO5 (06)
10. a) Compare Boosting and Bagging approaches. CO5 (07)
- b) Discuss Cross-Validation for model evaluation. CO5 (07)
- c) Explain the concept of Model Selection Using Statistical Tests of Significance. CO5 (06)
