

EXP NO: 1

AZURE DEVOPS ENVIRONMENT SETUP

Aim:


To set up and access the Azure DevOps environment by creating an organization through the Azure portal.

INSTALLATION


1. Open your web browser and go to the Azure website: <https://azure.microsoft.com/en-us/get-started/azure-portal>.

Sign in using your Microsoft account credentials.


If you don't have a Microsoft account, you can create one here: <https://signup.live.com/?lic=1>




2. Azure home page



3. Open DevOps environment in the Azure platform by typing **Azure DevOps Organizations** in the search bar.



4. Click on the **My Azure DevOps Organization** link and create an organization and you should be taken to the Azure DevOps Organization Home page.



Result:

Successfully accessed the Azure DevOps environment and created a new organization through the Azure portal.

2116231501013

CS23432


EXP NO: 2

AZURE DEVOPS PROJECT SETUP AND USER STORY MANAGEMENT

Aim:

To set up an Azure DevOps project for efficient collaboration and agile work management.

1. Create An Azure Account




The screenshot shows the Azure DevOps signup page. The browser address bar displays the URL: `aex.dev.azure.com/signup/?acquisitionId=d9187963-1454-47fb-9338-a2db381b529b&campaign=o~msft~profile~service_attach&mkt=e...`. The page content includes the Azure DevOps logo, the email address `231501045@rajalakshmi.edu.in` with a [Switch directory](#) link, and the heading **Almost done...**. The form fields are: 'Name your Azure DevOps organization' with the value `dev.azure.com/ RECSCTeam01`; 'We'll host your projects in' with a dropdown menu set to 'India'; and 'Enter the characters you see' with a security code `5QXSH` entered. A blue 'Continue' button is located at the bottom right of the form. On the left side of the page, there is an illustration of a person walking a dog.


2. Create the First Project in Your Organization

- After the organization is set up, you'll need to create your first **project**. This is where you'll begin to manage code, pipelines, work items, and more.
- On the organization's **Home page**, click on the **New Project** button.
- Enter the project name, description, and visibility options:
 - Name:** Choose a name for the project (e.g., **LMS**).
 - Description:** Optionally, add a description to provide more context about the project.
 - Visibility:** Choose whether you want the project to be **Private** (accessible only to those invited) or **Public** (accessible to anyone).
- Once you've filled out the details, click **Create** to set up your first project.

3. Once logged in, ensure you are in the correct organization. If you're part of multiple organizations, you can switch between them from the top left corner (next to your user profile). Click on the Organization name, and you should be taken to the Azure DevOps Organization Home page.





4. Project dashboard



5. To manage user stories:

a. From the **left-hand navigation menu**, click on **Boards**. This will take you to the main **Boards** page, where you can manage work items, backlogs, and sprints.

b. On the **work items** page, you'll see the option to **Add a work item** at the top. Alternatively, you can find a + button or **Add New Work Item** depending on the view you're in. From the **Add a work item** dropdown, select **User Story**. This will open a form to enter details for the new User Story.



Result:

Successfully created an Azure DevOps project with user story management and agile workflow setup.

EXP NO: 3

SETTING UP EPICS, FEATURES, AND USER STORIES FOR PROJECT PLANNING

Aim:

To learn about how to create epics, user story, features, backlogs for your assigned project.

Create Epic, Features, User Stories, Task

The screenshot displays the Azure DevOps interface for a project named 'Weather App'. The left sidebar shows the navigation menu with 'Backlogs' selected. The main area shows the 'Weather App Team' backlog. The backlog is organized into three epics, each with a list of features and user stories. The state of all items is 'New'.

Order	Work Item Type	Title	State
1	Epic	EPIC 1: User Interface Design	New
	Feature	Feature 1.1: Basic Layout and Styling	New
	User Story	User Story 1.1.1: As a user, I want to see a simple and ...	New
	User Story	User Story 1.1.2: As a user, I want the app to be respo...	New
	Feature	Feature 1.2: Interactive Input and Display	New
2	Epic	EPIC 2: Weather Data Integration	New
3	Epic	EPIC 3: App Reliability and Enhancement	New


1. Fill in Epics

The screenshot shows the Azure DevOps web interface for a project named "Weather App". The browser address bar displays the URL: `dev.azure.com/RECSCTeam01/Weather%20App/_backlogs/backlog/Weather%20App%20Team/Epics?workitem=1`. The interface shows a sidebar with a search bar and a list of work items. The main content area displays "EPIC 1" with the title "1 EPIC 1: User Interface Design". Below the title, there are fields for "State" (set to "New"), "Area" (set to "Weather App"), and "Reason" (set to "New"). The "Iteration" is set to "Weather App\Sprint 1". The "Description" field is empty, with a placeholder text "Click to add Description.". The "Discussion" section is also empty, with a placeholder text "Add a comment. Use # to link a work item, @ to mention a person, or ! to link a pull request.". The "Planning" section shows fields for "Priority" (set to 2), "Risk", "Effort", "Business Value", and "Time Criticality". The "Deployment" section contains a text box with instructions: "To track releases associated with this work item, go to [Releases](#) and turn on deployment status reporting for Boards in your pipeline's Options menu. [Learn more about deployment status reporting](#)".

2. Fill in Features

The screenshot shows the Azure DevOps web interface for a project named "Weather App". The browser address bar displays the URL: `dev.azure.com/RECSCTeam01/Weather%20App/_backlogs/backlog/Weather%20App%20Team/Epics?workitem=4`. The interface shows a sidebar with a search bar and a list of work items. The main content area displays "FEATURE 4" with the title "4 Feature 1.1: Basic Layout and Styling". Below the title, there are fields for "State" (set to "New"), "Area" (set to "Weather App"), and "Reason" (set to "New"). The "Iteration" is set to "Weather App\Sprint 1". The "Description" field is empty, with a placeholder text "Click to add Description.". The "Discussion" section is also empty, with a placeholder text "Add a comment. Use # to link a work item, @ to mention a person, or ! to link a pull request.". The "Planning" section shows fields for "Priority" (set to 2), "Risk", "Effort", "Business Value", and "Time Criticality". The "Deployment" section contains a text box with instructions: "To track releases associated with this work item, go to [Releases](#) and turn on deployment status reporting for Boards in your pipeline's Options menu. [Learn more about deployment status reporting](#)".

3.Fill in User Story Details



Result:

Thus, the creation of epics, features, user story and task has been created successfully.

EXP NO: 4

SPRINT PLANNING


Aim:

To assign user story to specific sprint for the Weather App Project.

Sprint Planning Sprint 1


The screenshot shows the Azure DevOps interface for the 'Weather App Team' project. The left sidebar contains navigation links: Overview, Boards, Work items, Backlogs, Sprints (selected), Queries, Delivery Plans, and Analytics views. The main content area is titled 'Weather App Team' and shows the 'Taskboard' view for 'Sprint 1' (May 5 - May 9, 5 work days). The taskboard has columns for 'New' (8.75 points), 'Active', and 'Closed'. The 'New' column contains three items: a user story (14 points) and two tasks (22 and 23 points). The user story is assigned to 'Ezhil Adhithya P' and has 1 point. The tasks are also assigned to 'Ezhil Adhithya P' and have 1 point each. The 'Active' and 'Closed' columns are currently empty.

Sprint 2



The screenshot shows the Azure DevOps interface for the 'Weather App' project. The left sidebar contains navigation links: Overview, Boards, Work items, Boards, Backlogs, Sprints (selected), Queries, Delivery Plans, Analytics views, and Project settings. The main area displays the 'Weather App Team' Sprints board for 'Sprint 2' (May 12 - May 16, 5 work days). The board is divided into four columns: 'New 0.5', 'Active', and 'Closed'. The 'New' column contains two items: '10 User Story 2.1.1: As a developer, I want to connect to a weather API using JavaScript, so I can fetch current weather data.' and '11 User Story 2.1.2: As a'. The 'Active' column contains one item: '34 Task-1: Register on OpenWeatherMap and get API key'. The 'Closed' column is empty. A search bar and a 'New Work Item' button are at the top right. A notification banner at the top says 'Did you notice Azure Boards has a new look and awesome new features? Learn more.'

Sprint 3



The screenshot shows the Azure DevOps interface for the 'Weather App' project. The left sidebar contains navigation links: Overview, Boards, Work items, Boards, Backlogs, Sprints (selected), Queries, Delivery Plans, Analytics views, and Project settings. The main area displays the 'Weather App Team' Sprints board for 'Sprint 3' (May 19 - May 23, 5 work days). The board is divided into four columns: 'New 1', 'Active', and 'Closed'. The 'New' column contains two items: '18 User Story 3.1.1: As a user, I want to see an error message if the city name is invalid, so I know what went wrong.' and '19 User Story 3.1.2: As a'. The 'Active' column contains one item: '35 Task-1: Check for invalid API response (e.g., 404)'. The 'Closed' column is empty. A search bar and a 'New Work Item' button are at the top right. A notification banner at the top says 'Did you notice Azure Boards has a new look and awesome new features? Learn more.'

Result:

The Sprints are created for the Weather App Project.


EXP NO: 5

POKER ESTIMATION

Aim:

Create Poker Estimation for the user stories – Weather App Project.

Poker Estimation



The screenshot displays the Azure DevOps interface for a project named 'Weather App'. The main focus is on 'USER STORY 18', which is titled '18 User Story 3.1.1: As a user, I want to see an error message if the city name is invalid, so I know what went wrong.' The story is in the 'New' state and is associated with the 'Weather App' area and 'Weather App\Sprint 3' iteration. The description of the story is 'As a user, I want to see an error message if the city name is invalid, so I know what went wrong.' The acceptance criteria are listed as: '1) Error message shows if API returns 404' and '2) Error disappears when a new search succeeds'. The planning details include 'Story Points' of 3, 'Priority' of 1, and 'Risk' of '2 - Medium'. The deployment section provides instructions on how to track releases associated with this work item. The interface also shows a sidebar with navigation options and a top bar with search and user information.

State	Area	Iteration
New	Weather App	Weather App\Sprint 3

Description

As a user, I want to see an error message if the city name is invalid, so I know what went wrong.

Acceptance Criteria

- 1) Error message shows if API returns 404
- 2) Error disappears when a new search succeeds

Planning

Story Points	Priority	Risk
3	1	2 - Medium

Deployment

To track releases associated with this work item, go to [Releases](#) and turn on deployment status reporting for Boards in your pipeline's Options menu. [Learn more about deployment status reporting](#)

Result:

The Estimation/Story Points is created for the project using Poker Estimation.


EXP NO: 6

DESIGNING CLASS AND SEQUENCE DIAGRAMS FOR PROJECT ARCHITECTURE


Aim:

To Design a Class Diagram and Sequence Diagram for the given Project.

6A. Class Diagram



6B. Sequence Diagram



Result:

The Class Diagram and Sequence Diagram is designed Successfully for the Weather App Project.


EXP NO: 7

DESIGNING ARCHITECTURAL AND ER DIAGRAMS FOR PROJECT STRUCTURE


Aim:

To Design an Architectural Diagram and ER Diagram for the given Project.

7A. Architectural Diagram



7B.ER Diagram



Result:

The Architecture Diagram and ER Diagram is designed Successfully for the Weather App project.

EXP NO: 8	TESTING – TEST PLANS AND TEST CASES
------------------	--

Aim:

Test Plans and Test Case and write two test cases for at least five user stories showcasing the happy path and error scenarios in azure DevOps platform.

Test Planning and Test Case

Test Case Design Procedure

1. Understand Core Features of the Application

- User Signup & Login
- Viewing and Managing Playlists
- Fetching Real-time Metadata
- Editing playlists (rename, reorder, record)
- Creating smart audio playlists based on categories (mood, genre, artist, etc.)

2. Define User Interactions

- Each test case simulates a real user behaviour (e.g., logging in, renaming a playlist, adding a song).

3. Design Happy Path Test Cases

- Focused on validating that all features function as expected under normal conditions.
- Example: User logs in successfully, adds item to playlist, or creates a category-based playlist.

4. Design Error Path Test Cases

- Simulate negative or unexpected scenarios to test robustness and error handling.
- Example: Login fails with invalid credentials, save fails when offline, no recommendations found.

5. Break Down Steps and Expected Results

- Each test case contains step-by-step actions and a corresponding expected outcome.
- Ensures clarity for both testers and automation scripts.

6. Use Clear Naming and IDs

- Test cases are named clearly (e.g., TC01 – Successful Login, TC10 – Save Playlist Fails).
- Helps in quick identification and linking to user stories or features.

7. Separate Test Suites


- Grouped test cases based on functionality (e.g., Login, Playlist Editing, Recommendation System).

- Improves organization and test execution flow in Azure DevOps.


8. Prioritize and Review

- Critical user actions are marked high-priority.
- Reviewed for completeness and traceability against feature requirements.

1.New test plan



2.Test suite



3. Test case

Give two test cases for at least five user stories showcasing the happy path and error scenarios in azure DevOps platform.

Weather App – Test Plans

USER STORIES

- As a user, I want to sign up and log in securely so that I can access my playlists (ID: 79).
- As a user, I need to see my playlist in one place (ID: 76).
- As a user, I should be able to create an audio playlist as needed (ID: 73).
- As a user, I should be able to rename, record, and change the playlist (ID: 68).
- As a user, I need to have real-time metadata (ID: 65).

Test Suites

Test Suit: TS01 - User Login (ID: 86)

1. TC01 – Successful Sign Up

- **Action:**
 - Go to the Sign-Up page.
 - Enter valid name, email, and password.
 - Click "Sign Up".
- **Expected Results:**
 - Sign-Up form is displayed.
 - Fields accept values without error.
 - Account is created, and the user is redirected to the dashboard.
- **Type:** Happy Path

2. TC02 – Secure Login

- **Action:**
 - Go to the Login page.
 - Enter valid email and password.
 - Click on "Login".
- **Expected Results:**
 - Login form is displayed.
 - Fields accept data without error.
 - User is logged in and redirected to the dashboard.
- **Type:** Happy Path

3. TC03 – Sign Up with Existing Email

- **Action:**
 - Go to the Sign-Up page.
 - Enter a name and an already registered email.
 - Click on "Sign Up".
- **Expected Results:**

- Fields accept data.
- Error message "Email already registered" is displayed.
- **Type:** Error Path

4. TC04 – Login with Wrong Password

- **Action:**
 - Go to the Login page.
 - Enter valid email and incorrect password.
 - Click on "Login".
- **Expected Results:**
 - Input is accepted.
 - Error message "Invalid username or password" is shown.
- **Type:** Error Path

Test Suit: TS02 - View Playlists (ID: 87)

1. TC05 – View Playlist Page

- **Action:**
 - Log in successfully.
 - Navigate to "My Playlists" section.
- **Expected Results:**
 - All created playlists are displayed clearly.
- **Type:** Happy Path

2. TC06 – Playlist Loading Failure

- **Action:**
 - Disconnect from the internet.
 - Navigate to "My Playlists".
- **Expected Results:**
 - Network is offline.
 - Error message "Unable to load playlists" is shown.
- **Type:** Error Path

Test Suit: TS03 - Real-Time Metadata (ID: 88)

1. TC07 – Real-Time Metadata Display

- **Action:**
 - Play a song.
 - Observe the metadata panel.
- **Expected Results:**
 - Metadata (title, artist, album, duration) is displayed and updates in real time.
- **Type:** Happy Path

2. TC08 – Metadata Not Updating

- **Action:**

- Play a different song.
 - Observe the metadata panel.
- **Expected Results:**
 - Metadata remains static or shows default/fallback message.
- **Type:** Error Path

Test Suit: TS04 - Playlist Editing (ID: 89)

1. TC09 – Rename Playlist Successfully

- **Action:**
 - Navigate to "My Playlists".
 - Click "Rename" next to a playlist.
 - Enter a new name and click "Save".
- **Expected Results:**
 - Playlist name updates successfully.
- **Type:** Happy Path

2. TC10 – Rename with Blank Name

- **Action:**
 - Click "Rename" on a playlist.
 - Leave the field blank.
 - Click "Save".
- **Expected Results:**
 - Error message "Playlist name cannot be empty" is shown.
- **Type:** Error Path

3. TC11 – Change Playlist Order

- **Action:**
 - Open a playlist.
 - Drag and drop songs to reorder.
 - Click "Save".
- **Expected Results:**
 - Playlist order is updated and saved.
- **Type:** Happy Path

4. TC12 – Change Playlist Order Fails

- **Action:**
 - Login and go to "My Playlists".
 - Select a playlist.
 - Go offline or simulate server error.
 - Reorder songs and click "Save Order".
- **Expected Results:**
 - Error message: "Failed to update order. Please check your connection".
- **Type:** Error Path

Test Suit: TS05 - Smart Playlist Creation (ID: 90)

1. TC13 – Generate Playlist Based on Various Categories

- **Action:**
 - Login with valid credentials.
 - Click on "Generate Playlist".
 - Select categories.
 - Click "Generate Playlist".
- **Expected Results:**
 - Playlist is generated based on selected mood and categories.
- **Type:** Happy Path



2. TC14 – Fail to Generate Playlist Due to Missing Category Selection or Invalid Input

- **Action:**
 - Login with valid credentials.
 - Click on "Generate Playlist".
 - Select categories.
 - Click "Generate Playlist".
- **Expected Results:**
 - Error message: "Please select at least one valid category" or "No recommendations found for the selected filters".
- **Type:** Error Path

Test Cases


The screenshot displays the Azure DevOps web interface. The left sidebar shows the navigation menu with options like Overview, Boards, Work items, Backlogs, Sprints, Queries, Delivery Plans, Analytics views, Repos, and Project settings. The main area shows a work item titled 'TEST CASE 40' with the subtitle '40 TC 01: Simple Run'. The work item is created by 'Ezhil Adhithya P' and has 0 comments. The 'Steps' section lists three actions: 1. Click on text box, 2. Update input field with value 'Chennai', and 3. Click on button 'Get Weather'. The 'Deployment' section contains a message about tracking releases. The 'Development' section is currently empty.

4. Installation of test





Test and feedback


Showing it as an extension




5. Running the test cases



6. Recording the test case



7. Creating the bug



dev.azure.com/RECSCTeam01/Weather%20App/_workitems/edit/41/

RECSCTeam01 / Weather App / Boards / Work items

Did you notice Azure Boards has a new look and awesome new features? [Learn more](#)

Recently updated | [Back to Work Items](#) 1 of 38

41 Bug 01

No one selected 0 Comments Add Tag

State: New Area: Weather App Reason: New Iteration: Weather App/Sprint 1

Updated by Ethil Adhithya P. 15m ago

Details 2 0

Repro Steps

System Info

Browser - Name	Google Chrome 135
Browser - Language	en-US
Browser - Height	640
Browser - Width	1194
Browser - UserAgent	Mozilla/5.0 (Windows NT 10.0; Win64; x64; AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36)
OS - Name	Windows NT 10.0; Win64; x64
OS - Architecture	x86_64
OS - ProcessorModel	Intel(R) Core(TM) i5-10210U CPU @ 1.60GHz
OS - NumberOfProcessors	8
Memory - Available	696557568
Memory - Capacity	8352367296
Display - PixelsPerinchXaxis	156
Display - PixelsPerinchYaxis	156
Display - DevicePixelRatio	1.625

Planning

Resolved Reason

Story Points

Priority: 2

Severity: 3 - Medium

Activity

Effort (Hours)

Original Estimate

Remaining

Deployment

To track releases associated with this work item, go to [Releases](#) and turn on deployment status reporting for Boards in your pipeline's Options menu. [Learn more about deployment status reporting](#)

Development

Add link

Link an Azure Repos [commit](#), [pull request](#) or [branch](#) to see the status of your development. You can also [create a branch](#) to get started.

Related Work

Add link

[Add an existing work item as a parent](#)

8. Test case results

dev.azure.com/231801095/Music%20Playlist%20Batch%20Creator/_testPlans/execute?planId=84&suiteId=87

Azure DevOps 231801095 / Music Playlist Batch Creator / Test Plans / Music Playlist Batch Creator...

Music Playlist Batch Cr... Overview Boards Repos Pipelines Test Plans Progress report Parameters Configurations Runs Artifacts Project settings

Music Playlist Bat... Apr 10 - Apr 17 Past 100% run, 100% passed. View report

Test Suites Filter suites by name

- Music Playlist Batch Creator - T...
 - TS01 - User Login (4)
 - TS02 - View Playlists (2)
 - TS03 - Real-Time Met...
 - TS04 - Playlist Editing (4)
 - TS05 - Smart Playlist ...

TS02 - View Playlists (ID: 87)

Define Execute Chart

Test Points (2 items)

- Title
- ☒ TC05 - View Playlist Page
- ☐ TC06 - Playlist Loading Failure

TC05 - View Playlist Page

Test Case Results

Outcome	TimeStamp	Configuration	Run by	Tester	Test P...
Passed	4m ago	Windows 10	Karthick S	Mallu karthick Balaji ...	Music
Passed	12m ago	Windows 10	Karthick S	Mallu karthick Balaji ...	Music
Not Applicable	12m ago	Windows 10	Karthick S	Mallu karthick Balaji ...	Music
Passed	14m ago	Windows 10	Karthick S	Mallu karthick Balaji ...	Music
Passed	Tuesday	Windows 10	Karthikeyan Senthil	Mallu karthick Balaji ...	Music
Passed	Saturday	Windows 10	Mallu karthick Balaji	Mallu karthick Balaji ...	Music
Failed	Saturday	Windows 10	Mallu karthick Balaji	Mallu karthick Balaji ...	Music
Passed	Apr 11	Windows 10	Karthick S	Mallu karthick Balaji ...	Music
Passed	Apr 11	Windows 10	Karthick S	Mallu karthick Balaji ...	Music

[Open execution history for current test point](#)

9. Test report summary

The screenshot shows the Azure DevOps interface for a bug titled "203 BG 01 - Countries Drop down Not Available on the page". The bug is assigned to "rajesh prabhu" and is currently in the "New" state. The "Repro Step" section shows a table of test results:

Step no.	Result	Title
1.	Passed	Open Chrome Browser
2.	Passed	Paste the URL (https://127.0.0.1/new.html)
3.	Failed	System should show a dropdown with list of countries

The "Failed" step includes an "Expected Result" of "App should load with new articles" and a "Produce Report" button. The "Planning" section shows a priority of 2 and a severity of 3 - Medium. The "Deployment" section includes a link to "Add link" and a "Related Work" section.



- Assigning bug to the developer and changing state

The screenshot shows the Azure DevOps interface for a bug titled "92 TB01 - Playlist loading spinner keeps spinning indefinitely on poor network". The bug is assigned to "Karthick S" and is currently in the "New" state. The "Repro Steps" section shows a table of test results:

Step no.	Result	Title
1.	Failed	Disconnect from internet
2.	Failed	Navigate to "My Playlists"

The "Failed" step includes an "Expected Result" of "Page Not loading" and an "Error message" of "Unable to load playlists is shown". The "Test Configuration" is set to "Windows 10". The "Planning" section shows a priority of 2 and a severity of 3 - Medium. The "Deployment" section includes a link to "Add link" and a "Related Work" section.



10. Progress report





11. Changing the test template


The screenshot shows the Azure DevOps 'All processes' page. The left sidebar is titled 'Organization Settings' and includes sections for General, Security, Boards, and Pipelines. The 'Process' option under 'Boards' is selected. The main content area, titled 'All processes', displays a table of process templates. The 'Agile' template is expanded, showing its description and the number of team projects associated with it.

Name	Description	Team projects
Basic	This template is flexible for any process and great for teams getting started with Azure DevOps.	0
Agile	This template is flexible and will work great for most teams using Agile planning methods, including those practicing Scrum, Kanban, or a hybrid approach.	0
Scrum	This template is for teams who follow the Scrum framework.	0
CMMI	This template is for more formal projects requiring a framework for process improvement and an auditable record.	0



12. View the new test case template





Result:

The test plans and test cases for the user stories is created in Azure DevOps with Happy Path and Error Path

EXP NO: 9

LOAD TESTING AND PERFORMANCE TESTING

Aim:

To create an Azure Load Testing resource and run a load test to evaluate the performance of a target endpoint.

Load Testing

Steps to Create an Azure Load Testing Resource:

Before you run your first test, you need to create the Azure Load Testing resource:



1. Sign in to Azure Portal
Go to <https://portal.azure.com> and log in.
2. Create the Resource
 - Go to *Create a resource* → Search for “Azure Load Testing”.
 - Select Azure Load Testing and click Create.
3. Fill in the Configuration Details
 - *Subscription*: Choose your Azure subscription.
 - *Resource Group*: Create new or select an existing one.
 - *Name*: Provide a unique name (no special characters).
 - *Location*: Choose the region for hosting the resource.
4. (Optional) Configure tags for categorization and billing.
5. Click Review + Create, then Create.
6. Once deployment is complete, click Go to resource.


Steps to Create and Run a Load Test:

Once your resource is ready:

1. Go to your Azure Load Testing resource and click Add HTTP requests > Create.
2. Basics Tab
 - *Test Name*: Provide a unique name.
 - *Description*: (Optional) Add test purpose.
 - *Run After Creation*: Keep checked.
3. Load Settings
 - *Test URL*: Enter the target endpoint (e.g., <https://yourapi.com/products>).
4. Click Review + Create → Create to start the test.

Load Testing






Azure for Students | TestRun_5/2/2025_1 | My Information | Bug 41 Bug 01 | Weather App | Test & Feedback - C | +

ezhil-adhithya-p.github.io/Weather_App/

Weather App

Enter city name

Get Weather



Result:

Successfully created the Azure Load Testing resource and executed a load test to assess the performance of the specified endpoint.

2116231501013

CS23432


EXP NO: 10


GITHUB: PROJECT STRUCTURE & NAMING CONVENTIONS

Aim:

To provide a clear and organized view of the project's folder structure and file naming conventions, helping contributors and users easily understand, navigate, and extend the Weather App Project.

GitHub Project Structure:





Result:

The GitHub repository clearly displays the organized project structure and consistent naming conventions, making it easy for users and contributors to understand and navigate the codebase.

2116231501013

CS23432