

Warm Up Exercises

Let

$$M = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}, E_1 = \begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}, E_2 = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & 1 \end{bmatrix}, E_3 = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

1. Compute the following: $E_1 M$, $E_2 M$, and $E_3 M$.
2. What effect does each of E_i have on M .
3. Can you generalize? That is, for a given matrix $M \in \mathbb{R}^{m \times n}$ can you produce a matrix E so that the product EA replicates one of the effects you describe in 2?

Elementary Row Operation I: Swapping Rows

The product $E_1 M$ is

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} = \begin{bmatrix} 4 & 5 & 6 \\ 1 & 2 & 3 \\ 7 & 8 & 9 \end{bmatrix}$$

Elementary Row Operation I: Swapping Rows

The product $E_1 M$ is

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} = \begin{bmatrix} 4 & 5 & 6 \\ 1 & 2 & 3 \\ 7 & 8 & 9 \end{bmatrix}$$

The effect is that E_1 **swapped rows** 1 and 2 of matrix M .

General Row Swap Matrix

In general, if M is an $m \times n$ matrix, then we can create a row swapping matrix $E_1 \in \mathbb{R}^{m \times m}$ by swapping the corresponding rows of I_m .

General Row Swap Matrix

In general, if M is an $m \times n$ matrix, then we can create a row swapping matrix $E_1 \in \mathbb{R}^{m \times m}$ by swapping the corresponding rows of I_m .

Example: what will EM look like for

$$E = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 & 0 \end{bmatrix} ?$$

General Row Swap Matrix

In general, if M is an $m \times n$ matrix, then we can create a row swapping matrix $E_1 \in \mathbb{R}^{m \times m}$ by swapping the corresponding rows of I_m .

Example: what will EM look like for

$$E = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 & 0 \end{bmatrix} ?$$

The result will swap the 2nd and 5th rows of M .

Elementary Row Operation 2: Scaling a Row

The product E_2M is

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} = \begin{bmatrix} 1 & 2 & 3 \\ 12 & 15 & 18 \\ 7 & 8 & 9 \end{bmatrix}$$

Elementary Row Operation 2: Scaling a Row

The product E_2M is

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} = \begin{bmatrix} 1 & 2 & 3 \\ 12 & 15 & 18 \\ 7 & 8 & 9 \end{bmatrix}$$

The effect is that E_2 **multiplied row** 2 of matrix M by 3.

General Row multiplication Matrix

In general, if M is an $m \times n$ matrix, then we can create a row scaling matrix $E_2 \in \mathbb{R}^{m \times m}$ by multiplying the corresponding row of I_m .

General Row multiplication Matrix

In general, if M is an $m \times n$ matrix, then we can create a row scaling matrix $E_2 \in \mathbb{R}^{m \times m}$ by multiplying the corresponding row of I_m .

Example: what will EM look like for

$$E = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & k & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix} ?$$

General Row multiplication Matrix

In general, if M is an $m \times n$ matrix, then we can create a row scaling matrix $E_2 \in \mathbb{R}^{m \times m}$ by multiplying the corresponding row of I_m .

Example: what will EM look like for

$$E = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & k & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix} ?$$

The result will multiply the 4th row of M by k .

Elementary Row Operation 3: Adding Rows Together

The product E_3M is

$$\begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} = \begin{bmatrix} 1 & 2 & 3 \\ 5 & 7 & 9 \\ 7 & 8 & 9 \end{bmatrix}$$

Elementary Row Operation 3: Adding Rows Together

The product E_3M is

$$\begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} = \begin{bmatrix} 1 & 2 & 3 \\ 5 & 7 & 9 \\ 7 & 8 & 9 \end{bmatrix}$$

The effect is that E_3 **summed** rows 1 and 2 of Matrix M **and replaced** row 2 of matrix M with the sum.

General Row Addition Matrix

In general, if M is an $m \times n$ matrix, then we can create a row addition matrix $E_3 \in \mathbb{R}^{m \times m}$ by placing an additional 1 in an entry of I_m .

General Row Addition Matrix

In general, if M is an $m \times n$ matrix, then we can create a row addition matrix $E_3 \in \mathbb{R}^{m \times m}$ by placing an additional 1 in an entry of I_m .

Example: what will EM look like for

$$E = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 1 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix} ?$$

General Row Addition Matrix

In general, if M is an $m \times n$ matrix, then we can create a row addition matrix $E_3 \in \mathbb{R}^{m \times m}$ by placing an additional 1 in an entry of I_m .

Example: what will EM look like for

$$E = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 1 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix} ?$$

The result will add the 2nd row to the 4th row of M .

Exercise

What do you think the following will do to $3 \times n$ matrix M with rows m_1, m_2, m_3 ?

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -1/2 \end{bmatrix} \begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -2 \end{bmatrix} \begin{bmatrix} - & m_1 & - \\ - & m_2 & - \\ - & m_3 & - \end{bmatrix}$$

Exercise

What do you think the following will do to $3 \times n$ matrix M with rows m_1, m_2, m_3 ?

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -1/2 \end{bmatrix} \begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -2 \end{bmatrix} \begin{bmatrix} - & m_1 & - \\ - & m_2 & - \\ - & m_3 & - \end{bmatrix}$$
$$= \begin{bmatrix} - & m_1 - 2m_3 & - \\ - & m_2 & - \\ - & m_3 & - \end{bmatrix}$$

Elementary Row Operation Matrices Are Invertible

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.
 - ▶ Why?

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.
 - ▶ Why? Because we can swap the rows back.

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.
 - ▶ Why? Because we can swap the rows back.
 - ▶ What is its inverse?

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.

- ▶ Why? Because we can swap the rows back.
- ▶ What is its inverse? A swap rows matrix is its own inverse!

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}^2 = I$$

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.

- ▶ Why? Because we can swap the rows back.
- ▶ What is its inverse? A swap rows matrix is its own inverse!

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}^2 = I$$

2. The row multiplication matrix is invertible (assuming we do not multiply by zero).

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.
 - ▶ Why? Because we can swap the rows back.
 - ▶ What is its inverse? A swap rows matrix is its own inverse!

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}^2 = I$$

2. The row multiplication matrix is invertible (assuming we do not multiply by zero).
 - ▶ Why?

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.
 - ▶ Why? Because we can swap the rows back.
 - ▶ What is its inverse? A swap rows matrix is its own inverse!

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}^2 = I$$

2. The row multiplication matrix is invertible (assuming we do not multiply by zero).
 - ▶ Why? Because we can rescale the same row.

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.

- ▶ Why? Because we can swap the rows back.
- ▶ What is its inverse? A swap rows matrix is its own inverse!

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}^2 = I$$

2. The row multiplication matrix is invertible (assuming we do not multiply by zero).

- ▶ Why? Because we can rescale the same row.
- ▶ What is its inverse?

Elementary Row Operation Matrices Are Invertible

1. The swap matrix is invertible.

- ▶ Why? Because we can swap the rows back.
- ▶ What is its inverse? A swap rows matrix is its own inverse!

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}^2 = I$$

2. The row multiplication matrix is invertible (assuming we do not multiply by zero).

- ▶ Why? Because we can rescale the same row.
- ▶ What is its inverse? Replace the scaling factor k with $\frac{1}{k}$.

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & k & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1/k & 0 \\ 0 & 0 & 1 \end{bmatrix} = I$$

Elementary Row Operation Matrices Are Invertible

3 The “adding rows” matrix is invertible.

Elementary Row Operation Matrices Are Invertible

- 3 The “adding rows” matrix is invertible.
 - ▶ Why?

Elementary Row Operation Matrices Are Invertible

3 The “adding rows” matrix is invertible.

- ▶ Why? Because we can subtract away the row we added!

Elementary Row Operation Matrices Are Invertible

3 The “adding rows” matrix is invertible.

- ▶ Why? Because we can subtract away the row we added!
- ▶ What is its inverse?

Elementary Row Operation Matrices Are Invertible

3 The “adding rows” matrix is invertible.

- ▶ Why? Because we can subtract away the row we added!
- ▶ What is its inverse?

$$\begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} = I$$

Elementary Row Operation Matrices Are Invertible

3 The “adding rows” matrix is invertible.

- ▶ Why? Because we can subtract away the row we added!
- ▶ What is its inverse?

$$\begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} = I$$

Note: the “subtract row” matrix can be factored as follows:

$$\begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} = \begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}.$$

Summary for Elementary Row Operations

There are three elementary row operations for matrices:

- I Swapping two rows of a matrix.
- II Scaling a row of a matrix by a factor $k \neq 0$.
- III Replacing a row of a matrix with the component sum of it and another row.

Summary for Elementary Row Operations

There are three elementary row operations for matrices:

- I Swapping two rows of a matrix.
 - II Scaling a row of a matrix by a factor $k \neq 0$.
 - III Replacing a row of a matrix with the component sum of it and another row.
- Each of these operations can be realized as (left) multiplication by an appropriate matrix E .

Summary for Elementary Row Operations

There are three elementary row operations for matrices:

- I Swapping two rows of a matrix.
 - II Scaling a row of a matrix by a factor $k \neq 0$.
 - III Replacing a row of a matrix with the component sum of it and another row.
-
- ▶ Each of these operations can be realized as (left) multiplication by an appropriate matrix E .
 - ▶ Such matrices are called **elementary row operation matrices of type I, II, or III** (respectively). (EROM)

Summary for Elementary Row Operations

There are three elementary row operations for matrices:

- I Swapping two rows of a matrix.
 - II Scaling a row of a matrix by a factor $k \neq 0$.
 - III Replacing a row of a matrix with the component sum of it and another row.
-
- ▶ Each of these operations can be realized as (left) multiplication by an appropriate matrix E .
 - ▶ Such matrices are called **elementary row operation matrices of type I, II, or III** (respectively). (EROM) Or just **elementary matrix**.

Summary for Elementary Row Operations

There are three elementary row operations for matrices:

- I Swapping two rows of a matrix.
 - II Scaling a row of a matrix by a factor $k \neq 0$.
 - III Replacing a row of a matrix with the component sum of it and another row.
-
- ▶ Each of these operations can be realized as (left) multiplication by an appropriate matrix E .
 - ▶ Such matrices are called **elementary row operation matrices of type I, II, or III** (respectively). (EROM) Or just **elementary matrix**.
 - ▶ Each such matrix E is invertible.

Summary for Elementary Row Operations

There are three elementary row operations for matrices:

- I Swapping two rows of a matrix.
 - II Scaling a row of a matrix by a factor $k \neq 0$.
 - III Replacing a row of a matrix with the component sum of it and another row.
-
- ▶ Each of these operations can be realized as (left) multiplication by an appropriate matrix E .
 - ▶ Such matrices are called **elementary row operation matrices of type I, II, or III** (respectively). (EROM) Or just **elementary matrix**.
 - ▶ Each such matrix E is invertible.
 - ▶ Each inverse is a product of elementary row operations.

Row Equivalence

We say that matrices A and B are **row equivalent** if there is a matrix \hat{E} so that

Row Equivalence

We say that matrices A and B are **row equivalent** if there is a matrix \hat{E} so that

- ▶ $A = \hat{E}B$.

Row Equivalence

We say that matrices A and B are **row equivalent** if there is a matrix \hat{E} so that

- ▶ $A = \hat{E}B$.
- ▶ \hat{E} is a (finite) product of elementary row operations of various types:

Row Equivalence

We say that matrices A and B are **row equivalent** if there is a matrix \hat{E} so that

- ▶ $A = \hat{E}B$.
- ▶ \hat{E} is a (finite) product of elementary row operations of various types:

$$\hat{E} = \prod_{i=1}^n E_i, \text{ where each } E_i \text{ are different EROMs.}$$

Quick Note

In practice, applying elementary row operations is done computationally without referring to the EROM. That is: we do not create the matrices and then multiply. However, it is important is that we know they exist and have these nice properties!

Example: The following are row equivalent

$$\begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 0 & 2 & 3 \\ 2 & 2 & -5 & 2 \end{bmatrix}$$

Example: The following are row equivalent

$$\begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 0 & 2 & 3 \\ 2 & 2 & -5 & 2 \end{bmatrix} \sim \begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 1 & 11/2 & -5 \\ 0 & 0 & 1 & 3/2 \end{bmatrix}$$

Example: The following are row equivalent

$$\begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 0 & 2 & 3 \\ 2 & 2 & -5 & 2 \end{bmatrix} \sim \begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 1 & 11/2 & -5 \\ 0 & 0 & 1 & 3/2 \end{bmatrix}$$

The matrix on the right is said to be in **row echelon form**

Row Echelon Form(s)

A matrix is in **row echelon form** (REF) if

Row Echelon Form(s)

A matrix is in **row echelon form** (REF) if

- ▶ Each row has a “leading one” or is completely made of zeros.

Row Echelon Form(s)

A matrix is in **row echelon form** (REF) if

- ▶ Each row has a “leading one” or is completely made of zeros.
- ▶ Zero rows are at the “bottom” of the matrix.

Row Echelon Form(s)

A matrix is in **row echelon form** (REF) if

- ▶ Each row has a “leading one” or is completely made of zeros.
- ▶ Zero rows are at the “bottom” of the matrix.
- ▶ Each column with “leading one” has only zero entries below the one.

Row Echelon Form(s)

A matrix is in **row echelon form** (REF) if

- ▶ Each row has a “leading one” or is completely made of zeros.
- ▶ Zero rows are at the “bottom” of the matrix.
- ▶ Each column with “leading one” has only zero entries below the one.

If in addition:

- ▶ Each column with “leading one” has only zero entries above and below the one

then the matrix is said to be in **reduced row echelon form** (RREF).

Example: The following are also row equivalent

$$\begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 1 & 11/2 & -5 \\ 0 & 0 & 1 & 3/2 \end{bmatrix}$$

Example: The following are also row equivalent

$$\begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 1 & 11/2 & -5 \\ 0 & 0 & 1 & 3/2 \end{bmatrix} \sim \begin{bmatrix} 1 & 0 & 0 & 18 \\ 0 & 1 & 0 & -53/4 \\ 0 & 0 & 1 & 3/2 \end{bmatrix}$$

Example: The following are also row equivalent

$$\begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 1 & 11/2 & -5 \\ 0 & 0 & 1 & 3/2 \end{bmatrix} \sim \begin{bmatrix} 1 & 0 & 0 & 18 \\ 0 & 1 & 0 & -53/4 \\ 0 & 0 & 1 & 3/2 \end{bmatrix}$$

The matrix on the right is in reduced row echelon form.

Example: The following are also row equivalent

$$\begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 1 & 11/2 & -5 \\ 0 & 0 & 1 & 3/2 \end{bmatrix} \sim \begin{bmatrix} 1 & 0 & 0 & 18 \\ 0 & 1 & 0 & -53/4 \\ 0 & 0 & 1 & 3/2 \end{bmatrix}$$

The matrix on the right is in reduced row echelon form.

Remark

You can think of echelon forms as follows:

REF \leftrightarrow closest approximation to *an* upper triangular matrix

Example: The following are also row equivalent

$$\begin{bmatrix} 1 & 2 & 3 & -4 \\ 0 & 1 & 11/2 & -5 \\ 0 & 0 & 1 & 3/2 \end{bmatrix} \sim \begin{bmatrix} 1 & 0 & 0 & 18 \\ 0 & 1 & 0 & -53/4 \\ 0 & 0 & 1 & 3/2 \end{bmatrix}$$

The matrix on the right is in reduced row echelon form.

Remark

You can think of echelon forms as follows:

REF \leftrightarrow closest approximation to *an* upper triangular matrix

RREF \leftrightarrow closest approximation to *the* identity matrix

Summary of Echelon Forms

Theorem

Every matrix is row equivalent to a unique matrix in reduced row echelon form.

Summary of Echelon Forms

Theorem

Every matrix is row equivalent to a unique matrix in reduced row echelon form.

We won't prove this, but our text offers a sketch and some references. The standard proof requires “mathematical induction.” If interested, such a proof is available at
http:

[//www.maa.org/sites/default/files/Yuster19807.pdf](http://www.maa.org/sites/default/files/Yuster19807.pdf).

Summary of Echelon Forms

Theorem

Every matrix is row equivalent to a unique matrix in reduced row echelon form.

We won't prove this, but our text offers a sketch and some references. The standard proof requires “mathematical induction.” If interested, such a proof is available at
http:

[//www.maa.org/sites/default/files/Yuster19807.pdf](http://www.maa.org/sites/default/files/Yuster19807.pdf).