

FRIDA

Frida LAB 9

Objective:

In Challenge 0x9, the application validates the result of an overloaded Java method. Multiple methods share the same name but have different parameter types. Your task is to identify the correct overload and hook only that version.

This challenge teaches how to use Frida's `.overload()` function to target specific method signatures.

Install the APK

Install the application on your rooted Android device or emulator.

```
adb install FridaLab.apk
```


Launch the Application

Decompile the APK

Open the APK in JADX.

```
jadx-gui FridaLab.apk
```

Browse the source code.



Write the Frida Script

Create a file:

Java.perform(function () {

var Challenge09 = Java.use("uk.rossmarks.fridalab.Challenge_09");

Challenge09.check09.overload(

"java.lang.String",

"int"

).implementation = function (input, number) {

console.log("[+] Input : " + input);

console.log("[+] Number: " + number);


return true;

```
};
```

```
});
```

RUN:

frida -U -f uk.rossmarks.fridalab -l challenge9.js



```
Frida 16.2.1 - A world-class dynamic instrumentation toolkit
Commands:
  help       -> Displays the help system
  object?    -> Display information about 'object'
  exit/quit  -> Exit

More info at https://frida.re/docs/home/

Connected to SM-N976N (id=127.0.0.1:62001)
[SM-N976N:frida 0x9]->
```

Final output look likes :

