

# SKILL WEEK-1

## Query 1 : Create Table

Filter objects

2520080069\_ananya

Tables

bank\_transactions

Views

Stored Procedures

Functions

bookflow\_db

kludb

sys

Administration Schemas

Information : .....

Schema:  
2520080069\_ananya

```
1 • USE 2520080069_Ananya;
2 • CREATE TABLE student_marks1 (
3     roll_no INT PRIMARY KEY,
4     name VARCHAR(50),
5     subject VARCHAR(50),
6     marks DECIMAL(5,2)
7 );
```

Output .....

Action Output

| # | Time     | Action                                                                                                             | Message           |
|---|----------|--------------------------------------------------------------------------------------------------------------------|-------------------|
| 1 | 10:04:57 | USE 2520080069_Ananya                                                                                              | 0 row(s) affected |
| 2 | 10:05:34 | CREATE TABLE student_marks1 ( roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2) ) | 0 row(s) affected |

## Query 2 : Insert Data

The screenshot displays a database management interface with a left-hand sidebar for schema navigation and a main area for SQL queries and their execution output.

**Left Sidebar (SCHEMAS):**

- Filter objects
- 2520080069\_ananya
  - Tables
    - bank\_transactions
    - Views
    - Stored Procedures
    - Functions
  - bookflow\_db
  - kludb
  - sys

**Administration Schemas**

Information: No object selected

**SQL Editor:**

```
1 • USE 2520080069_Ananya;
2 • CREATE TABLE student_marks1 (
3     roll_no INT PRIMARY KEY,
4     name VARCHAR(50),
5     subject VARCHAR(50),
6     marks DECIMAL(5,2)
7 );
8
9 • INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES
10 (1, 'Ravi', 'Math', 85.50),
11 (2, 'Sita', 'Math', 92.75),
12 (3, 'Anil', 'Math', 78.40),
13 (4, 'Priya', 'Math', 88.90),
14 (5, 'Vijay', 'Math', 80.25),
15 (6, 'subbusir', 'aws', 98.50),
16 (7, 'dwaraka', 'dbms', 95.75),
17 (8, 'ranjani', 'english', 97.40),
18 (9, 'kavithamam', 'aws1', 99.90),
19 (10, 'seetha', 'azure', 82.25);
20
```

**Output:**

| # | Time     | Action                                                                                                                                                                                                                                                                                                                                                                            | Message                                                  |
|---|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 1 | 10:04:57 | USE 2520080069_Ananya                                                                                                                                                                                                                                                                                                                                                             | 0 row(s) affected                                        |
| 2 | 10:05:34 | CREATE TABLE student_marks1 ( roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2) )                                                                                                                                                                                                                                                                | 0 row(s) affected                                        |
| 3 | 10:16:02 | INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (3, 'Anil', 'Math', 78.40), (4, 'Priya', 'Math', 88.90), (5, 'Vijay', 'Math', 80.25), (6, 'subbusir', 'aws', 98.50), (7, 'dwaraka', 'dbms', 95.75), (8, 'ranjani', 'english', 97.40), (9, 'kavithamam', 'aws1', 99.90), (10, 'seetha', 'azure', 82.25); | 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 |

**Object Info** **Session**

## Query 3 : Simple select

Navigation: Query 1 SQL File 3

Limit to 1000 rows

```
6      marks DECIMAL(5,2)
7    );
8
9 • INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES
10 (1, 'Ravi', 'Math', 85.50),
11 (2, 'Sita', 'Math', 92.75),
12 (3, 'Anil', 'Math', 78.40),
13 (4, 'Priya', 'Math', 88.90),
14 (5, 'Vijay', 'Math', 80.25),
15 (6, 'subbusin', 'aws', 98.50),
16 (7, 'dwaraka', 'dbms', 95.75),
17 (8, 'ranjani', 'english', 97.40),
18 (9, 'kavithamam', 'aws1', 99.90),
19 (10, 'seetha', 'azure', 82.25);
20
21 • SELECT * FROM student_marks1;
```

No object selected

| roll_no | name       | subject | marks |
|---------|------------|---------|-------|
| 1       | Ravi       | Math    | 85.50 |
| 2       | Sita       | Math    | 92.75 |
| 3       | Anil       | Math    | 78.40 |
| 4       | Priya      | Math    | 88.90 |
| 5       | Vijay      | Math    | 80.25 |
| 6       | subbusin   | aws     | 98.50 |
| 7       | dwaraka    | dbms    | 95.75 |
| 8       | ranjani    | english | 97.40 |
| 9       | kavithamam | aws1    | 99.90 |
| 10      | seetha     | azure   | 82.25 |

Output

| # | Time     | Action                                                                                                                                                                                                                                                                                                                                                                            | Message                                                  |
|---|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 1 | 10:04:57 | USE 2520080069_ananya                                                                                                                                                                                                                                                                                                                                                             | 0 row(s) affected                                        |
| 2 | 10:05:34 | CREATE TABLE student_marks1 ( roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2) )                                                                                                                                                                                                                                                                | 0 row(s) affected                                        |
| 3 | 10:16:02 | INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (3, 'Anil', 'Math', 78.40), (4, 'Priya', 'Math', 88.90), (5, 'Vijay', 'Math', 80.25), (6, 'subbusin', 'aws', 98.50), (7, 'dwaraka', 'dbms', 95.75), (8, 'ranjani', 'english', 97.40), (9, 'kavithamam', 'aws1', 99.90), (10, 'seetha', 'azure', 82.25); | 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 |
| 4 | 10:37:30 | SELECT * FROM student_marks1 LIMIT 0, 1000                                                                                                                                                                                                                                                                                                                                        | 10 row(s) returned                                       |

## Query 4 : Aggregate Functions

1. SELECT COUNT(\*) AS total\_students FROM student\_marks1;

```
23 • SELECT COUNT(*) AS total_students FROM student_marks1;
24 • SELECT SUM(marks) FROM student_marks1;
25 • SELECT AVG(marks) FROM student_marks1;
```

Result Grid

| total_students |
|----------------|
| 10             |

Result Grid

2. SELECT SUM(marks) FROM student\_marks1;

|      |                                        |
|------|----------------------------------------|
| 24 • | SELECT SUM(marks) FROM student_marks1; |
| 25 • | SELECT AVG(marks) FROM student_marks1; |
| 26 • | SELECT MAX(marks) FROM student_marks1; |

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

| SUM(marks) |
|------------|
| 899.60     |

Result Grid

3. SELECT AVG(marks) FROM student\_marks1;

|      |                                        |
|------|----------------------------------------|
| 25 • | SELECT AVG(marks) FROM student_marks1; |
| 26 • | SELECT MAX(marks) FROM student_marks1; |
| 27 • | SELECT MIN(marks) FROM student_marks1; |

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

| AVG(marks) |
|------------|
| 89.960000  |

4. SELECT MAX(marks) FROM student\_marks1;

|      |                                        |
|------|----------------------------------------|
| 26 • | SELECT MAX(marks) FROM student_marks1; |
| 27 • | SELECT MIN(marks) FROM student_marks1; |

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

| MAX(marks) |
|------------|
| 99.90      |

5. SELECT MIN(marks) FROM student\_marks1;

|      |                                        |
|------|----------------------------------------|
| 27 • | SELECT MIN(marks) FROM student_marks1; |
|------|----------------------------------------|

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |


| MIN(marks) |
|------------|
| 78.40      |

## Query 5 : Filtering with WHERE

1. SELECT \* FROM student\_marks WHERE marks > 85;

```
29 • SELECT * FROM student_marks1 WHERE marks > 85;
```


```
30 • SELECT * FROM student_marks1 WHERE marks >= 90;
```



|   | roll_no | name       | subject | marks |
|---|---------|------------|---------|-------|
| ▶ | 1       | Ravi       | Math    | 85.50 |
|   | 2       | Sita       | Math    | 92.75 |
|   | 4       | Priya      | Math    | 88.90 |
|   | 6       | subbusir   | aws     | 98.50 |
|   | 7       | dwaraka    | dbms    | 95.75 |
|   | 8       | ranjani    | english | 97.40 |
|   | 9       | kavithamam | aws1    | 99.90 |
| * | NULL    | NULL       | NULL    | NULL  |

2. SELECT \* FROM student\_marks1 WHERE marks >= 90;

```
30 • SELECT * FROM student_marks1 WHERE marks >= 90;
```




|   | roll_no | name       | subject | marks |
|---|---------|------------|---------|-------|
| ▶ | 2       | Sita       | Math    | 92.75 |
|   | 6       | subbusir   | aws     | 98.50 |
|   | 7       | dwaraka    | dbms    | 95.75 |
|   | 8       | ranjani    | english | 97.40 |
|   | 9       | kavithamam | aws1    | 99.90 |
| * | NULL    | NULL       | NULL    | NULL  |

3. SELECT \* FROM student\_marks1 WHERE marks < 80;

```
31 • SELECT * FROM student_marks1 WHERE marks < 80;
```

```
32 • SELECT * FROM student_marks1 WHERE marks BETWEEN 80
```



|   | roll_no | name | subject | marks |
|---|---------|------|---------|-------|
| ▶ | 3       | Anil | Math    | 78.40 |
| * | NULL    | NULL | NULL    | NULL  |

4. SELECT \* FROM student\_marks1 WHERE marks BETWEEN 80 AND 90;

32 • **SELECT \* FROM student\_marks1 WHERE marks BETWEEN 80 AND 90;**

|   | roll_no | name   | subject | marks |
|---|---------|--------|---------|-------|
| ▶ | 1       | Ravi   | Math    | 85.50 |
|   | 4       | Priya  | Math    | 88.90 |
|   | 5       | Vijay  | Math    | 80.25 |
|   | 10      | seetha | azure   | 82.25 |
| * | NULL    | NULL   | NULL    | NULL  |

5. SELECT \* FROM student\_marks1 WHERE name LIKE 'P%';

33 • **SELECT \* FROM student\_marks1 WHERE name LIKE 'P%';**

34 • **SELECT \* FROM student\_marks1 WHERE name IN ('Ravi', 'Sita', 'Vijay');**

|   | roll_no | name  | subject | marks |
|---|---------|-------|---------|-------|
| ▶ | 4       | Priya | Math    | 88.90 |
| * | NULL    | NULL  | NULL    | NULL  |

6. SELECT \* FROM student\_marks1 WHERE name IN ('Ravi', 'Sita', 'Vijay');

34 • **SELECT \* FROM student\_marks1 WHERE name IN ('Ravi', 'Sita', 'Vijay');**

35 • **SELECT \* FROM student\_marks1 WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');**

|   | roll_no | name  | subject | marks |
|---|---------|-------|---------|-------|
| ▶ | 1       | Ravi  | Math    | 85.50 |
|   | 2       | Sita  | Math    | 92.75 |
|   | 5       | Vijay | Math    | 80.25 |
| * | NULL    | NULL  | NULL    | NULL  |

7. SELECT \* FROM student\_marks1 WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');

35 • **SELECT \* FROM student\_marks1 WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');**

|   | roll_no | name  | subject | marks |
|---|---------|-------|---------|-------|
| ▶ | 1       | Ravi  | Math    | 85.50 |
|   | 2       | Sita  | Math    | 92.75 |
|   | 4       | Priya | Math    | 88.90 |
| * | NULL    | NULL  | NULL    | NULL  |

## Query 6 : Update Queries

1. UPDATE student\_marks SET marks = 90.00 WHERE roll\_no = 3;

```
36 • UPDATE student_marks1 SET marks = 90.00 WHERE roll_no = 3;
37 • UPDATE student_marks1 SET subject = 'Remedial Math' WHERE marks < 80;
38
39
40
```

| Output        |          |                                                                                                                    |                                                                         |  |
|---------------|----------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|--|
| Action Output |          |                                                                                                                    |                                                                         |  |
| #             | Time     | Action                                                                                                             | Message                                                                 |  |
| 17            | 10:57:21 | CREATE TABLE student_marks1 ( roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2) ) | Error Code: 1050. Table 'student_marks1' already exists                 |  |
| 18            | 10:57:36 | SELECT * FROM student_marks1 WHERE name LIKE 'P%' LIMIT 0, 1000                                                    | 1 row(s) returned                                                       |  |
| 19            | 10:58:07 | SELECT * FROM student_marks1 WHERE name IN ('Ravi', 'Sita', 'Vijay') LIMIT 0, 1000                                 | 3 row(s) returned                                                       |  |
| 20            | 10:58:39 | SELECT * FROM student_marks1 WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%') LIMIT 0, 1000               | 3 row(s) returned                                                       |  |
| 21            | 11:09:59 | UPDATE student_marks SET marks = 90.00 WHERE roll_no = 3                                                           | Error Code: 1146. Table '2520080069_ananya.student_marks' doesn't exist |  |
| 22            | 11:10:11 | UPDATE student_marks1 SET marks = 90.00 WHERE roll_no = 3                                                          | 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0                |  |

2. UPDATE student\_marks1 SET subject = 'Remedial Math' WHERE marks < 80;

```
37 • UPDATE student_marks1 SET subject = 'Remedial Math' WHERE ma
38
39
40
```

| Output        |          |                                                           |                                                               |  |
|---------------|----------|-----------------------------------------------------------|---------------------------------------------------------------|--|
| Action Output |          |                                                           |                                                               |  |
| #             | Time     | Action                                                    | Message                                                       |  |
| 22            | 11:10:11 | UPDATE student_marks1 SET marks = 90.00 WHERE roll_n...   | 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0      |  |
| 23            | 11:10:45 | UPDATE student_marks1 SET subject = 'Remedial Math' WH... | Error Code: 1175. You are using safe update mode and you tri. |  |
| 24            | 11:43:50 | SET SQL_SAFE_UPDATES = 0                                  | 0 row(s) affected                                             |  |
| 25            | 11:44:00 | UPDATE student_marks1 SET marks = 90.00 WHERE roll_n...   | 0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0      |  |
| 26            | 11:44:15 | SELECT * FROM student_marks1 LIMIT 0, 1000                | 10 row(s) returned                                            |  |
| 27            | 11:45:16 | UPDATE student_marks1 SET subject = 'Remedial Math' WH... | 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0      |  |

## Query 7 : Delete Queries

1. DELETE FROM student\_marks WHERE roll\_no = 5;

38

39 • DELETE FROM student\_marks1 WHERE roll\_no=5;

40 • DELETE FROM student\_marks1 WHERE marks<75;

41

42

|               |          |                                                           |                                                             |  |
|---------------|----------|-----------------------------------------------------------|-------------------------------------------------------------|--|
| Context Help  |          |                                                           |                                                             |  |
| Output        |          |                                                           |                                                             |  |
| Action Output |          |                                                           |                                                             |  |
| #             | Time     | Action                                                    | Message                                                     |  |
| ✓ 24          | 11:43:50 | SET SQL_SAFE_UPDATES = 0                                  | 0 row(s) affected                                           |  |
| ✓ 25          | 11:44:00 | UPDATE student_marks1 SET marks = 90.00 WHERE roll_n...   | 0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0    |  |
| ✓ 26          | 11:44:15 | SELECT * FROM student_marks1 LIMIT 0, 1000                | 10 row(s) returned                                          |  |
| ✓ 27          | 11:45:16 | UPDATE student_marks1 SET subject = 'Remedial Math' WH... | 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0    |  |
| ✗ 28          | 11:47:09 | DELETE FROM student_marks WHERE roll_no = 5               | Error Code: 1146. Table '2520080069_ananya.student_marks... |  |
| ✓ 29          | 11:48:50 | DELETE FROM student_marks1 WHERE roll_no=5                | 1 row(s) affected                                           |  |

2. DELETE FROM student\_marks1 WHERE marks<75;

40 • DELETE FROM student\_marks1 WHERE marks<75;

41

42

|               |          |                                                           |                                                             |  |
|---------------|----------|-----------------------------------------------------------|-------------------------------------------------------------|--|
| Context Help  |          |                                                           |                                                             |  |
| Output        |          |                                                           |                                                             |  |
| Action Output |          |                                                           |                                                             |  |
| #             | Time     | Action                                                    | Message                                                     |  |
| ✓ 25          | 11:44:00 | UPDATE student_marks1 SET marks = 90.00 WHERE roll_n...   | 0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0    |  |
| ✓ 26          | 11:44:15 | SELECT * FROM student_marks1 LIMIT 0, 1000                | 10 row(s) returned                                          |  |
| ✓ 27          | 11:45:16 | UPDATE student_marks1 SET subject = 'Remedial Math' WH... | 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0    |  |
| ✗ 28          | 11:47:09 | DELETE FROM student_marks WHERE roll_no = 5               | Error Code: 1146. Table '2520080069_ananya.student_marks... |  |
| ✓ 29          | 11:48:50 | DELETE FROM student_marks1 WHERE roll_no=5                | 1 row(s) affected                                           |  |
| ✓ 30          | 11:49:07 | DELETE FROM student_marks1 WHERE marks<75                 | 0 row(s) affected                                           |  |

## Query 8 : Sorting

1. SELECT \* FROM student\_marks ORDER BY marks ASC;

```
42 • SELECT * FROM student_marks1 ORDER BY marks ASC;  
43 • SELECT * FROM student_marks1 ORDER BY marks DESC;  
44 • SELECT * FROM student_marks1 ORDER BY name ASC;
```

Result Grid

Filter Rows:

Edit:

Export/Import:

| roll_no | name       | subject | marks |
|---------|------------|---------|-------|
| 10      | seetha     | azure   | 82.25 |
| 1       | Ravi       | Math    | 85.50 |
| 4       | Priya      | Math    | 88.90 |
| 3       | Anil       | Math    | 90.00 |
| 2       | Sita       | Math    | 92.75 |
| 7       | dwaraka    | dbms    | 95.75 |
| 8       | ranjani    | english | 97.40 |
| 6       | subbusir   | aws     | 98.50 |
| 9       | kavithamam | aws1    | 99.90 |
| NULL    | NULL       | NULL    | NULL  |

2. SELECT \* FROM student\_marks1 ORDER BY marks DESC;

```
43 • SELECT * FROM student_marks1 ORDER BY marks DESC;  
44 • SELECT * FROM student_marks1 ORDER BY name ASC;  
45 • SELECT * FROM student_marks1 ORDER BY name DESC;
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap

|   | roll_no | name       | subject | marks |
|---|---------|------------|---------|-------|
| ▶ | 9       | kavithamam | aws1    | 99.90 |
|   | 6       | subbusir   | aws     | 98.50 |
|   | 8       | ranjani    | english | 97.40 |
|   | 7       | dwaraka    | dbms    | 95.75 |
|   | 2       | Sita       | Math    | 92.75 |
|   | 3       | Anil       | Math    | 90.00 |
|   | 4       | Priya      | Math    | 88.90 |
|   | 1       | Ravi       | Math    | 85.50 |
|   | 10      | seetha     | azure   | 82.25 |
| ✱ | NULL    | NULL       | NULL    | NULL  |

3. SELECT \* FROM student\_marks1 ORDER BY name ASC;

44 • SELECT \* FROM student\_marks1 ORDER BY name ASC;

45 • SELECT \* FROM student\_marks1 ORDER BY name DESC;

| Result Grid                       |         |            |         |       |
|-----------------------------------|---------|------------|---------|-------|
| Filter Rows: <input type="text"/> |         |            |         |       |
| Edit:    Export/Import:   Wrap    |         |            |         |       |
|                                   | roll_no | name       | subject | marks |
| ▶                                 | 3       | Anil       | Math    | 90.00 |
|                                   | 7       | dwaraka    | dbms    | 95.75 |
|                                   | 9       | kavithamam | aws1    | 99.90 |
|                                   | 4       | Priya      | Math    | 88.90 |
|                                   | 8       | ranjani    | english | 97.40 |
|                                   | 1       | Ravi       | Math    | 85.50 |
|                                   | 10      | seetha     | azure   | 82.25 |
|                                   | 2       | Sita       | Math    | 92.75 |
|                                   | 6       | subbusir   | aws     | 98.50 |
| *                                 | NULL    | NULL       | NULL    | NULL  |

4. SELECT \* FROM student\_marks1 ORDER BY name DESC;

45 • SELECT \* FROM student\_marks1 ORDER BY name DESC;

46

| Result Grid                       |         |            |         |       |
|-----------------------------------|---------|------------|---------|-------|
| Filter Rows: <input type="text"/> |         |            |         |       |
| Edit:    Export/Import:   Wrap    |         |            |         |       |
|                                   | roll_no | name       | subject | marks |
| ▶                                 | 6       | subbusir   | aws     | 98.50 |
|                                   | 2       | Sita       | Math    | 92.75 |
|                                   | 10      | seetha     | azure   | 82.25 |
|                                   | 1       | Ravi       | Math    | 85.50 |
|                                   | 8       | ranjani    | english | 97.40 |
|                                   | 4       | Priya      | Math    | 88.90 |
|                                   | 9       | kavithamam | aws1    | 99.90 |
|                                   | 7       | dwaraka    | dbms    | 95.75 |
|                                   | 3       | Anil       | Math    | 90.00 |
| *                                 | NULL    | NULL       | NULL    | NULL  |

## Query 9 : GROUP BY

1. SELECT subject, SUM(marks) AS total\_marks FROM student\_marks GROUP BY subject;

```
48 • SELECT subject, SUM(marks) AS total_marks FROM student_marks1 GROUP BY subject;
49 • SELECT subject, AVG(marks) AS avg_marks FROM student_marks1 GROUP BY subject;
```

| Result Grid | Filter Rows: | Export: | Wrap Cell Content: |
|-------------|--------------|---------|--------------------|
| subject     | total_marks  |         |                    |
| Math        | 357.15       |         |                    |
| aws         | 98.50        |         |                    |
| dbms        | 95.75        |         |                    |
| english     | 97.40        |         |                    |
| aws1        | 99.90        |         |                    |
| azure       | 82.25        |         |                    |

2. SELECT subject, AVG(marks) AS avg\_marks FROM student\_marks1 GROUP BY subject;

```
49 • SELECT subject, AVG(marks) AS avg_marks FROM student_marks1 GROUP BY subject;
50 • SELECT subject, COUNT(*) AS num_students FROM student_marks1 GROUP BY subject;
```

| Result Grid | Filter Rows: | Export: | Wrap Cell Content: |
|-------------|--------------|---------|--------------------|
| subject     | avg_marks    |         |                    |
| Math        | 89.287500    |         |                    |
| aws         | 98.500000    |         |                    |
| dbms        | 95.750000    |         |                    |
| english     | 97.400000    |         |                    |
| aws1        | 99.900000    |         |                    |
| azure       | 82.250000    |         |                    |

3. SELECT subject, COUNT(\*) AS num\_students FROM student\_marks1 GROUP BY subject;

```
50 • SELECT subject, COUNT(*) AS num_students FROM student_marks1 GROUP BY subject;
```

| Result Grid | Filter Rows: | Export: | Wrap Cell Content: |
|-------------|--------------|---------|--------------------|
| subject     | num_students |         |                    |
| Math        | 4            |         |                    |
| aws         | 1            |         |                    |
| dbms        | 1            |         |                    |
| english     | 1            |         |                    |
| aws1        | 1            |         |                    |
| azure       | 1            |         |                    |

### Query 10 : Having

1. SELECT subject, AVG(marks) AS avg\_marks FROM student\_marks GROUP BY subject HAVING AVG(marks) > 90;

```
52 • SELECT subject, AVG(marks) AS avg_marks
53 FROM student_marks1
54 GROUP BY subject
55 HAVING AVG(marks) > 90;
56
```

| Result Grid | Filter Rows: | Export:   | Wrap Cell Content: |
|-------------|--------------|-----------|--------------------|
|             |              |           |                    |
|             | subject      | avg_marks |                    |
| ▶           | aws          | 98.500000 |                    |
|             | dbms         | 95.750000 |                    |
|             | english      | 97.400000 |                    |
|             | aws1         | 99.900000 |                    |

2. SELECT subject, COUNT(\*) AS num\_students FROM student\_marks1 GROUP BY subject HAVING COUNT(\*) > 1;

```
57 • SELECT subject, COUNT(*) AS num_students
58 FROM student_marks1
59 GROUP BY subject
60 HAVING COUNT(*) > 1;
```

| Result Grid | Filter Rows: | Export:      | Wrap Cell Content: |
|-------------|--------------|--------------|--------------------|
|             |              |              |                    |
|             | subject      | num_students |                    |
|             | Math         | 4            |                    |