



Intelligent personal Health Record

5.1 Introduction, Guided Search for Disease Information, Recommending SCA's.
Recommending HHP's , Continuous User Monitoring.



Introduction

Web-based personal health records (PHRs) have now become widely available to ordinary consumers.

These PHR systems enable consumers to actively manage their health records and, subsequently, their health through a Web interface but have **limited intelligence and can fulfill only a small portion of users' health care needs**. To improve PHR's capability and usability, the concept of an intelligent PHR (iPHR) is proposed **by introducing and extending expert system technology, Web search technology, natural language generation technology, database trigger technology, and signal processing technology into the PHR domain**.

- **iPHR serves as a centralized portal** for automatically providing users with comprehensive and personalized health care information to facilitate their activities of daily living.
- **Due to a lack of health knowledge, consumers often are unaware of their health care needs and/or unable to identify proper keywords to search health care information.**
- To address this problem, iPHR extensively uses
 - (1) health knowledge to anticipate users' needs,
 - (2) guide users to provide the most important information about their health condition,
 - (3) automatically form queries, and
 - (4) proactively push relevant health care information to users whenever their potential need for it is detected.
- The term "health knowledge" is used to refer to all categories or types of knowledge related to health care, for example, disease diagnosis knowledge and nursing knowledge.

Introduction




FIGURE 24.1

Architecture of the intelligent personal health record system.



Introduction

- Nurses, patients, and/or caregivers can perform these care activities to achieve desirable outcomes for this health issue. For iPHR, we focus on SCAs that patients and caregivers can perform at home or in the community because iPHR is designed to be used by consumers.
- At a high level, iPHR's SCA recommendation function works in the following way. iPHR automatically extracts from PHR the user's current health issues (e.g., diseases), uses the linkage method mentioned above to find all of his/her linked SCAs, and then displays function.

At present, our iPHR system provides four functions covering almost 1000 health issues: 1. **Guided search for disease information** 2. **Recommending self-care activities (SCAs)** 3. **Recommending home health products (HHPs)** 4. **Continuous user monitoring**

- Each of the first three functions can be implemented as a standalone health search engine outside of a PHR system. However, with the support of a PHR system, these three functions can be performed more effectively. In comparison, the fourth function of continuous user monitoring depends on the PHR system.



Guided Search for Disease Information

- iPHR includes our intelligent medical Web search engine called **iMed** to help users find disease information related to their health condition. The main idea of iMed is **to use disease diagnosis knowledge and an interactive questionnaire to guide users to provide the most important information about their health condition and to automatically form queries. This eliminates the challenge for users to come up with appropriate medical keyword queries on their own.**
- iMed uses **diagnostic decision trees written by medical professionals** as its **built-in disease diagnosis knowledge**. As shown in Figure 24.2, each diagnostic decision tree corresponds to either an objective sign (e.g., low blood pressure) or a subjective symptom (e.g., headache). Each node that is neither a leaf node nor the parent of a leaf node represents a question that iMed can ask. Different child nodes of this node correspond to different answers to this question. The medical phrases in a leaf node are the topics (typically diseases) potentially relevant to the user's health condition.
- At a high level, iMed works in the following way. **The user is first presented with a list of signs and symptoms, from which he/she selects the ones that he/she is currently having. Then iMed asks questions related to these selected signs and symptoms and lists possible answers to these questions. Based on the answers selected by the user, iMed navigates the corresponding diagnostic decision trees and eventually reaches multiple topics potentially relevant to the user's health condition.**
- Moreover, iMed presents **a set of predetermined aspects (e.g., symptom, diagnosis, treatment, and risk factor)**. If the user clicks a particular aspect of the topic, iMed automatically forms a query by combining the aspect name and the topic name and uses this query to retrieve Web pages related to this aspect of the topic. **In this way, without the need to form any medical keyword query by himself/herself, the user can find disease information that is potentially related to his/her health condition.**

Guided Search for Disease Information




FIGURE 24.2

The diagnostic decision tree for the symptom "face pain."



Guided Search for Disease Information


- For example, Figure 24.2 shows the diagnostic decision tree in Collins for the symptom “face pain.”
- If “face pain” is the only symptom chosen by the user, iMed’s first question is “How often do you have facial pain?” If the user selects the answer “occasionally, from time to time” to this question, iMed’s next question is “Is your facial pain increased by chewing?” If the user selects the answer “yes” to the second question, iMed reaches multiple topics including dental caries.
- A typical user has little health knowledge and frequently encounters challenges during the entire disease information search process.
- To address this problem, iMed offers various kinds of suggestions to provide help. If the user suspects that he answered questions incorrectly, he can access alternative answers to the questions suggested by iMed.
- **To facilitate the quick digestion of search results by the user and to refine his/her inputs, iMed suggests diversified and related medical phrases. iMed also suggests signs and symptoms related to the user’s health condition.**



Recommending SCA's.

- iPHR can automatically recommend SCAs based on the user's health issues. The user can click each nontrivial SCA to find various detailed implementation procedures for it on the Web. The main idea of this SCA recommendation function is to use nursing knowledge presented in [standardized nursing language](#). **The nursing informatics community** has systematically organized nursing knowledge into multiple standardized nursing languages.
- At present, iPHR's knowledge base includes two such standardized nursing languages covering the entire nursing domain: **the North American Nursing Diagnosis Association International (NANDA-I) nursing diagnoses and the Nursing Interventions Classification (NIC) nursing interventions**. A NANDA-I nursing diagnosis is a clinical judgment about individual, family, or community responses to actual or potential health problems. A NIC nursing intervention is a treatment that can be performed to enhance patient/client outcomes.
- As shown in Figure 24.3, each health issue links to one or more NANDA-I nursing diagnoses. Every nursing diagnosis usually links to 10 or more NIC nursing interventions. Each nursing intervention includes multiple care activities that are used to implement it. **In this way, each health issue is connected to multiple care activities via the linkage provided by nursing diagnoses and nursing interventions.**

Recommending SCA's.



- Nurses, patients, and/or caregivers can perform these care activities to achieve desirable outcomes for this health issue. For iPHR, we focus on SCAs that patients and caregivers can perform at home or in the community because iPHR is designed to be used by consumers.



Recommending SCA's.

- At a high level, iPHR's SCA recommendation function works in the following way. iPHR automatically extracts from PHR the user's current health issues (e.g., diseases), uses the linkage method mentioned above to find all of his/her linked SCAs, and then displays these SCAs as a prioritized hierarchy.
- An SCA can have one or more aspects. For each aspect of a nontrivial SCA, a hyperlink is added to the displayed Web page. Also, a precompiled phrase is stored in iPHR's knowledge base as the SCA search guide information of this aspect. If the user clicks this hyperlink, iPHR will submit this phrase as a query to a large-scale health Web search engine. Then by reading the search results returned by this search engine, the user can find various, detailed implementation procedures for this aspect.
- *For example, as shown in Figure 24.3, the health issue “asthma” links to the SCA “coach in breathing/relaxation techniques.” For the breathing aspect of this SCA, the precompiled phrase “asthma breathing techniques” retrieves the following top results: (1) the Buteyko method for breathing (<http://www.correctbreathing.com/>), (2) two new breathing exercises for asthma (<http://www.sciencedaily.com/releases/2008/05/080528095853.htm>), (3) a video teaching the pranayama breathing method for asthma (<http://www.youtube.com/watch?v=vplrJtp3zB4>), and (4) the book Reversing Asthma: Breathe Easier with this Revolutionary New Program, with a chapter on teaching breathing techniques (<http://www.amazon.com/Reversing-Asthma-Breathe-Revolutionary-Program/dp/0446673633>).*
- It is not uncommon for a person to have multiple health issues simultaneously (e.g., comorbidities). In this case, an SCA that is suitable for a single health issue can become undesirable in the presence of another health issue. **This is called contraindication in health care. For instance, the health issue cancer is a contraindication for the SCA massage because massage increases lymphatic circulation and hence may potentially facilitate the spread of cancer through the lymphatic system. In the case where the user has multiple health issues simultaneously,**
- iPHR uses a hierarchical propagation method based on the medical terminology of the International Classification of Diseases (ICD-10) to automatically detect contraindicated SCAs so that they will not be recommended to the user.



Recommending HHP's

iPHR can automatically recommend HHPs based on the user's health issues. The main idea of this HHP recommendation function is to use both **nursing knowledge and treatment knowledge and to extend the language modeling method in information retrieval to combine and rank HHPs retrieved by multiple queries.**

- During this process, various relevant factors are taken into account. iPHR uses both nursing knowledge and treatment knowledge to obtain HHP search guide information.
- For each SCA, a set of phrases is precompiled as its HHP search guide information and stored in iPHR's knowledge base. Each such phrase provides one way of retrieving HHPs related to this SCA.
- For each health issue (e.g., disease, symptom, surgery), a set of HHP search guide phrases is precompiled using disease/symptom treatment knowledge and stored in iPHR's knowledge base. These treatment-based HHP search guide phrases can bridge the semantic gap between the literal meaning and the underlying medical meaning of the health issue.
- At a high level, iPHR's HHP recommendation function works in the following way. iPHR automatically extracts from the PHR the user's current health issues and uses the linkage method described in Section 24.3 to find all of his/her linked SCAs.
- Combining together the HHP search guide information for these SCAs and the treatment-based HHP search guide phrases precompiled for these health issues, we obtain the complete set of search guide information. iPHR submits each search guide phrase in this set as a query to a vertical search engine to retrieve relevant HHPs. Then all retrieved HHPs are combined together and returned to the user through a navigation interface. On each search result Web page, a navigation hierarchy based on product categories is displayed on the left side, as shown in Figure 24.4.



Recommending HHP's

- < Medical supplies and equipment
- < Daily living aids
 - * Bath and body aids (797)
 - * Low vision aids (633)
 - * Medication aids (178)
 - * Ramps (157)
 - * Low strength aids (137)
 - * Eating and drinking aids (77)
 - * Dressing aids (42)
 - * Hearing aids (28)
 - * Telephones (27)
 - * Hearing aid accessories (12)
 - * Others (46)

FIGURE 24.4

A sample navigation hierarchy constructed for the health issue ataxia.

Recommended HHPs are displayed sequentially on the right side. For example, as shown in Figure 24.3, the health issue ataxia (cannot coordinate muscle movement) links to the following SCAs: 1. Provide sturdy, nonslip step stools to facilitate easy reach. 2. Provide nightlight at bedside. 3. Provide visible handrails and grab bars. Step stools, nightlights, handrails, and grab bars are HHPs relevant to ataxia. iPHR can recommend these HHPs to ataxia patients using nursing knowledge. Nevertheless, for both ataxia and its symptoms, it is likely that neither their names nor their treatment methods appear in the Web pages describing these HHPs. Consequently, without resorting to iPHR, the average consumer would encounter difficulty in finding these HHPs on his/her own.



Continuous User Monitoring

iPHR can perform continuous user monitoring and proactively push personalized, relevant health care information to users whenever their potential need for it is detected

The main idea of this continuous user monitoring function is to combine techniques from multiple computing areas, including expert systems, Web search, natural language generation, database triggers, and signal processing, to make iPHR active. More specifically, **triggers are precompiled by health care professionals and stored in iPHR's knowledge base. The concept of triggers was originally developed in the database field and is extended here to fit the purpose of our specific iPHR application. Each trigger corresponds to a unique abnormal event that may have a potential health impact. Based on the user's health condition, iPHR automatically determines which triggers will be used.**

iPHR keeps collecting, processing, and analyzing the user's health data from various sources and detecting abnormal events from it. Whenever a trigger fires, signaling the occurrence of an abnormal event, iPHR recognizes that the user needs to be aware of the related, personalized health care information and automatically pushes this information to the user.

At trigger compilation time, for each abnormal event, health care professionals use their health knowledge to perform the following four actions: 1. Compile the corresponding trigger 2. Compile a template of basic health care information related to this abnormal event 3. For the content included in this template, mark one or more items that they anticipate some iPHR users would want to know more about 4. For each such marked item, compile a set of phrases that can be used to retrieve its detailed information as its search guide information



Continuous User Monitoring

Significant weight loss is detected, as you have lost >5% of your weight in the past month. This is particularly problematic as you also have COPD.

COPD patients often experience weight loss, which is associated with increased risks of mortality, disability, and handicap.

COPD patients experiencing weight loss may need nutritional therapy. (Click here to view related food and nutritional supplements.) Since weight loss in COPD patients is often accompanied by muscle wasting, nutritional therapy may only be effective if it is combined with anabolic stimuli such as exercise.

FIGURE 24.5

An example of basic personalized health care information provided by iPHR.



Continuous User Monitoring

The continuous user monitoring function uses all of the materials compiled from these four actions. The solid arrow paths in Figure 24.1 illustrate the overall work flow of continuous user monitoring in iPHR. At a high level, this work flow consists of the following five steps.

In step 1, the user's health data are collected from multiple sources, such as wearable sensors and passive sensors. These data include both discrete events (e.g., sporadically measured body weight) and continuous time series physiological signals (e.g., electrocardiogram).

In step 2, the user's health data are preprocessed to filter out artifacts. Their essential information is then extracted as various kinds of features.

In step 3, abnormal events are detected from the user's health data using triggers.

In iPHR, each trigger corresponds to an abnormal event E_{abnormal} and is of the form

firing condition $C_f \rightarrow$ action A (triggering event $E_{\text{triggering}}$, applicable condition C_a).

meaning that if the applicable condition C_a applies to the user, then the action A will be taken when the triggering event $E_{\text{triggering}}$ occurs and the features extracted from the user's health data satisfy the firing condition C_f describing the abnormal event E_{abnormal} .

In step 4, when one or more abnormal events are detected from the user's health data and their corresponding triggers fire, they are collected together and sent to the natural language generation system of iPHR.

Continuous User Monitoring



Based on how the firing conditions of their corresponding triggers are satisfied, iPHR uses their precompiled templates of basic health care information to generate basic personalized health care information related to them and presents this information to the user on a Web page. Moreover, for each item in this basic health care information that health care professionals mark during trigger compilation time, iPHR automatically adds a hyperlink to this Web page.

In **step 5**, the user views this Web page. If he/she is interested in knowing more details about a specific item in this basic health care information, he/she can click the hyperlink of this item. In this case, iPHR will use the search guide information precompiled for this item to automatically form one or more queries to retrieve detailed information about this item and then present this retrieved information to the user. For example, **chronic obstructive pulmonary disease (COPD)** patients often experience weight loss, an abnormal event that is associated with increased risks of mortality, disability, and handicap. The defining criteria of weight loss are losing >5% weight in the past month or losing >10% weight in the past 6 months. For a user with COPD, iPHR will automatically monitor his/her body weight measures. When iPHR detects that he/she has lost >5% of his/her weight in the past month, iPHR will present to him/her the basic personalized health care information shown in Figure 24.5.

For the “nutritional therapy” item in this basic health care information, the precompiled search guide information contains three phrases: COPD nutritional therapy, COPD nutritional supplement, and COPD nutrition.

If the user clicks this item, iPHR will present the following top results retrieved by these phrases as detailed information about this item: (1) nutritional guidelines for people with COPD (http://my.clevelandclinic.org/disorders/chronic_obstructive_pulmonary_disease_copd/hic_nutritional_guidelines_for_people_with_copd.aspx), (2) nutrition and COPD—dietary considerations for better breathing (http://www.todaysdietitian.com/newarchives/td_020909p54.shtml), and (3) nutritional therapy for COPD (http://www.lef.org/protocols/respiratory/copd_01.htm).