PoD
PROOF on Demand

Version 2.1.1

Anar Manafov, GSI Darmstadt

pod-agent

made use of the thread pool pattern

- x14 reduced virtual memory consumption*

- 4 threads instead of 80 threads*

- x10 faster on network intensive operations

* when 4 thread in the pool and 80 WNs

PoD
PROOF on Demand

PoD idle monitor

- shut a node down if idle for a defined amount of time

- implemented for both PoD server and PoD worker

- prevent blocking of resources, which are not being used

PoD
PROOF on Demand

a helper header

Problem: PoD's automatic port mapping helps a lot in multi-user environment, but makes it also difficult for a user to track new ports for XPROOF in analysis scripts.

Solution: every time PoD starts, it generates a C/C++ header file which defines the current settings of the environment.

```
#include "pod-master.h"
TProof::Open( Form("%s:%s", POD_MASTER_HOST, POD_XPROOF_PORT) );
```

PoD user defaults

$POD_LOCATION/etc/PoD.cfg

- a value/key configuration file

- a configuration entry point for all PoD modules

- makes it easy to relocate PoD distribution

PoD
PROOF on Demand

pod-console

- monitoring sensors are less aggressive now

- update only what is visible

- sleep if idle - currently under development

PoD utilities

- introduced a new algorithm for the automatic port mapping

- a better handling of concurrent PoD workers or servers on a single multi-core machine

- a job wrapper script got an updated output format

PoD
PROOF on Demand

PoD vs GSI's static PROOF

The following are results of tests processed by Markus Fasel <M.Fasel@gsi.de> using PoD and the static PROOF cluster at GSI.

This is a AliAnalysisTaskHFE analysis. There were 10511 files (1048184 events) processed, which are located on GSI's luster cluster.

The static PROOF cluster and PoD used the same amount of workers: 152.

	Library Load	File validation	Init	Processing rate	Merging	Total analysis time
PoD	0m 28s	0m 14s	0m 36s	1271 evnt./s	5m 16s	19m 38s
GSI's static PROOF cluster	0m 16s	0m 13s	0m 17s	1080 vent./s	24m 3s	39m 0s

PoD
PROOF on Demand

PoD vs GSI's static PROOF

The following are results of tests processed by Jacek Otwinowski <J.Otwinowski@gsi.de> using PoD and the static PROOF cluster at GSI.
This is a Pt analysis. There were 10000 files processed, which are located on GSI's luster cluster.
The static PROOF cluster and PoD used the same amount of workers: 152.

PoD

GSI's static PROOF cluster

ToDo

- pod-console: sleep if there is no interaction

- pod-agent: looking forward for some more speed improvements

- an SSH plug-in development

documentation: http://www-linux.gsi.de/~manafov/D-Grid/docz/
source browser: http://depc218.gsi.de:22222/git/
trac: https://subversion.gsi.de/trac/dgrid
blog: http://proof-on-demand.blogspot.com/

PoD
PROOF on Demand