Cardiology

1. **In adults with resistant hypertension, does renal denervation compared with optimized medical therapy reduce 24-hour ambulatory systolic blood pressure?**
2. **In adults with HFrEF (LVEF ≤40%), does vericiguat compared with placebo reduce heart failure hospitalization?**
3. **In adults post-STEMI, does low-dose colchicine compared with placebo reduce recurrent ischemic cardiovascular events?**
4. **In low-surgical-risk adults with severe aortic stenosis, does transcatheter aortic valve replacement compared with surgical valve replacement improve 1-year mortality?**
5. **In adults with atrial fibrillation and moderate CKD, does apixaban compared with warfarin reduce stroke and systemic embolism?**
6. **In adults with familial hypercholesterolemia, does twice-yearly inclisiran compared with placebo reduce LDL-cholesterol?**
7. **In adults with symptomatic peripheral artery disease, does supervised exercise therapy compared with usual care improve pain-free walking distance?**
8. **In adults with cardiogenic shock, does early mechanical circulatory support compared with standard inotropic therapy improve 30-day survival?**
9. **In adults with obstructive hypertrophic cardiomyopathy, does mavacamten compared with placebo improve exercise capacity?**
10. **In adults with recurrent pericarditis, does rilonacept compared with standard anti-inflammatory therapy reduce recurrence rate?**

Neurology

11. In adults with relapsing-remitting multiple sclerosis, does early high-efficacy therapy compared with an escalation approach reduce disability progression?
12. In adults with chronic migraine, does a CGRP monoclonal antibody compared with placebo reduce monthly migraine days?
13. In adults with medication-refractory Parkinson's tremor, does focused ultrasound thalamotomy compared with continued medical therapy improve tremor control?
14. In adults with acute ischemic stroke presenting in an extended time window, does mechanical thrombectomy compared with medical management alone improve 90-day functional outcome?
15. In adults with SOD1-mutated ALS, does tofersen compared with placebo slow decline in functional status?
16. In adults with drug-resistant focal epilepsy, does responsive neurostimulation compared with adjusted antiseizure medication reduce seizure frequency?
17. In adults with early symptomatic Alzheimer's disease, does lecanemab compared with placebo slow cognitive and functional decline?
18. In adults with narcolepsy type 1, does an orexin receptor agonist compared with placebo reduce excessive daytime sleepiness?

Oncology

19. In adults with EGFR-mutated metastatic NSCLC, does osimertinib compared with platinum-based chemotherapy improve progression-free survival?
20. In adults with metastatic melanoma, does combination checkpoint inhibitor therapy compared with single-agent therapy improve overall survival?
21. In adults with borderline-resectable pancreatic cancer, does neoadjuvant chemotherapy compared with upfront surgery improve R0 resection rate?
22. In adults with BRCA-mutated metastatic castration-resistant prostate cancer, does a PARP inhibitor plus androgen deprivation compared with androgen deprivation alone improve progression-free survival?
23. In adults with relapsed/refractory diffuse large B-cell lymphoma, does CAR T-cell therapy compared with standard salvage chemotherapy improve complete remission rate?
24. In adults with newly diagnosed ovarian cancer, does maintenance PARP inhibitor therapy compared with observation improve progression-free survival?
25. In adults with unresectable hepatocellular carcinoma, does atezolizumab plus bevacizumab compared with sorafenib improve overall survival?
26. In adults with early-stage triple-negative breast cancer, does neoadjuvant immunotherapy plus chemotherapy compared with chemotherapy alone improve pathologic complete response?
27. In adults with chronic-phase CML resistant to first-line TKI, does asciminib compared with a second-generation TKI improve major molecular response?
28. In adults with locally advanced cervical cancer, does pembrolizumab added to chemoradiation compared with chemoradiation alone improve progression-free survival?

Gastroenterology

29. In adults with moderate-to-severe ulcerative colitis, does upadacitinib compared with placebo induce clinical remission?
30. In adults with moderate-to-severe Crohn's disease, does risankizumab compared with placebo improve endoscopic response?
31. In adults with biopsy-confirmed NASH and significant fibrosis, does resmetirom compared with placebo improve liver fibrosis?
32. In adults with PPI-refractory GERD, does magnetic sphincter augmentation compared with continued PPI therapy improve symptom control?
33. In adults with irritable bowel syndrome, does gut-directed hypnotherapy compared with standard dietary management reduce symptom severity?
34. In adults with decompensated cirrhosis and refractory ascites, does early TIPS placement compared with standard large-volume paracentesis improve transplant-free survival?
35. In adults with biopsy-confirmed celiac disease, does latiglutenase compared with placebo reduce mucosal injury after inadvertent gluten exposure?
36. In adults with predicted severe acute pancreatitis, does early enteral feeding compared with delayed enteral feeding reduce infectious complications?

Nephrology

37. In adults with CKD stage 3-4 and albuminuria, does finerenone compared with placebo slow eGFR decline?
38. In adults with active lupus nephritis, does voclosporin added to standard therapy compared with standard therapy alone improve renal response?

39. In adults on maintenance hemodialysis, does daprodustat compared with an erythropoiesis-stimulating agent achieve comparable hemoglobin control?
40. In adults with autosomal dominant polycystic kidney disease, does tolvaptan compared with placebo slow total kidney volume growth?
41. In adults with primary FSGS, does sparsentan compared with irbesartan reduce proteinuria?
42. In adult kidney transplant recipients, does belatacept-based immunosuppression compared with tacrolimus-based therapy reduce metabolic adverse events?
43. In adults with CKD and hyperkalemia on RAAS inhibitors, does patiromer compared with placebo enable continuation of RAAS inhibitor therapy?
44. In adults with type 2 diabetes and diabetic kidney disease, does semaglutide compared with placebo slow progression of kidney disease?

Rheumatology

45. In adults with rheumatoid arthritis inadequately responsive to methotrexate, does a JAK inhibitor compared with a TNF inhibitor achieve ACR50 response?
46. In adults with active axial spondyloarthritis, does an IL-17 inhibitor compared with placebo improve disease activity scores?
47. In adults with refractory gout, does pegloticase compared with standard urate-lowering therapy achieve target serum urate levels?
48. In adults with diffuse cutaneous systemic sclerosis, does autologous stem cell transplantation compared with cyclophosphamide improve modified Rodnan skin score?
49. In adults with moderate-to-severe systemic lupus erythematosus, does anifrolumab compared with placebo reduce disease activity?
50. In adults with polymyalgia rheumatica, does sarilumab compared with standard glucocorticoid taper enable earlier steroid discontinuation?
51. In adults with active psoriatic arthritis, does bimekizumab compared with placebo achieve minimal disease activity?
52. In adults with newly diagnosed giant cell arteritis, does tocilizumab compared with a standard glucocorticoid taper reduce relapse rate?
53. In adults with ANCA-associated vasculitis, does avacopan compared with a standard glucocorticoid taper reduce disease relapse?
54. In adults with fibromyalgia, does cognitive behavioral therapy compared with pharmacologic therapy alone improve pain and function scores?

Pulmonology

55. In adults with moderate-to-severe COPD, does triple inhaler therapy compared with dual bronchodilator therapy reduce exacerbation rate?
56. In adults with severe eosinophilic asthma, does dupilumab compared with placebo reduce annualized exacerbation rate?
57. In adults with pulmonary arterial hypertension, does sotatercept added to background therapy compared with background therapy alone improve exercise capacity?
58. In adults with moderate-to-severe obstructive sleep apnea, does hypoglossal nerve stimulation compared with CPAP therapy improve apnea-hypopnea index?
59. In adults with non-cystic-fibrosis bronchiectasis, does inhaled antibiotic therapy compared with placebo reduce exacerbation frequency?
60. In adults with pulmonary sarcoidosis, does infliximab compared with standard corticosteroid therapy improve pulmonary function?

61. In adults with moderate-to-severe COVID-19 ARDS, does a structured prone positioning protocol compared with standard supine care improve oxygenation?
62. In adults with alpha-1 antitrypsin deficiency-related emphysema, does augmentation therapy compared with placebo slow decline in lung density?

Pediatrics

63. In preterm infants, does early caffeine therapy compared with delayed initiation reduce apnea of prematurity?
64. In children with severe eosinophilic asthma, does mepolizumab compared with placebo reduce exacerbation frequency?
65. In fetuses with severe congenital diaphragmatic hernia, does fetal endoscopic tracheal occlusion compared with standard postnatal care improve survival to discharge?
66. In children with ADHD, does structured behavioral therapy compared with stimulant medication alone improve symptom control?
67. In preterm and term infants entering their first RSV season, does nirsevimab compared with placebo reduce RSV-related hospitalization?
68. In children with type 1 diabetes, does automated insulin delivery compared with multiple daily injections improve time in glycemic range?
69. In neonates with severe hyperbilirubinemia, does intensive phototherapy compared with standard phototherapy reduce need for exchange transfusion?
70. In children with steroid-dependent nephrotic syndrome, does rituximab compared with standard immunosuppression reduce relapse rate?

Emergency Medicine

71. In adults with septic shock, does a restrictive fluid resuscitation strategy compared with usual liberal fluid resuscitation improve 90-day survival?
72. In adults with major trauma, does early whole blood transfusion compared with component therapy improve 24-hour survival?
73. In adults with suspected pulmonary embolism in the ED, does point-of-care ultrasound compared with CT pulmonary angiography reduce time to diagnosis?
74. In adults with acute severe agitation, does intramuscular ketamine compared with intramuscular haloperidol achieve faster adequate sedation?
75. In adults with STEMI in rural settings without timely PCI access, does prehospital fibrinolysis compared with transfer for primary PCI reduce time-to-treatment mortality?
76. In adults presenting with anaphylaxis, does an early structured epinephrine protocol compared with delayed administration reduce biphasic reactions?
77. In adults with significant traumatic hemorrhage, does early tranexamic acid compared with placebo reduce all-cause mortality?
78. In adults presenting with chest pain, does a rapid high-sensitivity troponin protocol compared with a standard-interval protocol reduce ED length of stay?

Orthopedics

79. In adults with symptomatic rotator cuff tears, does arthroscopic repair compared with structured physical therapy improve shoulder function scores?
80. In adults with lumbar spinal stenosis, does interspinous process decompression compared with open surgical decompression improve pain and function scores?
81. In adolescents and young adults with ACL tears, does bridge-enhanced ACL repair compared with standard reconstruction improve return-to-sport rate?

82. In adults with displaced distal radius fractures, does volar locking plate fixation compared with cast immobilization improve wrist function at 1 year?
83. In adults with chronic plantar fasciitis, does platelet-rich plasma injection compared with corticosteroid injection reduce pain at 6 months?
84. In adults undergoing total hip arthroplasty, does the direct anterior approach compared with the posterior approach reduce early dislocation rate?
85. In adults with acute Achilles tendon rupture, does early functional rehabilitation compared with surgical repair improve return to pre-injury activity?
86. In adults with osteoporotic vertebral compression fractures, does vertebroplasty compared with conservative management reduce pain at 6 months?

Obs/Gyn

87. In pregnant women with gestational diabetes, does continuous glucose monitoring compared with self-monitored blood glucose improve glycemic control?
88. In women with moderate-to-severe endometriosis-associated pain, does a GnRH antagonist compared with standard hormonal therapy reduce pelvic pain?
89. In pregnant women at high risk for preeclampsia, does aspirin initiated before 16 weeks compared with standard-timing initiation reduce incidence of preeclampsia?
90. In women undergoing IVF, does elective single embryo transfer compared with double embryo transfer reduce multiple pregnancy rate?
91. In women at high risk for postpartum hemorrhage, does prophylactic tranexamic acid added to standard uterotonics compared with uterotonics alone reduce blood loss?
92. In women with PCOS seeking pregnancy, does inositol supplementation compared with metformin improve ovulation rate?
93. In pregnant women with placenta previa, does scheduled early-term delivery compared with expectant management reduce maternal hemorrhage?
94. In postmenopausal women with osteoporosis, does romosozumab compared with a bisphosphonate improve bone mineral density at 12 months?

Dermatology

95. In adults with moderate-to-severe atopic dermatitis, does lebrikizumab compared with placebo improve EASI-75 response?
96. In adults with moderate-to-severe hidradenitis suppurativa, does secukinumab compared with placebo reduce abscess and inflammatory nodule count?
97. In adults with chronic spontaneous urticaria uncontrolled on standard-dose omalizumab, does dose escalation compared with continued standard dosing improve symptom control?
98. In adults with moderate-to-severe alopecia areata, does a JAK inhibitor compared with placebo improve hair regrowth on the SALT score?
99. In adults with low-risk basal cell carcinoma, does Mohs micrographic surgery compared with standard surgical excision reduce recurrence rate?
100. In adults with moderate-to-severe plaque psoriasis, does deucravacitinib compared with apremilast improve PASI-75 response at 16 weeks?

Cardiology

1. In adults with resistant hypertension, does renal denervation compared with optimized medical therapy reduce 24-hour ambulatory blood pressure at 6 months?
2. In patients with stable angina, does fractional flow reserve (FFR)-guided percutaneous coronary intervention compared with medical therapy alone improve long-term survival?
3. In adults with heart failure with reduced ejection fraction (HFrEF), does the addition of a wearable defibrillator compared with standard care reduce sudden cardiac death during the first 90 days post-discharge?
4. In patients undergoing CABG, does the use of bilateral internal mammary arteries compared with a single internal mammary artery reduce 10-year major adverse cardiac events?
5. In older adults with severe aortic stenosis, does TAVR compared with surgical aortic valve replacement reduce 30-day mortality?
6. In adults with hypertrophic cardiomyopathy, does mavacamten compared with placebo improve exercise capacity?
7. In patients with recurrent pericarditis, does rilonacept compared with placebo reduce the frequency of future recurrences?
8. In adults with suspected coronary artery disease, does a CTA-first strategy compared with functional stress testing reduce the incidence of downstream myocardial infarction?
9. In patients with acute decompensated heart failure, does early administration of intravenous iron compared with oral iron improve 30-day rehospitalization rates?

Neurology

10. In adults with acute ischemic stroke, does tenecteplase compared with alteplase improve 90-day modified Rankin Scale scores?
11. In patients with Parkinson's disease, does focused ultrasound thalamotomy compared with deep brain stimulation improve motor symptom scores at 12 months?
12. In adults with relapsing-remitting multiple sclerosis, does ocrelizumab compared with interferon beta-1a reduce annualized relapse rates?
13. In patients with migraine, does eptinezumab compared with oral topiramate reduce the number of monthly migraine days?
14. In adults with moderate Alzheimer’s disease, does lecanemab compared with placebo slow the rate of cognitive decline over 18 months?
15. In patients with status epilepticus, does intravenous brivaracetam compared with intravenous phenytoin achieve faster seizure cessation?
16. In adults with amyotrophic lateral sclerosis (ALS), does edaravone compared with placebo delay the progression of respiratory failure?
17. In patients with trigeminal neuralgia, does Botox injection compared with oral carbamazepine provide superior pain relief at 3 months?
18. (Diagnostic) In adults with suspected early-onset dementia, does amyloid PET imaging compared with CSF biomarker analysis provide higher diagnostic accuracy?

Oncology

19. In adults with advanced non-small cell lung cancer (NSCLC), does neoadjuvant immunotherapy compared with upfront surgery improve overall survival?
20. In patients with castrate-resistant prostate cancer, does lutetium-177-PSMA compared with cabazitaxel increase progression-free survival?
21. In premenopausal women with HR-positive breast cancer, does ovarian suppression plus an aromatase inhibitor compared with tamoxifen alone reduce 5-year recurrence rates?
22. In adults with metastatic melanoma, does combined nivolumab and ipilimumab compared with pembrolizumab monotherapy improve 2-year overall survival?
23. In patients with pancreatic adenocarcinoma, does FOLFIRINOX compared with gemcitabine plus nab-paclitaxel improve median overall survival?
24. In adults with locally advanced cervical cancer, does the addition of pembrolizumab to chemoradiotherapy compared with chemoradiotherapy alone improve progression-free survival?
25. In patients with resected stage III colon cancer, does a 3-month duration of oxaliplatin-based chemotherapy compared with a 6-month duration non-inferiorly maintain disease-free survival while reducing neuropathy?
26. In adults with relapsed Hodgkin lymphoma, does brentuximab vedotin compared with standard salvage chemotherapy improve complete response rates?
27. (Diagnostic) In individuals at high risk for hepatocellular carcinoma, does abbreviated MRI compared with standard ultrasound improve early tumor detection rates?

Gastroenterology

28. In adults with severe alcoholic hepatitis, does the addition of N-acetylcysteine to corticosteroids compared with corticosteroids alone reduce 28-day mortality?
29. In patients with Crohn's disease, does upfront biologic therapy compared with a step-up conventional approach increase 12-month mucosal healing rates?
30. In adults with eosinophilic esophagitis, does dupilumab compared with swallowed topical corticosteroids improve histologic remission rates?
31. In patients with chronic hepatitis B, does tenofovir alafenamide compared with entecavir reduce the incidence of hepatocellular carcinoma over 5 years?
32. In adults with irritable bowel syndrome with diarrhea (IBS-D), does rifaximin compared with placebo improve global symptom relief at 4 weeks?
33. In patients with decompensated cirrhosis, does the placement of a TIPS compared with large-volume paracentesis improve 1-year transplant-free survival?
34. In adults with achalasia, does peroral endoscopic myotomy (POEM) compared with pneumatic dilation improve Eckardt scores at 2 years?
35. In patients with mild acute pancreatitis, does aggressive intravenous fluid resuscitation compared with standard fluid resuscitation reduce the rate of progression to severe pancreatitis?
36. (Diagnostic) In adults undergoing screening colonoscopy, does the use of artificial intelligence-assisted polyp detection compared with standard colonoscopy increase the adenoma detection rate?

Nephrology

37. In adults with advanced chronic kidney disease (CKD stage 4-5), does a plant-dominant low-protein diet compared with a standard low-protein diet delay the need for dialysis?
38. In patients with ANCA-associated vasculitis, does avacopan compared with high-dose corticosteroids non-inferiorly maintain clinical remission at 26 weeks?
39. In incident hemodialysis patients, does the use of an arteriovenous fistula compared with a central venous catheter reduce the risk of all-cause mortality?
40. In adults with autosomal dominant polycystic kidney disease (ADPKD), does tolvaptan compared with placebo slow the decline of estimated GFR over 3 years?
41. In kidney transplant recipients, does early steroid withdrawal compared with long-term low-dose steroid maintenance reduce the incidence of post-transplant diabetes?
42. In patients with contrast-induced nephropathy risk, does targeted hydration with sodium bicarbonate compared with normal saline reduce the incidence of acute kidney injury?
43. In adults with lupus nephritis, does the addition of belimumab to standard induction therapy compared with standard therapy alone improve renal response rates at 2 years?
44. (Diagnostic) In patients with suspected acute interstitial nephritis, does measurement of urinary TNF-alpha compared with kidney biopsy accurately confirm the diagnosis?

Rheumatology

45. In adults with early rheumatoid arthritis, does a treat-to-target strategy aiming for deep remission compared with routine care improve radiographic joint outcomes at 2 years?
46. In patients with ankylosing spondylitis, does secukinumab compared with adalimumab provide superior reduction in the BASDAI score at 16 weeks?
47. In adults with gout, does pegloticase combined with methotrexate compared with pegloticase alone improve the resolution of tophi?
48. In patients with systemic sclerosis, does autologous hematopoietic stem cell transplantation compared with monthly cyclophosphamide improve skin thickness scores?
49. In adults with giant cell arteritis, does tocilizumab plus a 26-week prednisone taper compared with a 52-week prednisone taper alone reduce disease flares?
50. In patients with fibromyalgia, does a structured progressive resistance training program compared with aerobic exercise alone improve FIQ (Fibromyalgia Impact Questionnaire) scores?
51. In adults with active polymyalgia rheumatica, does sarilumab compared with placebo increase the proportion of patients achieving sustained remission?
52. (Prognostic) In asymptomatic individuals with positive anti-CCP antibodies, does musculoskeletal ultrasound detect early joint inflammation better than clinical examination?

Pulmonology

53. In adults with severe COPD, does triple inhalation therapy (ICS/LAMA/LABA) compared with dual therapy (LAMA/LABA) reduce the rate of moderate-to-severe exacerbations?
54. In patients with obstructive sleep apnea, does hypoglossal nerve stimulation compared with CPAP therapy improve daytime sleepiness scores in non-adherent patients?
55. In adults with acute respiratory distress syndrome (ARDS), does prone positioning combined with inhaled nitric oxide compared with prone positioning alone reduce 28-day mortality?
56. In patients with pulmonary arterial hypertension, does initial combination therapy with macitentan and tadalafil compared with monotherapy delay clinical worsening?
57. In adults with severe asthma, does tezepelumab compared with benralizumab achieve a greater reduction in annualized asthma exacerbation rates?
58. In patients with cystic fibrosis, does elexacaftor/tezacaftor/ivacaftor compared with lumacaftor/ivacaftor improve FEV1 percentages at 24 weeks?
59. In adults with non-cystic fibrosis bronchiectasis, does long-term inhaled tobramycin compared with placebo reduce the frequency of pulmonary exacerbations?
60. (Diagnostic) In patients with suspected pulmonary embolism, does the age-adjusted D-dimer threshold compared with a fixed threshold safely reduce the need for CT pulmonary angiography?

Pediatrics

61. In neonates with respiratory distress syndrome, does minimally invasive surfactant administration (MISA) compared with standard intubation and surfactant delivery reduce the incidence of bronchopulmonary dysplasia?
62. In infants with gastroesophageal reflux disease, does a thickened formula compared with proton pump inhibitors improve weight gain at 3 months?
63. In children with attention-deficit/hyperactivity disorder (ADHD), does behavioral therapy alone compared with low-dose methylphenidate provide equivalent symptom control?
64. In pediatric patients with status asthmaticus, does the addition of intravenous magnesium sulfate to standard therapy compared with standard therapy alone reduce hospital admission rates?
65. In neonates with early-onset sepsis risk, does a serial clinical observation strategy compared with empirical antibiotic therapy reduce total days of antibiotic exposure?
66. In children with autism spectrum disorder, does early intensive behavioral intervention (EIBI) compared with standard special education improve adaptive behavior scores at 5 years?
67. In pediatric patients with type 1 diabetes, does a closed-loop insulin delivery system compared with multiple daily injections improve time-in-range?
68. In adolescents with severe obesity, does bariatric surgery compared with intensive lifestyle modification improve the resolution of type 2 diabetes?

Emergency Medicine

69. In adults with acute decompensated heart failure presenting to the ED, does early non-invasive positive pressure ventilation compared with high-flow oxygen reduce the need for intubation?
70. In patients with suspected appendicitis, does a point-of-care ultrasound-first approach compared with immediate CT imaging safely reduce radiation exposure?
71. In adults with Out-of-Hospital Cardiac Arrest (OHCA), does targeted temperature management at 36°C compared with 33°C yield equivalent neurological outcomes?
72. In patients with acute trauma and severe bleeding, does whole blood transfusion compared with component therapy (1:1:1 ratio) improve 24-hour survival?
73. In adults with uncomplicated cellulitis, does a 5-day course of oral antibiotics compared with a 10-day course result in similar clinical cure rates?
74. In patients presenting with acute migraine in the ED, does intravenous haloperidol compared with intravenous metoclopramide achieve faster pain freedom?
75. In adults with severe sepsis, does balanced crystalloid solution compared with normal saline reduce the incidence of major adverse kidney events within 30 days?
76. In pediatric patients with distal forearm fractures, does intranasal fentanyl compared with intravenous morphine provide equivalent pain relief during reduction?

Orthopedics

77. In adults with acute Achilles tendon rupture, does early functional rehabilitation with a walking boot compared with traditional cast immobilization reduce the rate of re-rupture?
78. In patients with displaced midshaft clavicle fractures, does open reduction and internal fixation (ORIF) compared with non-operative management improve shoulder function scores at 1 year?
79. In older adults with femoral neck fractures, does total hip arthroplasty compared with hemiarthroplasty improve functional independence measures at 12 months?
80. In adults with symptomatic lumbar spinal stenosis, does decompression surgery compared with a structured physical therapy program improve Oswestry Disability Index scores?
81. In patients undergoing total knee arthroplasty, does the use of a tourniquet compared with no tourniquet increase the risk of postoperative deep vein thrombosis?
82. In young athletes with anterior cruciate ligament (ACL) tears, does hamstring autograft compared with bone-patellar tendon-bone autograft reduce the risk of graft failure?
83. In adults with rotator cuff tears, does arthroscopic repair with platelet-rich plasma (PRP) augmentation compared with standard arthroscopic repair improve tendon healing rates?
84. In patients with distal radius fractures, does volar locking plate fixation compared with closed reduction and percutaneous pinning provide superior grip strength at 6 months?

Obstetrics & Gynecology

85. In pregnant women with chronic hypertension, does strict blood pressure control (<140/90) compared with standard control (<160/105) reduce the incidence of preeclampsia?

86. In patients with endometriosis-associated pelvic pain, does elagolix compared with leuprolide acetate improve daily pain scores with fewer bone mineral density losses?
87. In women with recurrent pregnancy loss, does the prophylactic use of low-molecular-weight heparin compared with aspirin alone improve live birth rates?
88. In pregnant women at risk for preterm birth, does vaginal progesterone compared with cervical cerclage more effectively prevent delivery before 34 weeks?
89. In postmenopausal women with severe genitourinary syndrome, does fractional CO2 laser therapy compared with vaginal estrogen cream improve vaginal health index scores?
90. In women undergoing hysterectomy for benign disease, does vaginal hysterectomy compared with laparoscopic hysterectomy reduce postoperative recovery time?
91. In patients with polycystic ovary syndrome (PCOS), does letrozole compared with clomiphene citrate result in higher clinical pregnancy rates?
92. In pregnant women with gestational diabetes, does the use of continuous glucose monitoring compared with standard capillary blood glucose testing reduce the rate of fetal macrosomia?

Dermatology

93. In adults with moderate-to-severe plaque psoriasis, does bimekizumab compared with ustekinumab achieve a higher proportion of PASI 100 responses at 16 weeks?
94. In patients with severe hidradenitis suppurativa, does secukinumab compared with adalimumab reduce the number of inflammatory lesions?
95. In children with atopic dermatitis, does proactive application of topical calcineurin inhibitors compared with reactive application reduce the frequency of disease flares?
96. In adults with basal cell carcinoma, does oral vismodegib compared with topical imiquimod improve clinical clearance rates for lesions unsuitable for surgery?
97. In patients with chronic spontaneous urticaria, does ligelizumab compared with omalizumab increase the rate of complete hive resolution?
98. In adults with alopecia areata, does oral baricitinib compared with intralesional corticosteroids improve the Severity of Alopecia Tool (SALT) score at 36 weeks?
99. In patients with localized vitiligo, does combined topical ruxolitinib and narrow-band UVB therapy compared with topical ruxolitinib alone enhance repigmentation?
100. In adults with severe acne vulgaris, does a lower cumulative dose of oral isotretinoin compared with standard dosing achieve similar long-term clearance with fewer adverse effects?