```
In [1]:
         import pandas as pd
         import numpy as np
         import seaborn as sb
         import matplotlib.pyplot as plt
         from sklearn.model selection import train test split
         from sklearn.ensemble import RandomForestRegressor
         from sklearn.metrics import mean_squared_error
In [2]: df = pd.read csv('Alumni Giving Regression (Edited).csv')
In [3]:
         df.head()
Out[3]:
                                       F
                  В
                       С
                             D
                                  Ε
            24 0.42 0.16 0.59 0.81 0.08
             19 0.49 0.04 0.37
                               0.69
             18 0.24 0.17 0.66 0.87 0.31
              8 0.74 0.00 0.81 0.88
                                     0.11
              8 0.95 0.00 0.86 0.92 0.28
In [4]:
         df.describe()
Out[4]:
                                   В
                                              С
                                                         D
                                                                    Ε
                                                                               F
                        Α
          count 123.000000 123.000000 123.000000 123.000000 123.000000 123.000000
          mean
                 17.772358
                             0.403659
                                        0.136260
                                                   0.645203
                                                              0.841138
                                                                         0.141789
                  4.517385
                             0.133897
            std
                                        0.060101
                                                   0.169794
                                                              0.083942
                                                                         0.080674
           min
                  6.000000
                             0.140000
                                        0.000000
                                                   0.260000
                                                              0.580000
                                                                         0.020000
           25%
                 16.000000
                             0.320000
                                        0.095000
                                                   0.505000
                                                              0.780000
                                                                         0.080000
           50%
                 18.000000
                             0.380000
                                        0.130000
                                                   0.640000
                                                              0.840000
                                                                         0.130000
           75%
                 20.000000
                             0.460000
                                        0.180000
                                                   0.785000
                                                              0.910000
                                                                         0.170000
                 31.000000
                             0.950000
                                        0.310000
                                                   0.960000
                                                              0.980000
           max
                                                                         0.410000
In [5]: X = df[['A', 'B', 'C', 'D', 'E']]
         y = df['F']
In [6]: X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, randor
In [7]: model = RandomForestRegressor(n_estimators=100, random_state=42)
```

```
In [8]: model.fit(X_train, y_train)
```

Out[8]: RandomForestRegressor(random_state=42)

In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.

On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.

```
In [9]: y_pred = model.predict(X_test)
```

```
In [10]: mse = mean_squared_error(y_test, y_pred)
print(f"Mean Squared Error: {mse}")
```

Mean Squared Error: 0.003810584000000005

```
In [12]: plt.scatter(X_test['A'], y_test, color='blue', label='Actual Values')
    plt.scatter(X_test['A'], y_pred, color='red', label='Predicted Values')
    plt.xlabel("Feature A")
    plt.ylabel("Target F")
    plt.title("Actual vs Predicted Values for Feature A and Target F (Testing Set)'
    plt.legend()
    plt.show()
```

Actual vs Predicted Values for Feature A and Target F (Testing Set)

