Terminal:

```
Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

D:\Media Vault>node -v
v24.22.0

D:\Media Vault>npm -v
11.19.1

D:\Media Vault>git --version
git version 2.55.0.windows.5

D:\Media Vault>npm create vite@latest . -- --template react
Need to install the following packages:
create-vite@9.2.1
Ok to proceed? (y)

> npx
> create-vite . --template react

|
o  Package name:
|  media-vault
|
o  Which linter to use?
|  ESLint
```

|

o Install with npm and start now?

| Yes

|

o Scaffolding project in D:\Media Vault...

|

o Installing dependencies with npm...

added 143 packages, and audited 144 packages in 1m

31 packages are looking for funding

  run `npm fund` for details

found 0 vulnerabilities

|

o Starting dev server...

> media-vault@0.0.0 dev

> vite

  VITE v8.3.4 ready in 2136 ms

  ➜ Local: http://localhost:5173/

  ➜ Network: use --host to expose

  ➜ press h + enter to show help

hh

h

Shortcuts

press r + enter to restart the server

press u + enter to show server url

press o + enter to open in browser

press c + enter to clear console

press q + enter to quit

o

o

code .

1:18:07 AM [vite] (client) hmr update /src/App.jsx

1:23:07 AM [vite] (client) hmr update /src/App.jsx (x2)

1:23:41 AM [vite] (client) hmr update /src/App.jsx (x3)

Microsoft Windows [Version 10.0.19045.6466]

(c) Microsoft Corporation. All rights reserved.

D:\Media Vault>git status

fatal: not a git repository (or any of the parent directories): .git

D:\Media Vault>git init

Initialized empty Git repository in D:/Media Vault/.git/

D:\Media Vault>git status

On branch master

No commits yet

Untracked files:

(use "git add <file>..." to include in what will be committed)

.gitignore

15 Days/

README.md

eslint.config.js

index.html

package-lock.json

package.json

public/

src/

vite.config.js

nothing added to commit but untracked files present (use "git add" to track)

D:\Media Vault>git config --global user.name "AnasSaifullahDev"

D:\Media Vault>git config --global user.email "anassaifullah336680@gmail.com"

D:\Media Vault>git add

Nothing specified, nothing added.

hint: Maybe you wanted to say 'git add .'?

hint: Disable this message with "git config set advice.addEmptyPathspec false"

D:\Media Vault>git status

On branch master

No commits yet

Untracked files:

(use "git add <file>..." to include in what will be committed)

```
        .gitignore
        15 Days/
        README.md
        eslint.config.js
        index.html
        package-lock.json
        package.json
        public/
        src/
        vite.config.js

nothing added to commit but untracked files present (use "git add" to track)

D:\Media Vault>git commit -m "Initial MediaVault project setup"
On branch master

Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        15 Days/
        README.md
        eslint.config.js
        index.html
        package-lock.json
        package.json
        public/
        src/
```

vite.config.js

nothing added to commit but untracked files present (use "git add" to track)

D:\Media Vault>git add .

warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'eslint.config.js', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'public/icons.svg', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'src/App.css', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'src/App.jsx', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'src/assets/vite.svg', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'src/index.css', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'src/main.jsx', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'vite.config.js', LF will be replaced by CRLF the next time Git touches it

D:\Media Vault>git status

On branch master

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: .gitignore

new file: 15 Days/Day 1.txt

new file: README.md

new file: eslint.config.js

new file: index.html

new file: package-lock.json

new file: package.json

new file: public/favicon.svg

new file: public/icons.svg

new file: src/App.css

new file: src/App.jsx

new file: src/assets/hero.png

new file: src/assets/react.svg

new file: src/assets/vite.svg

new file: src/index.css

new file: src/main.jsx

new file: vite.config.js

D:\Media Vault>git commit -m "Initial MediaVault project setup"

[master (root-commit) ed273f4] Initial MediaVault project setup

17 files changed, 3108 insertions(+)

create mode 100644 .gitignore

create mode 100644 15 Days/Day 1.txt

create mode 100644 README.md

create mode 100644 eslint.config.js

create mode 100644 index.html

create mode 100644 package-lock.json

create mode 100644 package.json

create mode 100644 public/favicon.svg

```
 create mode 100644 public/icons.svg
 create mode 100644 src/App.css
 create mode 100644 src/App.jsx
 create mode 100644 src/assets/hero.png
 create mode 100644 src/assets/react.svg
 create mode 100644 src/assets/vite.svg
 create mode 100644 src/index.css
 create mode 100644 src/main.jsx
 create mode 100644 vite.config.js

D:\Media Vault>git branch -M main

D:\Media Vault>git remote add origin https://github.com/AnasSaifullahDev/MediaVault.git

D:\Media Vault>git push -u origin main
To https://github.com/AnasSaifullahDev/MediaVault.git
 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/AnasSaifullahDev/MediaVault.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

D:\Media Vault>git pull origin main --allow-unrelated-histories
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 866 bytes | 21.00 KiB/s, done.
```

```
From https://github.com/AnasSaifullahDev/MediaVault
 * branch            main       -> FETCH_HEAD
 * [new branch]      main       -> origin/main
Auto-merging README.md
CONFLICT (add/add): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

D:\Media Vault>code README.md

D:\Media Vault>git status
On branch main
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
        both added:      README.md

no changes added to commit (use "git add" and/or "git commit -a")

D:\Media Vault>git add README.md

D:\Media Vault>git status
On branch main
All conflicts fixed but you are still merging.
```

```
  (use "git commit" to conclude merge)

Changes to be committed:
        modified:   README.md



D:\Media Vault>git commit -m "Merge remote README"
[main 6c0c871] Merge remote README

D:\Media Vault>git push -u origin main
Enumerating objects: 28, done.
Counting objects: 100% (28/28), done.
Delta compression using up to 4 threads
Compressing objects: 100% (25/25), done.
Writing objects: 100% (26/26), 45.33 KiB | 2.16 MiB/s, done.
Total 26 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/AnasSaifullahDev/MediaVault.git
   c37d770..6c0c871  main -> main
branch 'main' set up to track 'origin/main'.

D:\Media Vault>


Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

D:\Media Vault>npm run dev

> media-vault@0.0.0 dev
```

> vite

VITE v8.3.4 ready in 1044 ms

➜ Local: http://localhost:5173/

➜ Network: use --host to expose

➜ press h + enter to show help

VITE ready

Local: http://localhost:5173/

2:33:59 AM [vite] (client) hmr update /src/App.jsx

Vs-code:

App.jsx:

```
import { useState } from 'react'
import heroImg from './assets/hero.png'
import reactLogo from './assets/react.svg'
import viteLogo from './assets/vite.svg'
import './App.css'

function App() {
```

```
const [count, setCount] = useState(0)
  const entry = {
  title: "Solo Leveling",
  status: "Currently Reading",
  progress: 543
};

return (
  <>
    <section id="center">
      <div className="hero">
        <img src={heroImg} className="base" width="170" height="179" alt="" />
        <img src={reactLogo} className="framework" alt="React logo" />
        <img src={viteLogo} className="vite" alt="Vite logo" />
      </div>
      <div>
        <h1>MediaVault</h1>
        <p>Your personal media library.</p>

        <h2>{entry.title}</h2>
        <p>Status: {entry.status}</p><p>Progress: Chapter {entry.progress}</p>
      </div>
      <button
        type="button"
        className="counter"
        onClick={() => setCount((count) => count + 1)}
      >
        Count is {count}
      </button>
```

```
</section>

<div className="ticks"></div>

<section id="next-steps">
  <div id="docs">
    <svg className="icon" role="presentation" aria-hidden="true">
      <use href="/icons.svg#documentation-icon"></use>
    </svg>
    <h2>Documentation</h2>
    <p>Your questions, answered</p>
    <ul>
      <li>
        <a href="https://vite.dev/" target="_blank">
          <img className="logo" src={viteLogo} alt="" />
          Explore Vite
        </a>
      </li>
      <li>
        <a href="https://react.dev/" target="_blank">
          <img className="button-icon" src={reactLogo} alt="" />
          Learn more
        </a>
      </li>
    </ul>
  </div>
  <div id="social">
    <svg className="icon" role="presentation" aria-hidden="true">
      <use href="/icons.svg#social-icon"></use>
```

```
</svg>
<h2>Connect with us</h2>
<p>Join the Vite community</p>
<ul>
 <li>
  <a href="https://github.com/vitejs/vite" target="_blank">
   <svg
    className="button-icon"
    role="presentation"
    aria-hidden="true"
   >
    <use href="/icons.svg#github-icon"></use>
   </svg>
   GitHub
  </a>
 </li>
 <li>
  <a href="https://chat.vite.dev/" target="_blank">
   <svg
    className="button-icon"
    role="presentation"
    aria-hidden="true"
   >
    <use href="/icons.svg#discord-icon"></use>
   </svg>
   Discord
  </a>
 </li>
 <li>
```

```
      <a href="https://x.com/vite_js" target="_blank">
       <svg
        className="button-icon"
        role="presentation"
        aria-hidden="true"
       >
        <use href="/icons.svg#x-icon"></use>
       </svg>
       X.com
      </a>
     </li>
     <li>
      <a href="https://bsky.app/profile/vite.dev" target="_blank">
       <svg
        className="button-icon"
        role="presentation"
        aria-hidden="true"
       >
        <use href="/icons.svg#bluesky-icon"></use>
       </svg>
       Bluesky
      </a>
     </li>
    </ul>
   </div>
</section>

<div className="ticks"></div>
<section id="spacer"></section>
```

```
    </>
  )
}

export default App
```

Read.Me:

MediaVault

MediaVault is a personal media tracker built with React and Vite.

Project Goals

- Track books, manhwa, anime, and TV series.
- Organize titles by category and status.
- Track reading or watching progress.
- Search and filter your personal library.
- View library statistics on a dashboard.

Tech Stack

- React
- Vite
- JavaScript
- CSS / Tailwind CSS (planned)
- Supabase (planned)

Development

This project is currently under development as a learning project.

To run it locally:

1. Install dependencies:

```bash
npm install
```

2. Start the development server:

```bash
npm run dev
```

Status

Early development — features will be added gradually.