Terminal:

```
Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Rapid Computer's>cd /d "D:\Media Vault"

D:\Media Vault>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   15 Days/Day 1.txt
        modified:   src/App.jsx

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        15 Days/Day 1.pdf
        code
        git

no changes added to commit (use "git add" and/or "git commit -a")

D:\Media Vault>git diff -- "src/App.jsx" "15 Days/Day 1.txt"
warning: in the working copy of 'src/App.jsx', LF will be replaced by CRLF the next time Git touches it
```

diff --git a/15 Days/Day 1.txt b/15 Days/Day 1.txt

index 711801a..65f4d4d 100644

--- a/15 Days/Day 1.txt

+++ b/15 Days/Day 1.txt

@@ -66,6 +66,410 @@ code .

 1:18:07 AM [vite] (client) hmr update /src/App.jsx

 1:23:07 AM [vite] (client) hmr update /src/App.jsx (x2)

 1:23:41 AM [vite] (client) hmr update /src/App.jsx (x3)

-git status

-vscode:

\ No newline at end of file

+Microsoft Windows [Version 10.0.19045.6466]

+(c) Microsoft Corporation. All rights reserved.

+

+D:\Media Vault>git status

+fatal: not a git repository (or any of the parent directories): .git

+

+D:\Media Vault>git init

+Initialized empty Git repository in D:/Media Vault/.git/

+

+D:\Media Vault>git status

+On branch master

+

+No commits yet

+

+Untracked files:

+ (use "git add <file>..." to include in what will be committed)

placed by CRLF the next time Git touches it

es): .git

tted)

it add" to track)

Dev"

h336680@gmail.com"

mptyPathspec false"

tted)

placed by CRLF the next time Git touches it

es): .git

tted)

diff --git a/15 Days/Day 1.txt b/15 Days/Day 1.txt

```
index 711801a..65f4d4d 100644
--- a/15 Days/Day 1.txt
+++ b/15 Days/Day 1.txt
@@ -66,6 +66,410 @@ code .
 1:18:07 AM [vite] (client) hmr update /src/App.jsx
 1:23:07 AM [vite] (client) hmr update /src/App.jsx (x2)
 1:23:41 AM [vite] (client) hmr update /src/App.jsx (x3)
-git status

-vscode:
\ No newline at end of file
+Microsoft Windows [Version 10.0.19045.6466]
+(c) Microsoft Corporation. All rights reserved.
+
+D:\Media Vault>git status
+fatal: not a git repository (or any of the parent directories): .git
+
+D:\Media Vault>git init
+Initialized empty Git repository in D:/Media Vault/.git/
+
+D:\Media Vault>git status
+On branch master
+
+No commits yet
+
+Untracked files:
+  (use "git add <file>..." to include in what will be committed)
+        .gitignore
warning: in the working copy of 'src/App.jsx', LF will be replaced by CRLF the next time Git touches it
```

diff --git a/15 Days/Day 1.txt b/15 Days/Day 1.txt

index 711801a..65f4d4d 100644

--- a/15 Days/Day 1.txt

+++ b/15 Days/Day 1.txt

@@ -66,6 +66,410 @@ code .

 1:18:07 AM [vite] (client) hmr update /src/App.jsx

 1:23:07 AM [vite] (client) hmr update /src/App.jsx (x2)

 1:23:41 AM [vite] (client) hmr update /src/App.jsx (x3)

-git status

-vscode:

\ No newline at end of file

+Microsoft Windows [Version 10.0.19045.6466]

+(c) Microsoft Corporation. All rights reserved.

+

+D:\Media Vault>git status

+fatal: not a git repository (or any of the parent directories): .git

+

+D:\Media Vault>git init

+Initialized empty Git repository in D:/Media Vault/.git/

+

+D:\Media Vault>git status

+On branch master

+

+No commits yet

+

+Untracked files:

+ (use "git add <file>..." to include in what will be committed)

placed by CRLF the next time Git touches it

es): .git

tted)

warning: in the working copy of 'src/App.jsx', LF will be replaced by CRLF the next time Git touches it

diff --git a/15 Days/Day 1.txt b/15 Days/Day 1.txt

index 711801a..65f4d4d 100644

--- a/15 Days/Day 1.txt

+++ b/15 Days/Day 1.txt

@@ -66,6 +66,410 @@ code .

 1:18:07 AM [vite] (client) hmr update /src/App.jsx

 1:23:07 AM [vite] (client) hmr update /src/App.jsx (x2)

 1:23:41 AM [vite] (client) hmr update /src/App.jsx (x3)

-git status

-vscode:

\ No newline at end of file

+Microsoft Windows [Version 10.0.19045.6466]

+(c) Microsoft Corporation. All rights reserved.

+

+D:\Media Vault>git status

+fatal: not a git repository (or any of the parent directories): .git

+

+D:\Media Vault>git init

+Initialized empty Git repository in D:/Media Vault/.git/

+

+D:\Media Vault>git status

+On branch master

+

+No commits yet

+

+Untracked files:

+ (use "git add <file>..." to include in what will be committed)

placed by CRLF the next time Git touches it

es): .git

tted)

warning: in the working copy of 'src/App.jsx', LF will be replaced by CRLF the next time Git touches it

diff --git a/15 Days/Day 1.txt b/15 Days/Day 1.txt

index 711801a..65f4d4d 100644

--- a/15 Days/Day 1.txt

+++ b/15 Days/Day 1.txt

@@ -66,6 +66,410 @@ code .

 1:18:07 AM [vite] (client) hmr update /src/App.jsx

 1:23:07 AM [vite] (client) hmr update /src/App.jsx (x2)

 1:23:41 AM [vite] (client) hmr update /src/App.jsx (x3)

-git status

-vscode:

\ No newline at end of file

+Microsoft Windows [Version 10.0.19045.6466]

+(c) Microsoft Corporation. All rights reserved.

+

+D:\Media Vault>git status

+fatal: not a git repository (or any of the parent directories): .git

+

+D:\Media Vault>git init

+Initialized empty Git repository in D:/Media Vault/.git/

+

+D:\Media Vault>git status

+On branch master

+

+No commits yet

+

+Untracked files:

+ (use "git add <file>..." to include in what will be committed)

warning: in the working copy of 'src/App.jsx', LF will be replaced by CRLF the next time Git touches it

```
diff --git a/15 Days/Day 1.txt b/15 Days/Day 1.txt
index 711801a..65f4d4d 100644
--- a/15 Days/Day 1.txt
+++ b/15 Days/Day 1.txt
@@ -66,6 +66,410 @@ code .
 1:18:07 AM [vite] (client) hmr update /src/App.jsx
 1:23:07 AM [vite] (client) hmr update /src/App.jsx (x2)
 1:23:41 AM [vite] (client) hmr update /src/App.jsx (x3)
-git status

-vscode:
\ No newline at end of file
+Microsoft Windows [Version 10.0.19045.6466]
+(c) Microsoft Corporation. All rights reserved.
+
+D:\Media Vault>git status
+fatal: not a git repository (or any of the parent directories): .git
+
+D:\Media Vault>git init
+Initialized empty Git repository in D:/Media Vault/.git/
+
+D:\Media Vault>git status
+On branch master
+
+No commits yet
+
+Untracked files:
+  (use "git add <file>..." to include in what will be committed)
+        .gitignore
```

+ 15 Days/

+ README.md

+ eslint.config.js

+ index.html

+ package-lock.json

+ package.json

+ public/

+ src/

+ vite.config.js

+

+nothing added to commit but untracked files present (use "git add" to track)

es): .git

tted)

it add" to track)

```
D:\Media Vault>git remote -v
origin  https://github.com/AnasSaifullahDev/MediaVault.git (fetch)
origin  https://github.com/AnasSaifullahDev/MediaVault.git (push)

D:\Media Vault>git branch --show-current
main

D:\Media Vault>git log -5 --oneline
6c0c871 (HEAD -> main, origin/main) Merge remote README
c37d770 Initial commit
ed273f4 Initial MediaVault project setup

D:\Media Vault>git diff -- src/App.jsx
warning: in the working copy of 'src/App.jsx', LF will be replaced by CRLF the next time Git touches it
diff --git a/src/App.jsx b/src/App.jsx
index 9ea392b..6896409 100644
--- a/src/App.jsx
```

```
+++ b/src/App.jsx
@@ -6,6 +6,11 @@ import './App.css'

 function App() {
   const [count, setCount] = useState(0)
+    const entry = {
+    title: "Solo Leveling",
+    status: "Currently Reading",
+    progress: 543
+  };

   return (
     <>
@@ -18,6 +23,11 @@ function App() {
         <div>
           <h1>MediaVault</h1>
           <p>Your personal media library.</p>
+
+          <h2>{entry.title}</h2>
+          <p>Status: {entry.status}</p>
+          <p>Progress: Chapter {entry.progress}</p>
+          <MediaCard />
         </div>
         <button
           type="button"

D:\Media Vault>git status --short
 M "15 Days/Day 1.txt"
 M src/App.jsx
```

?? "15 Days/Day 1.pdf"

?? code

?? git

D:\Media Vault>findstr /n /c:"function MediaCard" src\App.jsx

130:function MediaCard() {

D:\Media Vault>git config user.email

anassaifullah336680@gmail.com

D:\Media Vault>git add src/App.jsx

warning: in the working copy of 'src/App.jsx', LF will be replaced by CRLF the next time Git touches it

D:\Media Vault>git status

On branch main

Your branch is up to date with 'origin/main'.

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: src/App.jsx

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: 15 Days/Day 1.txt

Untracked files:

(use "git add <file>..." to include in what will be committed)

15 Days/Day 1.pdf

code

git

```
D:\Media Vault>git commit -m "Add MediaCard component and sample media entry"
[main dfdea39] Add MediaCard component and sample media entry
 1 file changed, 19 insertions(+)

D:\Media Vault>git push origin main
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 650 bytes | 92.00 KiB/s, done.
Total 4 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
To https://github.com/AnasSaifullahDev/MediaVault.git
   6c0c871..dfdea39  main -> main

D:\Media Vault>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   15 Days/Day 1.txt

Untracked files:
```

(use "git add <file>..." to include in what will be committed)

15 Days/Day 1.pdf

code

git

no changes added to commit (use "git add" and/or "git commit -a")

D:\Media Vault>Your branch is up to date with 'origin/main'.

'Your' is not recognized as an internal or external command,

operable program or batch file.

D:\Media Vault>

Code:

App.jsx:

```
import { useState } from 'react'
import heroImg from './assets/hero.png'
import reactLogo from './assets/react.svg'
import viteLogo from './assets/vite.svg'
import './App.css'

function App() {
  const [count, setCount] = useState(0)
```

```
  const entry = {
  title: "Solo Leveling",
  status: "Currently Reading",
  progress: 543
};

return (
  <>
    <section id="center">
      <div className="hero">
        <img src={heroImg} className="base" width="170" height="179" alt="" />
        <img src={reactLogo} className="framework" alt="React logo" />
        <img src={viteLogo} className="vite" alt="Vite logo" />
      </div>
      <div>
        <h1>MediaVault</h1>
        <p>Your personal media library.</p>

        <h2>{entry.title}</h2>
        <p>Status: {entry.status}</p>
        <p>Progress: Chapter {entry.progress}</p>
        <MediaCard />
      </div>
      <button
        type="button"
        className="counter"
        onClick={() => setCount((count) => count + 1)}
      >
        Count is {count}
```

```
  </button>
</section>

<div className="ticks"></div>

<section id="next-steps">
  <div id="docs">
    <svg className="icon" role="presentation" aria-hidden="true">
      <use href="/icons.svg#documentation-icon"></use>
    </svg>
    <h2>Documentation</h2>
    <p>Your questions, answered</p>
    <ul>
      <li>
        <a href="https://vite.dev/" target="_blank">
          <img className="logo" src={viteLogo} alt="" />
          Explore Vite
        </a>
      </li>
      <li>
        <a href="https://react.dev/" target="_blank">
          <img className="button-icon" src={reactLogo} alt="" />
          Learn more
        </a>
      </li>
    </ul>
  </div>
  <div id="social">
    <svg className="icon" role="presentation" aria-hidden="true">
```

```
  <use href="/icons.svg#social-icon"></use>
</svg>
<h2>Connect with us</h2>
<p>Join the Vite community</p>
<ul>
  <li>
    <a href="https://github.com/vitejs/vite" target="_blank">
      <svg
        className="button-icon"
        role="presentation"
        aria-hidden="true"
      >
        <use href="/icons.svg#github-icon"></use>
      </svg>
      GitHub
    </a>
  </li>
  <li>
    <a href="https://chat.vite.dev/" target="_blank">
      <svg
        className="button-icon"
        role="presentation"
        aria-hidden="true"
      >
        <use href="/icons.svg#discord-icon"></use>
      </svg>
      Discord
    </a>
  </li>
```

```
    <li>
      <a href="https://x.com/vite_js" target="_blank">
        <svg
          className="button-icon"
          role="presentation"
          aria-hidden="true"
        >
          <use href="/icons.svg#x-icon"></use>
        </svg>
        X.com
      </a>
    </li>
    <li>
      <a href="https://bsky.app/profile/vite.dev" target="_blank">
        <svg
          className="button-icon"
          role="presentation"
          aria-hidden="true"
        >
          <use href="/icons.svg#bluesky-icon"></use>
        </svg>
        Bluesky
      </a>
    </li>
  </ul>
 </div>
</section>

<div className="ticks"></div>
```

```
      <section id="spacer"></section>
    </>
  )
}

function MediaCard() {
  return (
    <div>
      <h2>My Media Card</h2>
      <p>This is my first reusable component.</p>
    </div>
  );
}

export default App
```