- Possibilité de se connecter en tant qu'administrateur

```
| Section of Companies of Compa
```

```
ch2> Page de connexion Administrateur

c*php echo form_open('formulaire/testConnexionAdmin');?>

Identifiant (email)
<input type='email' name='mailAdmin' value="" /><br>
Mot de passe
<input type='password' name='mdpAdmin' value ="" sire="50"/><br>
<input type='password' name='mdpAdmin' value ="" sire="50"/><br>
<input type='submit' value='Connexion'>
```

- Un administrateur peut gérer les réservations



#### View



### Contrôleur

#### Modèle

```
public function getModifDemande() {
         state tunction getwointemande()
sthis>odb->select('')
->from('reservation')
->where('idreserv', Sthis->input->post('idreservAccepter'));
squery=Sthis>odb->qee();
return $query->result_array();
                                                                                                                                                                                                                          return $this->db->insert('reservation', $data);
                                                                                                                                                                                                                  );
return Sthis->db->insert('reservation', Sdata);
public function getRecupInfoRefuser() {
    $\text{chis}$->\text{de}$->\text{select('')}
    $\text{chis}$->\text{de}$->\text{from} ('verificationreservation')
    -\text{vhere} ('idreserv', $\text{chis}$->\text{input}->\text{post}('idreservRefuser'));
    $\text{cquery}$ \text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de}$-\text{de
                                                                                                                                                                                                         public function setSuppressionTempo() {
    Sdata = Schis->input->post('idreserv');
    Schis->ob->where('idreserv', Sdata);
    return Sthis->db->delete('verificationreservation');
}
public function setUpdateReserv() {
               $data = array(
                               'datereservation'=> $this->input->post('datereservation'),
                              'nbpersonnes'=> $this->input->post('nbpersonnes'),
                              'datevacances'=> $this->input->post('datevacances'),
                              'typepension'=> $this->input->post('typepension'),
                              'menagereservation'=> 'false'.
                              'etatreserv'=> "Reserve",
                $this->db->where('idreserv', $this->input->post('idreserv'));
               return $this->db->update('reservation',$data);
```

#### - Affichage des réservations non-validé

# View

## Model

#### Controler

```
public function monProfil() {
    if (isset($this->session->id)) {
        $data['dataReservation']=$this->Reservation_modele->getReservation();
        $data['ReservConfirmer']=$this->Reservation_modele->getReservConfirmer();
        $data['dataNumClient']=$this->Reservation_modele->getId();
        echo ("Compte : ".$this->session->id."<br/>'/echo ("num : ".$this->session->numClient."<br/>');
        //echo ("num : ".$this->session->numClient."<br/>');
        $this->load->view('formulaire/profil',$data);
}
```