Class 04: SemEval shared tasks

October 2, 2017

Introduction

What is SemEval?

- International competition for semantic analysis systems
- 20-years old
- Started because evaluating semantics was hard and systems weren't really comparable

History

| | Year | Location | Tasks |
|--------------|------|-----------|-------|
| Senseval-1 | 1998 | Sussex | _ |
| Senseval-2 | 2001 | Toulouse | _ |
| Senseval-3 | 2004 | Barcelona | _ |
| SemEval-2007 | 2007 | Prague | 19 |
| SemEval-2010 | 2010 | Uppsala | 18 |
| SemEval-2012 | 2012 | Montreal | 8 |
| SemEval-2013 | 2013 | Atlanta | 14 |
| SemEval-2014 | 2014 | Dublin | 10 |
| SemEval-2015 | 2015 | Denver | 18 |
| SemEval-2016 | 2016 | San Diego | 14 |
| SemEval-2017 | 2017 | Vancouver | 12 |
| SemEval-2018 | 2018 | TBA | 12 |

This year

This year

- Twelve tasks in five main areas
 - Affect and creative language in tweets
 - Coreference
 - Information extraction
 - Lexical semantics
 - Reading comprehension and reasoning
- SemEval-2018 will be the 12th workshop on semantic evaluation and will be located at [TBD].
- Languages represented:
 - English (12), Spanish (3), Italian (1), Arabic (1)

Timeline

25 September Data ready, evaluation script and baseline system available.

08 January Evaluation period starts
29 January Evaluation period ends

26 February System description paper deadline

2 April Paper notifications

16 April Camera-ready submissions due

Approximately 13 weeks to get a system up and running.

Vyshka participation

Why participate in a shared task?

- Great learning experience
- All participants get to send a system description paper
 - Co-located with a high-level conference (NAACL, ACL, COLING, ...)
- Looks good on CV both "participated" and "was best in x"
 - Especially if you're planning on applying for PhD positions

What next?

- Describe (most of) this year's tasks
- See if any of them look interesting
- Check out some of the baseline systems

Affect and creative language in

tweets

Task 1: Affect in Tweets

Previous datasets / tasks have focussed on simple binary classification of emotion. This task looks at how much of each emotion is felt.

For example, given a tweet:

detect the emotional intensity of {anger, fear, joy, sadness} from 0..1



Languages: English, Arabic, Spanish

0.9 Joy

0.0 Fear

0.0 Sadness

0.1 Anger

Tweet ID, Tweet text, emotion, intensity

```
I'm much to full of resentment
11615
                                     anger
                                               0.688
11570
      Blood is boiling anger
                                   0.729
11571
      why aggravate me on purpose? anger
                                             0.604
11572
      @DonnyMurray I'm just no offended by stuff.
                                                           0.479
                                             anger
11574
      @Matt Lat fuming ain't the word
                                       anger
                                                0.646
. . .
```

7

Task 2: Multilingual emoji prediction



Task, given a tweet,

- predict which emoji the tweet had beforehand.
- single emoji per tweet.



Languages: US English, Spanish

Only available after registering

https://github.com/fvancesco/Semeval2018-Task2-Emoji-Detection/

Training data:

- O A little throwback with my favourite person @ Water Wall
- 2 Who never... @ A Galaxy Far Far Away
- 9 Birthday Kisses @ Madison, Wisconsin

Labels:

9

Task 3: Irony detection in English tweets

Irony: A trope or figurative language use whose actual meaning differs from what is literally enunciated.

Two tasks:

- Binary classification ironic/not ironic
- Four-way classification:
 - 0) Non-ironic: ...And it's payday. THIS IS A GOOD FRIDAY
 - Polarity contrast: I love waking up with migraines #not :'(
 - Situational: Event technology session is having Internet problems. #irony
 - Other: @someuser Yeah keeping cricket clean, that's what he wants #Sarcasm

Languages: English

Task A: (Binary)


```
1907
                It's #cute to be awake right now
2415
                Wishing my relationship was that real
1454
        1
                Good thing y days not ruined....
                Not this room please I don't want this
2493
        0
2725
        0
                @ajb 16 shouldn't you's be in school??
1294
        0
                I'm so ready to get drunk tonight
2480
                Dead supportive family I've got.
```

Task B: (4-way)

| 1907 | 0 | It's #cute to be awake right now |
|------|---|--|
| 2993 | 2 | Spilled milk onto my boob. Oh the . |
| 3527 | 2 | I cant even watch anime in japan |
| 3504 | 3 | On a small diet http://t.co/UsLZOgYmEx |
| 2198 | 3 | @torrentfreak We should monitor them |
| 2480 | 1 | Dead supportive family I've got. |
| | | |

Coreference


Task 4: Character identification on multiparty dialogues



| | | | | | | | | Speaker | | Entity ID | |
|---|---|------|-----|--------------|------|---|---|---------------|---|-----------|----|
| 0 | 0 | He | PRP | (TOP(S(NP*) | he | - | - | Monica_Geller | * | (284) | |
| 0 | 1 | 's | VBZ | (VP* | be | - | - | Monica_Geller | * | - | |
| 0 | 2 | just | RB | (ADVP*) | just | - | - | Monica_Geller | * | - | |
| 0 | 3 | some | DT | (NP(NP* | some | - | - | Monica_Geller | * | - | |
| 0 | 4 | guy | NN | *) | guy | - | - | Monica_Geller | * | (284) | |
| 0 | 5 | 1 | PRP | (SBAR(S(NP*) | 1 | - | - | Monica_Geller | * | (248) | |
| 0 | 6 | work | VBP | (VP* | work | - | - | Monica_Geller | * | - | |
| 0 | 7 | with | IN | (PP*)))))) | with | - | - | Monica_Geller | * | - | 10 |
| 0 | 8 | ! | | *)) | ! | - | - | Monica_Geller | * | - | 12 |

Task 5: Counting events and participants in the long tail

Given a question, find news articles that correspond to the question.



Difficulty:


 For each correct article, there are 674 incorrect articles with overlapping context

Languages: English

Only available after registering

Lexical semantics

Task 9: Hypernym discovery



| Term | Hypernym(s) | Source |
|-------------|-----------------------------------|---|
| dog | canine, mammal, animal | WordNet |
| guacamole | salsa para mojar, alimento, salsa | Wikidata |
| Nina Simone | musicista, pianista, persona | MultiWiBi |
| | dog guacamole | dog canine, mammal, animal guacamole salsa para mojar, alimento, salsa |

Languages: English, Spanish, Italian

Input:

pollution Concept

Output:

dirtiness dirtying environmental condition impurity sanitary condition uncleanness

Task 10: Capturing discriminative attributes

- Current models are great at detecting similarity
- But do not predict semantic differences
- If you only know what something is like but can't tell the difference it is a problem for your model







The task:

- Given a triple (cappucino, americano, milk), return
 - 1 is a semantic difference
 - 0 is not a semantic difference

Languages: English

Only available after registering

Reading comprehension and

reasoning

Task 11: Machine comprehension using commonsense knowledge

My garden was looking a little empty, so I decided I would plant something. I went out and bought tree seeds. I found a spot that looked like it would get enough sunshine. There, I dug a hole for the seeds. Once that was done, I took my watering can and watered the seeds.

- A. Why was the tree planted?
 - to get enough sunshine
 - the garden looks empty
 - they were forced
 - the soil was moist

Languages: English

B. What was used to dig the hole?

- the wind
- a tablespoon
- a trowel [?]
- their bare hands

Task 11: Machine comprehension using commonsense knowledge

My garden was looking a little empty, so I decided I would plant something. I went out and bought tree seeds. I found a spot that looked like it would get enough sunshine. There, I dug a hole for the seeds. Once that was done, I took my watering can and watered the seeds.

A. Why was the tree planted?

- to get enough sunshine
- the garden looks empty
- they were forced
- the soil was moist

Languages: English

B. What was used to dig the hole?

- the wind
- a tablespoon
- a trowel [?]
- their bare hands

Task 11: Machine comprehension using commonsense knowledge

My garden was looking a little empty, so I decided I would plant something. I went out and bought tree seeds. I found a spot that looked like it would get enough sunshine. There, I dug a hole for the seeds. Once that was done, I took my watering can and watered the seeds.

A. Why was the tree planted?

- to get enough sunshine
- the garden looks empty
- they were forced
- the soil was moist

Languages: English

B. What was used to dig the hole?

- the wind
- a tablespoon
- a trowel [?]
- their bare hands

Only available after registering

Task 12: Argument reasoning comprehension task

Given an argument, with a reason and a claim, the goal is to choose the correct implicit reasoning from two options.

Topic: Should voting be mandatory?

Additional info: Or are there already too many people casting ballots?

Argument: It works for Australia. And since [...] voting should be mandatum.

tory.

(a) Australians are nothing like Americans

(b) Australians are like Americans

Languages: US English

https://github.com/habernal/semeval2018-task12

TSV file:

warrant0 Australians are nothing like Americans

warrant1 Australians are like Americans

correctLabel 1

It works for Australia. reason claim Voting should be mandatory debateTitle Should Voting Be Mandatory?

debateInfo

Or are there already too many people casting ballots?

Practical

Practical

http://alt.qcri.org/semeval2018/index.php?id=tasks

- Choose a task
- Read the description
- Look at the provided data
- Run the baseline system (Irony detection, argument reasoning)
- Write your own simple baseline (Everything else)
- Run the evaluation script on the baseline
- Think of ways to improve the baseline