


Phill's Project's Local Git Operation Steps

1) Checkout repo: PHIL-PROJECT from local Git in the workspace

Clone using: `git clone git@git.broadtech-innovations.com:/var/git-repos/PHIL-PROJECT`



```
Activities Terminal Mar 2 15:56
broadtech@broadtech: ~/git_operation

broadtech@broadtech:~$ mkdir git_operation
broadtech@broadtech:~$ cd git_operation/
broadtech@broadtech:~/git_operation$ git clone git@git.broadtech-innovations.com:/var/git-repos/PHIL-PROJECT
Cloning into 'PHIL-PROJECT'...
remote: Counting objects: 10, done.
remote: Compressing objects: 100% (9/9), done.
remote: Total 10 (delta 0), reused 0 (delta 0)
Receiving objects: 100% (10/10), done.
warning: remote HEAD refers to nonexistent ref, unable to checkout.


broadtech@broadtech:~/git_operation$ ls
PHIL-PROJECT
broadtech@broadtech:~/git_operation$
```

2) Create new Branch

Create a new branch using the following command :

`git checkout -b <Developer_Name-Branch_Name>`

Eg: `git checkout -b Surya-Stage`



```
Activities Terminal Mar 2 16:26
broadtech@broadtech: ~/git_operation/PHIL-PROJECT

git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

git branch --set-upstream-to=origin/<branch> surya-stage

broadtech@broadtech:~/git_operation/PHIL-PROJECT$ ls
broadtech@broadtech:~/git_operation/PHIL-PROJECT$ git branch
broadtech@broadtech:~/git_operation/PHIL-PROJECT$ cd ..
broadtech@broadtech:~/git_operation$ rm -rf PHIL-PROJECT/
broadtech@broadtech:~/git_operation$ git clone git@git.broadtech-innovations.com:/var/git-repos/PHIL-PROJECT
Cloning into 'PHIL-PROJECT'...
remote: Counting objects: 13, done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 13 (delta 0), reused 0 (delta 0)
Receiving objects: 100% (13/13), done.
broadtech@broadtech:~/git_operation$ git branch
fatal: not a git repository (or any of the parent directories): .git
broadtech@broadtech:~/git_operation$ ls
PHIL-PROJECT
broadtech@broadtech:~/git_operation$ cd PHIL-PROJECT/
broadtech@broadtech:~/git_operation/PHIL-PROJECT$ git branch
* master
broadtech@broadtech:~/git_operation/PHIL-PROJECT$ git branch surya-stage
broadtech@broadtech:~/git_operation/PHIL-PROJECT$ git checkout -b surya-stage
fatal: A branch named 'surya-stage' already exists.
broadtech@broadtech:~/git_operation/PHIL-PROJECT$ git branch
* master
  surya-stage
broadtech@broadtech:~/git_operation/PHIL-PROJECT$ git checkout surya-stage
Switched to branch 'surya-stage'
broadtech@broadtech:~/git_operation/PHIL-PROJECT$ git branch
* master
  surya-stage
broadtech@broadtech:~/git_operation/PHIL-PROJECT$
```

3) Add all Phill's project folders related to the branch that you created

If you created a Stage branch then you have to add stage addons of all phill's projects that you are currently working on.

A developer working on multiple projects must create separate folders for adding the addons of each project.

For example, suppose a developer is working on two projects named Camelot and Anzie, the developer should create two folders named Camelot and Anzie and add addons of each project to the corresponding folders.

4) Commit

Please commit once you created the project folders and added modules in respective folders.

```
git add .  
git commit -m "initial commit"  
git push -u origin <Developer_Name-Branch_Name>
```

Please repeat the above procedure for Main Branch also.

NB: Please make sure that you have to pull the latest code from the odoo.sh before working on each branch.