


1. Convert File pcapng :



The screenshot shows a web browser window with the URL pcapng.com. The page features the PCAPNG.com logo and the tagline "The easiest way to convert PcapNG files to PCAP format". Below this, the section "Converted File(s)" displays a table with the following data:


Filename	Link Type
paketdata.s0i0.pcap	IEEE_802_11_WLAN_RADIOTAP

Below the table, the section "Extracted PcapNG Metadata" shows a table with the following data:

Type	Value
if_tresol	0x06

At the bottom of the page, a note states: "This free online service is sponsored by NETRESEC". The Windows taskbar at the bottom shows the Start button and several open applications, including "Convert PcapNG to P...", "2012", "paketdata.s0i0.pcap ...", "Microsoft Excel - Nilai ...", and "Document1 - Microsof...". The system clock indicates the time is 9:07 AM.

2. Analisis dengan Wireshark :



Tanda merah (login 4 kali) menyatakan aktivitas seseorang yang melakukan sniffing terhadap ssid wifi yang mempunyai proteksi WEP

The image shows a Wireshark packet capture window titled "paketdata.s0i0.pcap [Wireshark 1.12.4 (v1.12.4-0-gb4861da from master-1.12)]". The main pane displays a list of network packets. Four packets are highlighted with red rectangles, indicating WEP key negotiation attempts:

- Packet 108: 36.340705, Tp-LinkT_96:12:ab to Alfa_61:ec:87, EAPOL, 161 bytes, 161 Key (Message 1 of 4)
- Packet 109: 36.348585, Alfa_61:ec:87 to Tp-LinkT_96:12:ab, EAPOL, 166 bytes, 166 Key (Message 2 of 4)
- Packet 127: 37.342726, Tp-LinkT_96:12:ab to Alfa_61:ec:87, EAPOL, 161 bytes, 161 Key (Message 1 of 4)
- Packet 129: 37.346201, Alfa_61:ec:87 to Tp-LinkT_96:12:ab, EAPOL, 166 bytes, 166 Key (Message 2 of 4)

Other visible packets include Association Request/Response (106, 107), Beacon frames (111-117, 123-126, 131-133), and Acknowledgements (110, 118, 120-122, 125, 128, 130). The bottom pane shows the details of the selected packet (108), including the Radiotap Header and IEEE 802.11 Data frame.

File: "C:\Documents and Settings\SMF\Desktop\..." Packets: 785 · Displayed: 785 (100.0%) · Load time: 0:00.015 Profile: Default