



# Model 1004

## Observed vs. Predicted for all data




# Model 1004

## Residuals vs. Predicted for all data




# Model 1004

## Residuals vs. Time for all data




# Model 1004

## Normal Q-Q Plot Residuals for all data




# Model 1004

## Observed vs. Predicted for female data




# Model 1004

## Observed vs. Predicted for male data




# Model 1004

## Residuals vs. Predicted for female data



# Model 1004


## Residuals vs. Predicted for male data






# Model 1004

## Residuals vs. Time for female data




# Model 1004

## Residuals vs. Time for male data




# Model 1004

## Normal Q-Q Plot Residuals for female data



# Model 1004

## Normal Q-Q Plot Residuals for male data




# Covariate Scatterplots




# Continuous Covariates vs. Categorical Covariates



# ETA Scatterplots




# Parameter Scatterplots







# Histograms of Etas




# Density of Etas




# Boxplots of Etas by Categorical Covariate




# Etas vs. Continuous Covariates




# Etas vs. Continuous Covariates




# Etas vs. Continuous Covariates



# RES vs. Categorical Covariates




# RES vs. Continuous Covariates








# WRES vs. Categorical Covariates




# WRES vs. Continuous Covariates

WRES



continuous covariate

# CWRES vs. Categorical Covariates



categorical Covariate

# CWRES vs. Continuous Covariates

CWRES

HEIGHT

2  
0  
-2

150 160 170 180 190

WEIGHT

2  
0  
-2




60 70 80 90 100 110

AGE


2  
0  
-2

20 30 40 50

continuous covariate



# Model 1004 parameter search



# Model 1004 gradient search

