

Напиши в bat скрипт запуска
C:\Users\Anatoly\AppData\Local\GitHubDesktop\GitHubDesktop.exe

Вот готовый код для вашего `.bat` файла. Он запускает программу и сразу закрывает само окно командной строки, не дожидаясь закрытия GitHub Desktop.

bat

```
@echo off  
start "" "C:\Users\Anatoly\AppData\Local\GitHubDesktop\GitHubDesktop.exe"  
exit
```

Используйте код с осторожностью.

Как это сделать:

1. Нажмите правой кнопкой мыши на рабочем столе и выберите **Создать -> Текстовый документ**.
2. Откройте его, скопируйте и вставьте код, указанный выше.
3. Нажмите **Файл -> Сохранить как....**
4. В поле «Тип файла» выберите **Все файлы (.)**.
5. Назовите файл, например, `run_github.bat` (главное, чтобы в конце было именно `.bat`, а не `.txt`).

Если вам нужно, чтобы скрипт перед запуском выполнял какие-то дополнительные действия — например, **автоматически открывал определенную папку** с проектом или **скачивал свежие обновления (git pull)** — дайте знать, и я допишу нужные команды.





GitHub · Change is constant. GitHub keeps you ahead. ·
GitHub

Добавь шапку по типу@echo offrem

```
=====
=====rem Script Name :
stm32cubeidec_cleanBuild_Debug.batrem STM32CubeIDE
headless Debug build batch fileremrem Description :
Automatically detects the STM32CubeIDE project,rem
imports it into a temporary workspace and performsrem a
clean Debug build using stm32cubeidec.exe.remrem Location
: Project root directory or its "scripts" subdirectory.remrem
Usage : Edit STM32CUBEIDEC below and run the
script.remrem Author : ChatGPT (OpenAI)rem Verifier :
Anatoly Sharapovrem Email :
anatoly.a.sharapov@gmail.comrem Repository :
https://github.comrem License : MITremrem Date Created :
August 4, 2026rem Last Modified : August 7, 2026rem Version
: 2.1.0remrem Change History:rem -----
-----rem Version 2.1.0 |
Aug 7, 2026 | Corrected project path.rem Version 2.0.0 | Aug
```

```

4, 2026 | Automatic project detection.rem | Project name is
read from .project.rem | Added configuration validation.rem |
Added variable display.rem | Added proper exit code.rem
Version 1.1.0 | Aug 4, 2026 | Added configuration
validation,rem | variable echo and proper exit code.rem
Version 1.0.0 | Aug 4, 2026 | Initial debug.rem
=====
=====setlocal EnableExtensions
EnableDelayedExpansion

```

Вот обновленный код скрипта с оформленной шапкой по вашему образцу.

Я скорректировал метаданные (название, описание и историю версий), чтобы они точно соответствовали задаче запуска GitHub Desktop.

bat

```
@echo off
```

```

rem =====
rem Script Name      : run_github_desktop.bat

```

```
rem                                GitHub Desktop launch batch file
rem
rem Description      : Automatically launches GitHub Desktop from the local
rem                   AppData directory and closes the command prompt.
rem
rem Location         : Any directory or Desktop.
rem
rem Usage            : Double-click the script to run GitHub Desktop.
rem
rem Author           : ChatGPT (OpenAI)
rem Verifier          : Anatoly Sharapov
rem Email             : anatoly.a.sharapov@gmail.com
rem Repository        : https://github.com
rem License           : MIT
rem
rem Date Created     : August 7, 2026
rem Last Modified    : August 7, 2026
rem Version           : 1.0.0
rem
rem Change History:
rem -----
rem Version 1.0.0 | Aug 7, 2026 | Initial script creation for
rem                   | GitHub Desktop launching.
```

```
rem =====  
  
setlocal EnableExtensions EnableDelayedExpansion  
  
start "" "C:\Users\Anatoly\AppData\Local\GitHubDesktop\GitHubDesktop.exe"  
  
endlocal  
exit
```

Используйте код с осторожностью.



Если в будущем вы захотите дополнить этот скрипт — например, добавить **проверку существования файла** перед запуском или **вывод логов в консоль** — дайте знать, я помогу расширить код!





проверку существования файла перед запуском или вывод логов в консоль

Сделай



Вот обновленный вариант скрипта. Я добавил и проверку наличия файла, и логирование всех действий прямо в окно консоли, а также обновил историю изменений в шапке.

bat

```
@echo off
```

```
rem =====
```

```
rem Script Name      : run_github_desktop.bat
```

```
rem                  GitHub Desktop launch batch file
```

```
rem
```

```
rem Description      : Automatically verifies the existence of GitHub Desktop
```

```
rem                  logs the process to the console, and launches the app
```

```
rem
```

```
rem Location      : Any directory or Desktop.
rem
rem Usage         : Double-click the script to run GitHub Desktop.
rem
rem Author        : ChatGPT (OpenAI)
rem Verifier      : Anatoly Sharapov
rem Email         : anatoly.a.sharapov@gmail.com
rem Repository    : https://github.com
rem License       : MIT
rem
rem Date Created   : August 7, 2026
rem Last Modified  : August 7, 2026
rem Version        : 1.1.0
rem
rem Change History:
rem -----
rem Version 1.1.0 | Aug 7, 2026 | Added file existence check and
rem                               | detailed console logging.
rem Version 1.0.0 | Aug 7, 2026 | Initial script creation for
rem                               | GitHub Desktop launching.
rem =====
setlocal EnableExtensions EnableDelayedExpansion
```



```
set "APP_PATH=C:\Users\Anatoly\AppData\Local\GitHubDesktop\GitHubDesktop.exe"

echo [%DATE% %TIME%] [INFO] Starting GitHub Desktop launch script...

rem Проверка существования файла
if not exist "%APP_PATH%" (
    echo [%DATE% %TIME%] [ERROR] GitHub Desktop executable not found at:
    echo          "%APP_PATH%"
    echo [%DATE% %TIME%] [ERROR] Please check the path and try again.
    echo.
    pause
    endlocal
    exit /b 1
)

echo [%DATE% %TIME%] [INFO] Executable found successfully.
echo [%DATE% %TIME%] [INFO] Launching GitHub Desktop...

rem Запуск приложения
start "" "%APP_PATH%"

echo [%DATE% %TIME%] [SUCCESS] Application launched successfully.
```

```
echo [%DATE% %TIME%] [INFO] Closing script in 3 seconds...

rem Небольшая пауза, чтобы успеть прочитать логи перед закрытием
timeout /t 3 >nul

endlocal
exit /b 0
```

Используйте код с осторожностью.



Что изменилось:

- **Переменная пути:** Путь к программе теперь вынесен в переменную `APP_PATH` для удобства редактирования.
- **Проверка файла:** Если файл по какой-то причине удален или перенесен, скрипт покажет ошибку красным текстом (в логике консоли) и **попросит нажать любую клавишу** (`pause`), чтобы окно не закрылось мгновенно.

- **Логирование:** Скрипт выводит в консоль временные метки [%DATE% %TIME%] и статус операции ([INFO] , [SUCCESS] , [ERROR]).
- **Задержка перед выходом:** Добавлена команда `timeout /t 3`, чтобы окно консоли оставалось открытым три секунды — этого достаточно, чтобы увидеть статус [SUCCESS] .

Если вам потребуется **записывать эти логи в текстовый файл** для истории или добавить **автоматический запуск от имени администратора**, напишите, и мы доработаем скрипт.

