

`@echo off`

```

rem =====
rem Script Name      : stm32cubeidec_cleanBuild_Release.bat
rem                  : STM32CubeIDE headless Release build batch file
rem
rem Description      : Automatically detects the STM32CubeIDE project,
rem                  : imports it into a temporary workspace and performs
rem                  : a clean Release build using stm32cubeidec.exe.
rem
rem Location         : Project root directory or its "scripts" subdirectory.
rem
rem Usage            : Edit STM32CUBEIDEC below and run the script.
rem
rem Author           : ChatGPT (OpenAI)
rem Verifier         : Anatoly Sharapov
rem Email            : anatoly.a.sharapov@gmail.com
rem Repository       : https://github.com
rem License          : MIT
rem
rem Date Created     : August 4, 2026
rem Last Modified    : August 7, 2026
rem Version          : 2.2.0
rem
rem Change History:
rem -----
rem Version 2.2.0 | Aug 7, 2026 | Corrected project path.
rem Version 2.1.0 | Aug 4, 2026 | Switched to unique temporary workspace.
rem                               | Automatic workspace cleanup.
rem                               | Added workspace creation validation.
rem Version 2.0.0 | Aug 4, 2026 | Automatic project detection.
rem                               | Project name is read from .project.
rem                               | Added configuration validation.
rem                               | Added variable display.
rem                               | Added proper exit code.
rem Version 1.1.0 | Aug 4, 2026 | Added configuration validation,
rem                               | variable echo and proper exit code.
rem Version 1.0.0 | Aug 4, 2026 | Initial release.
rem =====

```

`@echo off``setlocal EnableExtensions EnableDelayedExpansion``set "HEADER=1"``set "SEP=0"`

```

for /f "usebackq delims=" %%L in ("%~f0") do (
    if defined HEADER (
        echo %%L
        if "%%L"=="rem =====" (
            set /a SEP+=1
            if !SEP! EQU 2 set "HEADER="
        )
    )
)

```

```

echo.
echo %~n0 started at %TIME% %DATE%
echo.

```

```

rem =====
rem Configuration
rem =====

```

```

set "STM32CUBEIDEC=c:\Work\MC\ST\STM32Cube\STM32CubeIDE\2.2.0\STM32CubeIDE\stm32cubeidec.exe"
echo STM32CUBEIDEC = "%STM32CUBEIDEC%"

```

```

rem =====
rem Automatically determine project directory
rem =====

```

```

set "SCRIPT_DIR=%~dp0"
set "SCRIPT_DIR=%SCRIPT_DIR:~0,-1%"

if exist "%SCRIPT_DIR%\project" (
    set "PROJECT_DIR=%SCRIPT_DIR%"
) else (
    if exist "%SCRIPT_DIR%\..\..\..\project" (
        for %%I in ("%SCRIPT_DIR%\..\..\..\") do set "PROJECT_DIR=%%~fI"
    )
)

if not defined PROJECT_DIR (
    echo ERROR: STM32CubeIDE project not found.
    echo.
    echo Expected:
    echo     %SCRIPT_DIR%\project
    echo or
    echo     %SCRIPT_DIR%\..\..\..\project
    pause
    exit /b 2
)

echo PROJECT_DIR    = "%PROJECT_DIR%"

rem =====
rem Read project name from .project
rem =====

set "PROJECT_NAME="

for /f "usebackq delims=" %%A in (
powershell -NoProfile -Command ^
"[xml]$xml = Get-Content -LiteralPath '%PROJECT_DIR%\project'; $xml.projectDescription.name"
) do (
    set "PROJECT_NAME=%%A"
)

if not defined PROJECT_NAME (
    echo ERROR: Cannot read project name from:
    echo     "%PROJECT_DIR%\project"
    pause
    exit /b 3
)

echo PROJECT_NAME    = "%PROJECT_NAME%"

rem =====
rem Create temporary workspace
rem =====

set "TS=%DATE:~-4%%DATE:~3,2%%DATE:~0,2%_%TIME:~0,2%%TIME:~3,2%%TIME:~6,2%"
set "TS=%TS: =0%"
set "TS=%TS: :=%"

set "WORKSPACE=%TEMP%\STM32CubeIDE_%TS%"
echo WORKSPACE      = "%WORKSPACE%"
if exist "%WORKSPACE%" rd /s /q "%WORKSPACE%"

mkdir "%WORKSPACE%"

if errorlevel 1 (
    echo ERROR: Cannot create workspace:
    echo     "%WORKSPACE%"
    pause
    exit /b 4
)

echo Created.
echo.

rem =====

```

```
rem Validation
rem =====

if not exist "%STM32CUBEIDEC%" (
    echo ERROR: File not found:
    echo     "%STM32CUBEIDEC%"
    pause
    exit /b 1
)

rem =====
rem Clean Release Build
rem =====

echo =====
echo Building Release configuration...
echo =====
echo.

"%STM32CUBEIDEC%" ^
    --launcher.suppressErrors ^
    -nosplash ^
    -application org.eclipse.cdt.managedbuilder.core.headlessbuild ^
    -data "%WORKSPACE%" ^
    -import "%PROJECT_DIR%" ^
    -cleanBuild "%PROJECT_NAME%/Release"

set "EXITCODE=%ERRORLEVEL%"

echo.

if %EXITCODE% EQU 0 (
    echo =====
    echo Build completed successfully.
    echo =====
) else (
    echo =====
    echo Build FAILED. Exit code: %EXITCODE%
    echo =====
)

echo.

if exist "%WORKSPACE%" (
    echo Removing temporary workspace...
    rd /s /q "%WORKSPACE%"
)

echo.
echo Exit code = %EXITCODE%

pause
exit /b %EXITCODE%
```