UNIVERSITYADMITELIGIBELITYPREDICTOR

TEAMID: PNT2022TMID16408

Project Link: http://ibmsmart.pythonanywhere.com/home

Team video link: https://drive.google.com/file/d/1sy6h76iQ5GgFbgu2fdnMNAtuxjwwhPow

/view?usp=drivesdk

githubLink: https://github.com/IBM-EPBL/IBM-Project-46459-1660747430

Team Leader:
ANBU K
Team Members:
ARUNKUMAR J
MOHANRAJ P
AAKASHKUMAR C

ABSTRACT

The Primary purpose is to discuss the prediction of student admission to university based on numerous factors and using logistic regression. Many prospectivestudents apply for Master's programs. The admission decisiondepends on criteria within the particular college or degree program. The independent variables in this study will be measured statistically to predict graduate school admission. exploration and data analysis, if successful, would allow predictive models to allow better prioritization of the applicants screening process to Master's degree programme which in turn provides the admission to the right condidates the University adimit eligibility predictor System is web based application in which Student can register with their personal as well as marks details for prediction the admission in colleges and the administrator can allot the seats for the student. administrator can add the college details and he batch details. Using this software, the entrance seat allotment become easier and can be implemented using system. The main advantage of the project is the computerization of the entrance seat allotment process .Administrator has the power for the allotment .he can add the allotted seats into the system. The total time for the entrance allotment becames lesser and the allotment process becames faster. A machine leaning based system built on a linear regression model using the data set available on Kaggle for predicting chance of admission for Indian student hoping to pursue their post graduate studies aborad.

CHAPTER	TITLE	PAGE
No.		No.
	ABSTRACT	V
	LISTOFFIGURES	viii
	LISTOFABBREVIATIONS	ix
1	INTRODUCTION	01
	1.1Projectoverview	01
	1.2Purpose	01
2	LITERATURESURVEY	01
	2.1Existingproblem	01
	References	02
3	ProblemStatementDefinition IDEATION&PROPOSED SOLUTION	02
	3.1EmpathyMapCanvas	03
	3.2 Ideation&Brainstorming3.3 ProposedSolution3.4 ProblemSolutionFit	03
4	REQUIREMENT ANALYSIS	04
	4.1FunctionRequiremeny	04
	4.2Non-FuntionalRequirements	04
5	PROJECTDESIGN 5.1 DataFlowDiagrams 5.2Solution&TechnicalArchitecture	05
6	5.3 sertories PROJECT PLANNING &SCHEDULING 6.1 Sprint Planning&Estimation 6.2 SprintDeliverySchedule 6.3 ReportsFromJIRA	07
7	CODING&SOLUTIONING	09
	7.1Feature1-FLASKAPP	
	7.2Feature2-UI	09

8	TESTING	16
	8.1TestCases	16
	8.2UserAcceptanceTesting	17
9	RESULTS	17
	9.1PerformanceMetrics	17
10	ADVANTAGES&DISADVANTAGES	18
	10.1Advantage	24
	10.2Disadvantage	24
11	CONCLUSION	19
12	FUTURESCOPE	19
13	APPENDIX Source CodeGitHub & Project Demo Link	19

UNIVERSITYADMITELIGIBELITYPREDICTOR

TEAMID:PNT2022TMID16408

ProjectLink:http://ibmsmart.pythonanywhere.com/home

1. INTRODUCTION

ProjectOverview

Students are often worried about their chances of admission to University. The aim ofthisprojectistohelpstudentsin shortlistinguniversities with their profiles. The predicted output gives them a fair idea about their admission chances in a particular university. This analysis should also help students who are currently preparing or will be preparing to get about their admission to University. The aim of the profiles are the profiles are currently preparing or will be preparing to get about their admission to University.

Purpose

A persons education plays a vital role in theirlife. While planning for education students often have several questions regarding the courses, universities, job opport unities, expenses involved, etc. Securing admission in their dream university isone of their main concerns. It is seen that often students prefer to pursue their education from universities which have global recognition.

2. LITERATURESURVEY

when it comes to international students the first choice of the majority of them is the United States of America. With themajority of worlds highly reputed universities, wide range of courses offered in every sector, highly accredited education system and teaching, scholarships provided to students, best job market and many more advantages make it the dream destination for the international 1 students. According to research, there are above 8 Million international students studying in more than 1700 public and 2500 private universities and colleges across the USA. (Master Portal (2017))

Existingproblem

Universitiestakeintoconsiderationdifferentfactorslikescoreonaptitudebasedexamination like the General Record Examination (GRE), command Englishlanguageisjudgedbasedon theirscorein English competency testlikeTestOfEnglish as a Foreign Language (TOEFL) OR International English Language TestingSystem (IELTS), their work experience in same or other fields, the quality of the Letters Of Recommendation (LOR) and the Statement Of Purpose documents provided by the student etc. Based on the overall profile of the student decision is taken by theuniversitiesadmissionteamto admitorreject aparticular candidate.

References

- 1. Geiser, Saul, and with Roger Studley. "UC and the SAT: Predictive validity and differential impact of the SATI and SATI at the University of California." Educational Assessment 8.1 (2002):1-26.
- 2. Rothstein, Jesse M. "College performance predictions and the SAT." Journal of Econometrics 121.1-2(2004):297-317.
- 3. Leonard, David K., and Jiming Jiang. "Gender bias and the college predictions of the SATs: Acryofdespair." Researchin Higher education 40.4(1999): 375-407.

ProblemStatementDefinition


Build an application that predicts the university admission chances of a studentpowered by machine learning models. Train the model and host it on IBM cloud. Themajority of international students studying in the USA are from India and China. In thepast decade, India has seen a huge increase in the number of students opting to pursuetheir education from foreign universities in countries like The USA, Ireland, Australia, Germany, etc. Although there are significant universities and colleges in India, studentsare finding it difficult to get admission in the highly ranked colleges and also getting ajob is a challenge as the ratio of number students to the number work opportunities available is quite high. India is one of the leading counties in the number of software engineers produced each year; it becomes tough for the students to find jobs in elitecompanies due to high competition. This motivates a good number of students to pursue post-graduation in their field. It is seen that the number of students pursuing Masters in Computer Science field from universities in the USA is quite high; the focus of this research will be on the set udents.

3. IDEATION&PROPOSEDSOLUTION

The projectaims to develop an application that uses artificial intelligence with the help of chat bot to customize products for the customers which enhances the fame of ecommerce store and reduce the time which customers spends on choosing products. The applicational souses IBM cloud storage for storing objects.

Anapplicationthatpredictstheuniversityadmissionchancesofastudentpowered by machine learning models. Solution architecture is a complex process—withmanysub-processes—thatbridgesthegapbetweenbusinessproblemsandtechnology solutions. The primary objective of this research is to develop a system tosolve the problems the international students are facing while applying for universities in the USA.

EmpathyMapCanvas



Ideation&Brainstorming

This task of shortlisting the universities where the student has high chances of admission is difficult for mainly for the international students, so they end up withapplyingtomanyuniversities inhopes of getting admission in few of them thus investing an extra amount of money in the applications. There are several portals and websites which provide information and help to students in shortlisting the universities, but they are not reliable. Most of the students dont take the risk of evaluating the colleges by themselves, and they seek the help of the education consultancy firms to doit for them. Again for this students have to pay a huge amount of fee to the education consultant.

ProposedSolution

Finally, K Nearest Neighbours and Decision Tree algorithms were used as they were found to be the best fit for the system developed. Also, we will be creating a simple user the system of thinterface which will help the users to input the data related to student profile andget the predicted result for the application based on the profile as output. This researchwill thus eventually help students saving the extra amount of time and money they haveto spend the education consultancy firms. And also it will help them to limit theirnumberofapplicationtoasmallnumberbyprovingthemthesuggestionoftheuniversities where they best have the chance of securing admission thus moremoneyontheapplicationfees.

ProblemSolutionfit

Wewill bedeveloping aUniversityAdmitEligibility Predictor system whichwill help the students to predict the chances of their application being selected for aparticular university for which they wish to apply based on their profile. Also, thesystem will provide a recommendation of universities to the student to which thestudenthasahighpossibilityofgettingadmission.Multiplemachinelearningclassificatio nalgorithmswereevaluatedtodevelop thesystem.

4. REQUIREMENTANALYSIS

Requirements analysis, also called requirements engineering, is the process ofdetermining user expectations for a new or modified product. These features, calledrequirements, must be quantifiable, relevant and detailed. In software engineering,

suchrequirements are often called functional specifications. Requirements analysis is critical to the success or failure of a systems or software project. The requirements should be documented, actionable, measurable, testable, traceable, related to identified business needs or opportunities, and defined to a level of detail sufficient for system design.


Functional requirement

- prediction
- inputform
- percentageofchance

Non-Functional requirements

- Speed
- Security
- Portability
- Compatibility
- Capacity
- Reliability
- Environment
- Localization

5. PROJECTDESIGN DataFlowDiagrams




Solution&TechnicalArchitecture

Solutionarchitectureisacomplexprocess—withmanysub-processes—thatbridgesthegap betweenbusinessproblemsandtechnologysolutions. Itsgoalsareto:

- Findthebesttechsolutiontosolveexisting businessproblems.
- Describethestructure, characteristics, behavior, and other aspects of the software to project stakeholders.
- Define features, development phases, and solution requirements.

 Provides pecifications according to which the solution is defined, managed, and delivered.



UserStories

A user story is an informal, natural language description of features of a softwaresystem. They are written from the perspective of an end user or user of a system, andmay be recorded on index cards, Post-it notes, or digitally in project managementsoftware.[1]Dependingontheproject,userstoriesmaybewrittenbydifferentsta keholderslikeclient,user,manager,ordevelopment team.

6. PROJECTPLANNING&SCHEDULING SprintPlanning&Estimation

Sprint	print Functional User User Story / Task Requirement (Epic) Number		Story Points	Priority	Team Members	
Sprint-1	Registration	USN-1	As a user, I will be able to register my application by entering my email, password, and confirming my password.	2	High	Karthikeyan S
Sprint-1		USN-2	As a user, I will be able to receive an email confirmation after registration.	1	High	Gowtham D
Sprint-2		USN-3	As a user, I can register for the application through Gmail.	2	Low	Mahesh J
Sprint-1		USN-4	As a user, I can register for the application by entering details by self.	2	Medium	Gokul Kanna
Sprint-1	Login	USN-5	As a user, I can log into the application by entering email & password	1	High	Ganeshan
	Dashboard					

SprintDeliverySchedule

Project Tracker, Velocity & Burndown Chart: (4 Marks)


Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	30 Oct 2022	02 Sept 2022	20	31 Oct 2022
Sprint-3	20	6 Days	01 Sept 2022	07 Sept 2022	20	05 Sept 2022
Sprint-4	20	6 Days	06 Sept 2022	15 Sept 2022	20	12 Sept 2022

Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

ReportsfromJIRA



BURNDOWN CHART

7. CODING&SOLUTIONING

Feature1 -FLASKAPP

Thefollowingistheflaskappcodeandworking

fromflaskimportFlask,render template,redirect,url for,request 1 importrequests3 2 4 app=Flask(_name__)5 @app.route("/",methods=['POST','GET']) 6 defindex(): 7 ifrequest.method=='POST':9 8 arr=[] foriinrequest.form: 10 val=request.form[i] 11 ifval==": 12

```
13
                        returnredirect(url for("demo2"))
14
            arr.append(float(val))
15
16
                  #deepcodeignoreHardcodedNonCryptoSecret:<ple>
            nofignoringthis>
       API KEY="wf8mge OQdwVO8ao2kmWCtfxOfLWl8442SH44V85v2Ls"
17
18
                                                       token response
            requests.post('https://iam.cloud.ibm.com/identity/token',data={
19
      "apikey": API KEY,
20
            "grant type":'urn:ibm:params:oauth:grant-
type:apikey'21
                      })
       mltoken=token response.json()["access token"]
22
23
                  header={'Content-
      Type':'application/json','Authorization':'Bearer'+mltoken}
24
        payload scoring=
           "input_data": [{"fields":[
25
                                                 'GREScore',
26
                                                 'TOEFLScore',
                                                 'UniversityRating',
27
28
                                                 'SOP',
29
                                                 'LOR',
30
                                                 'CGPA',
31
                                    'Research'],
32
                                     "values":[arr]
33
                                    }]
34
                                     }
35
36
                  response scoring=requests.post(
37
                                                                   'https://us-
      south.ml.cloud.ibm.com/ml/v4/deployments/8308fd4c-24a5-46ab-96fa-
      263657ae4ad0/predictions?version=2022-10-18',
38
                  json=payload scoring,
            headers=header40
39
            ).json()41
42
            result=response scoring['predictions'][0]['values']
43
44
            ifresult[0][0] > 0.5:
45
                        returnredirect(url for('chance',percent=result[0][0]*100))
            else:
46
```

```
47
                  returnredirect(url for('no chance',percent=result[0][0]*100))
48
      else:
49
            returnredirect(url for("demo2"))
50
      @app.route("/home")
51
52
      defdemo2():
53
            return
render template("demo2.html")
54
            54
      @app.route("/chance/<percent>")
55
      defchance(percent):
56
       returnrender template("chance.html",content=[percent])
57
 58
      @app.route("/nochance/<percent>")
59
      defno chance(percent):
60
      returnrender template("noChance.html",content=[percent])6
61
2
      @app.route('/<path:path>')
63
64
      defcatch all():
65
            returnredirect(url for("demo2"))
66
      if name == " main ":
67
68
      app.run()
7.2
      Feature2-UI
      The following is the UI code for the application.
      {%extends'index.html'%}
1
2
      {%blockbody%}
            <divclass="p-4">
3
4
                  <divclass="rowmb-3">
5
                        <divclass="col-4">
                              <h2class="text-responsive-h">
6
                  Enter yourdetailsandgetprobabilityofyouradmission8
7
                                                                        </h2>
9
                  <pclass="text-responsive">
```

The aim of this help shortlisting project is to students in universities with their profiles. The predicted output gives them afairideaabouttheiradmissionchancesinaparticularuniversity. This analysis should al sohelpstudentswhoarecurrentlypreparingorwillbe preparingtogetabetteridea. 11 12 <divclass="d-flexjustify-content-right"> <imgsrc="../static/img/animated-13 teach.gif"border="0"alt="..."/> </div>14 15 </div>16 <divclass="col-8"> 17 <divclass="cardp-2 ms-2my-2"> <divclass="card-body"> 18 <h5class="card-titlepb-4"> 19 Enterthedetails 20 21 </h5><formaction="/"method="post"</pre> 22 id="theForm"> 23 <divclass="rowmb-3"> 24 <labelfor="gre"class="col-lg-2</pre> col-form-label">GREScore:</label> 25 <divclass="col-lg-10"> 26 <inputtype="number"</pre> name="gre" class="form-control" id="gre" min="250" max="340"placeholder="250to340"required> 27 </div>28 </div>29 <divclass="rowmb-3"> 30 <label for="tofel" class="col-lg-2,col-formlabel">TOFELScore:</label> 31 <divclass="col-lg-10"> <inputtype="number" 32 class="form-control" name="tofel" id="tofel" min="50" max="120"placeholder="50 to120"required> 33 </div>34 </div>35 <divclass="rowmb-3">


StudentsareoftenworriedabouttheirchancesofadmissiontoUniversity.

10

```
36
                                           <labelfor="university rating"</pre>
     class="col-lg-2col-form-label">UniversityRating:</label>
37
                                     <divclass="col-lg-10">
38
                                           <inputtype="number"</pre>
                                       id="university rating"
     class="form-control"
                                       step="0.01"name="university rating"min="1"
     max="5"placeholder="1to5"required>
39
                                                 </div>
40
                                           </div>
41
                                           <divclass="rowmb-3">
42
                                                 <labelfor="sop"class="col-lg-2</pre>
      col-form-label">SOP:</label>
                                           <divclass="col-lg-10">
43
44
                                                       <inputtype="number"</pre>
     class="form-control" id="sop" name="sop" step="0.01" min="1"
                            max="5"placeholder="1 to5"required>
45
                                     </div>
46
                                     </div>
47
                                     <divclass="rowmb-3">
48
                                           <labelfor="lor"class="col-lg-2</pre>
            col-form-label">LOR:</label>
49
                              <divclass="col-lg-10">
50
                                                 <inputtype="number"</pre>
     class="form-control"
                            id="lor" name="lor" step="0.01" min="1"
                            max="5"placeholder="1 to5"required>
51
                                           </div>
52
                                     </div>
53
                                     <divclass="rowmb-3">
54
                                           <labelfor="cgpa"class="col-lg-2</pre>
            col-form-label">CGPA:</label>
55
                                           <divclass="col-lg-10">
56
                                                       <inputtype="number"</pre>
     class="form-
     control"id="cgpa"name="cgpa"step="0.01"min="5"max="10"placeholder="5
     to10"required>
57
                                           </div>
                                     </div>
58
59
                                     <fieldsetclass="rowmb-3">
60
                                           <le>egendclass="col-form-label">
     col-sm-2pt-0">Research:</legend>
```


```
61
                                     <divclass="col-sm-10">
                                           <divclass="form-check">
62
63
                                                        <inputclass="form-check-
                                                        id="gridRadios1"value="1">
                              name="yes no radio"
     input"type="radio"
64
                                                        <labelclass="form-check-</pre>
     label"for="yes no radio">
65
                                           Yes
66
                                           </label>
67
                                     </div>
68
                                           <divclass="form-check">
                                                  <inputclass="form-check-
69
     input"type="radio"
                              name="yes no radio"
                                                        id="gridRadios2"
                               value="0"checked>
70
                                                  <labelclass="form-check-</pre>
      label"for="yes no radio">
71
                                                  No
72
                                                  </label>
73
                                           </div>
74
                                     </div>
75
                                     </fieldset>
                               <divclass="rowlg-3">
76
77
                                      <divclass="col-lg-2mb-2me-3">
78
                                                  <buttontype="submit"
            class="btnbtn-primary"id="button">Predict</button>
79
                               </div>
80
                                                  <divclass="col-lg-2"
     id="spinner">
81
                                           <divclass="spinner-border
      text-primarym-1"role="status">
82
                                           <spanclass="visually-</pre>
      hidden">Loading...</span>
83
                               </div>
84
                                     <divclass="spinner-grow"</pre>
      text-primarym-1"role="status">
85
                                     <spanclass="visually-</pre>
     hidden">Loading...</span>
```

```
86
                                                                   </div>
87
                                                             </div>
88
                                                 </form>
89
                                          </div>
90
                                    </div>
91
                              </div>
92
                        </div>
93
                  </div>
                  type="text/javascript"
                                          src="../static/js/script.js"async></script>
94
      <script
      {%endblock%}
95
96
97
      {%extends'index.html'%}9
8
99
      {%blockbody%}1
00
      <divclass="containertext-centerp-4">
101
            <divclass="d-flexjustify-content-center">
102
103
104
            <divclass="card"style="width:34rem;">
                  <imgsrc="..\static\img\chance.png"class="card-img-
105
            top"alt="...">
                        <divclass="card-body">
106
                              <h5class="card-title">YouHaveChance</h5>
107
108
                                    <pclass="card-</pre>
      text">Themodelhaspredictedthatyou have<strong>{{content[0]}}%</strong>
      chance
109
                                    href="/home"
                                                     class="btn
                                                                   btn-
                              <a
      primary">GoBack</a>
110
                        </div>
111
                  </div>
112
            </div>
113
      </div>
114
115
      {\%endblock\%}
```



8. TESTING

TestCases



UserAcceptanceTesting

User Acceptance Testing (UAT) is a type of testing performed by the end user orthe client to verify/accept the software system before moving the software applicationtotheproductionenvironment.UATisdoneinthefinalphaseoftestingafterfunctio nal,integrationandsystemtestingisdone.


The User Acceptance of this product is not surveyed enough to give a solid conclusion. The theretical and hypothetical acceptance is calculated to be high enough to conclude that this product is usable and valuable.


9. RESULTS

PerformanceMetrics

The Performance is the Accuracy of the model trained. The training accuracy of themodel is 92%.

Thetestingaccuracyofthemodelis89%.





10. ADVANTAGES&DISADVANTAGES

- > ADVANTAGE
- 1. Knowthepercentage
- 2. Lowerinvestigation
- 3. ProvideRelevantMaterial
- 4. Reducetimeconsumption
- 5. Gooduserexperience
- > DISADVANTAGE
- 1. Significiantinvestmentsrequired
- 2. Inabletocapturechanges
- 3. Privacyconcerns

11. CONCLUSION

We have successfully developed an application using python flask, HTML, CSS.By using the application we can predict weather we can get admittion in the desired Universityornot.

12. FUTURESCOPE

In futre we would like to enhance the existing model in such a way that consumer feels the same way when purchasing in store using Virtual reality and other upcoming technologies. Reaserch to improve the accuracy of the system is underprogress.

13. APPENDIX Source Code GitHub & Project Demo

LinkProjectLink: http://ibmsmart.pythonanywhere.com/home github: https://github.com/IBM-EPBL/IBM-Project-46451660747430 Demo:

