



PIIPS


Precision Intelligent Invoice Processing Suite · v2.2

Role: Super Admin

A screen-by-screen guide to the invoice processing application,
covering exactly the screens available to your role.

Logging in


Open PIIPS in a browser and sign in with your username and password.



Type your username and password, then select **Login**. The password field has a show/hide (👁) button so you can check what you typed, and pasting into it is deliberately blocked — type it by hand so a copied value from the wrong place can't end up there unnoticed.

Forgotten your password? Select **Forgot password?** on the login screen (below). Nobody sets your password for you, including administrators — every password on PIIPS is system-generated and emailed to your official email address, and you're always required to choose your own on first use.

Already open elsewhere? PIIPS only keeps one copy of itself running at a time. Opening it in a second tab or window now shows a blocking **"PIIPS is already open"** screen there instead of the app — close or switch to the other tab, then select **Try Again** here.



Enter your username or email and submit. If an account matches, a new temporary password is emailed to it; the response is the same either way so the screen can't be used to check whether a username exists.

What each role can see

As Super Admin you see every screen in the application - there is no restricted list for this role. The server enforces this the same way it enforces every other role's narrower access.

Setting your password the first time

The temporary password from your welcome email (or from a password reset) only gets you as far as this screen — you must choose your own password before doing anything else in PIIPS.

P **Set your password**

For your security, you must set your own password before continuing.

Current (temporary) password

Temporary password

New password

New password

At least 5 characters, with an uppercase letter, a lowercase letter, a number, and a special character.

Confirm new password

Confirm new password

Set password and continue


Log out

Enter the temporary password, then a new password meeting the policy shown on screen: **at least 5 characters, with an uppercase letter, a lowercase letter, a number, and a special character**. Select **Set password and continue** to enter the application.


This same screen appears any time an administrator resets your password for you — a new temporary password is always emailed, and you always set your own replacement for it on your next sign-in.

What the emails look like

PIIPS emails you at three points: when your account is created, whenever your password is reset (by you via Forgot password, or by an administrator), and if your account's access is turned on or off.



Welcome email



Password reset email

Dashboard

Your home screen after signing in.

PIIPS
Invoice Processing Suite • v2.3

MAIN

Dashboard
File Explorer
Manual
Invoice Search
Completed Invoices

REVIEW & UPDATE

Buyer Order Entry
Vendor Code Entry
Part Description Mapping
Load

ACCOUNTS

Post
Complete

SETUP

Folder Configuration
Database Configuration
API Configuration

Dashboard

Standard

Process invoices

Start

Batches

Refresh

Search...

	BATCH NAME ▼	BATCH STATUS	EXTRACTED	NEW TEMPLATE
↓	PIIPS_Batch_20261001_130650_PT_PART_Services_Chennai	LOADED	1	0
↓	PIIPS_Batch_20261001_125753_PT_PART_Services_Chennai	CREATED	1	0
↓	PIIPS_Batch_20261001_120535_PT_PART_Services_Chennai	CREATED	1	1

3 rows

Prev
Page 1 / 1
Next

Run results

Clear


No run yet. Click Start to process invoices.

Invoices by

4

Refresh


The right-hand panels show a live count of every invoice PDF the system knows about — a total badge next to **Invoices by status** and **Status breakdown**, a status pie chart, and a per-status count list you can click to jump straight to that status's invoices. The bell icon () in the top bar opens any active site-wide announcement a Super Admin has published — a red dot means there's one you haven't opened yet.



Opening an announcement from the bell icon

File Explorer


Everything PIIPS currently knows about, by folder.



File Explorer lists the PDFs sitting in the working folders: newly-dropped invoices waiting to be processed, anything the system couldn't confidently match to a known vendor format (**Unsupported**), and anything it recognised but couldn't fully read (**Incomplete Data**) — including scanned or photocopied PDFs, which are routed here rather than guessed at. Open a file directly from the list to preview it.

Manual


This document, from inside the application.



Every signed-in user can download their own manual at any time — always the edition matching your role, and stamped with your username and the date/time you downloaded it. Super Admins additionally see the full Developer Manual and the UAT/Live Deployment Guide [here](#).

Buyer Order Entry


Confirm or correct a purchase order number PIIPS matched (or couldn't match) against SPRPUR before an invoice can be Loaded.



PIIPS tries to detect the buyer's PO number on every invoice automatically, splitting matches into **confident** and **doubtful**. Use this screen to review doubtful matches, or to enter a PO number by hand when none was detected. Nothing reaches the Load step without a confirmed PO number.

Load

Bring a processed, PO-confirmed invoice into the system as a purchase record.



Loading is the first lifecycle step after extraction: it turns the extracted header/line/reservation data into a real Purchase record and moves the invoice's status to **LOADED**, ready for Accounts to Post.

Post

Send a Loaded invoice on to the downstream Service First system.

The screenshot displays the 'Post' module in the PIIPS Invoice Processing Suite v2.3. The left sidebar contains navigation options: MAIN (Dashboard, File Explorer, Manual, Invoice Search, Completed Invoices), REVIEW & UPDATE (Buyer Order Entry, Vendor Code Entry, Part Description Mapping, Load), ACCOUNTS (Post, Complete), and SETUP (Folder Configuration, Database Configuration, API Configuration). The 'Post' module is active, showing a 'Refresh' button and a 'Mark as Posted' button. A search bar is present above a table with the following data:

	INVOICE NO.	DOCUMENT DATE	NAVISION DOCUMENT NO.	FILE	VENDOR	STATUS
☐	VS/2627/663	17-09-2026	PIIPSPO-2627-000001	Vighnagar - 663.pdf	VIGHNAHAR SERVICES	LOADED

Below the table, it indicates '1 row' and 'Rows 10'. Navigation buttons for 'Prev', 'Page 1 / 1', and 'Next' are also visible.

Posting calls the Service First API to record the purchase there and moves the status to **POSTED** once it succeeds, tracking whether the part was received ([IsSynced](#)).

Complete

Close out a Posted invoice once it's fully reconciled.

The screenshot displays the 'Complete' module in the PIIPS Invoice Processing Suite v2.3. The interface includes a sidebar with navigation links under categories: MAIN (Dashboard, File Explorer, Manual, Invoice Search, Completed Invoices), REVIEW & UPDATE (Buyer Order Entry, Vendor Code Entry, Part Description Mapping, Load), ACCOUNTS (Post, Complete), and SETUP (Folder Configuration, Database Configuration, API Configuration). The 'Complete' option is highlighted in the sidebar.

The main content area is titled 'Complete' and contains the following elements:

- Refresh** button
- Instruction: Select invoices and mark as completed.
- Batch selector: All batches (dropdown)
- Selection status: 0 selected
- Mark as Completed** button
- Search bar: Search...
- Table with columns: INVOICE NO., NAVISION DOCUMENT NO., FILE, VENDOR, STATUS, BATCH
- Table content:

	INVOICE NO.	NAVISION DOCUMENT NO.	FILE	VENDOR	STATUS	BATCH
☐	VS/2627/663	PIIPSP0-2627-000001	Vighnagar - 663.pdf	VIGHNAHAR SERVICES	POSTED	PIIPS_Batch_2026100
- Footer: 1 row Rows 10 (dropdown) < Prev Page 1 / 1 Next >

Complete is the final lifecycle step, marking an invoice finished once everything downstream has been confirmed.

Folder Configuration

Set the single working Folder Path PIIPS uses for Input, New_Format and its extracted output.

Folder Configuration

Folder History

Folder Path
The working folder. Must be a folder on the **server machine** — not a network share or a mapped network drive. On save, the **Input** folder (with a subfolder for each template) and **New_Format** are created here, and extracted output is written here.

Save

Scanned / Photocopied PDFs

By default, an invoice with no embedded text layer (a scan or photocopy) is rejected as unsupported rather than OCR-read, since a first-time vendor's layout read purely off a scanned image is unreliable. Turning this on for a type lets a scanned or photocopied invoice of that type be OCR-extracted instead — safe in particular for a vendor whose layout is already trained, since it'll simply match (or fail to match) the same trained format as any other invoice. A genuine handheld photo is still rejected either way. Each invoice type has its own toggle, so turning it on for one doesn't affect the other.

- ☒ Allow scanned/photocopied PART invoices to be processed
- ☒ Allow scanned/photocopied SERVICE invoices to be processed

Every other folder (per-template Input subfolders, Unsupported, Incomplete Data, the ALL_INVOICES archive of every Posted/Completed invoice) lives underneath this one path.

Database Configuration

Point PIIPS at its SQL Server database.

PIIPS
Invoice Processing Suite • v2.3

Database Configuration Standard ▼

Database configuration History

Point PIIPS at a SQL Server database. The connection string is stored **encrypted** on the server and is never shown here in full. Saving first **tests** the connection. Changing this affects the whole application — an unreachable database will lock everyone out.

Server
10.0.1.213

Database
PIIPS

Authentication
☒ SQL Server login ☐ Windows (Integrated)

Username
sa

Password
 (unchanged) 👁

Leave blank to keep the current password.

Test & Save

Super Admin only. Saving a new connection also makes sure the target database has every table, type and stored procedure the application needs — safe to point at a brand-new, empty database.

API Configuration

Set the base URL of the Service First / NAV backend used for reservation and HSN lookups and for Posting.

The screenshot shows the PIIPS (Invoice Processing Suite v2.3) interface. On the left is a dark sidebar with a menu. The main content area is titled 'API Configuration' and features a 'History' button. The configuration section is titled 'API configuration' and includes a 'Service First API URL' label. Below this is a text input field containing 'https://sf.precisionit.co.in'. A 'Save' button is located at the bottom of the configuration box.

PIIPS
Invoice Processing Suite • v2.3

MAIN

- Dashboard
- File Explorer
- Manual
- Invoice Search
- Completed Invoices

REVIEW & UPDATE

- Buyer Order Entry
- Vendor Code Entry
- Part Description Mapping
- Load

ACCOUNTS

- Post
- Complete

SETUP

- Folder Configuration
- Database Configuration
- API Configuration**

API Configuration

API configuration History

Service First API URL


Base URL of the Service First / NAV backend used to fetch reservation (spare-purchase) and HSN details, e.g. `http://10.0.1.10:8080`. Leave blank to skip the lookup (invoices process without reservation).

<https://sf.precisionit.co.in>

Save

Template

Manage the per-vendor extraction templates (entity, invoice type, name, PO number format, and any static values that should always be filled in for that vendor).



Create Field

Define the Excel columns each sheet (Purchase Header / Purchase Line / Reservation Entry) should have, and their order.

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

ADMIN

Model Training

User Management

Mail Server Setting

Announcement

Publish

Create Field

Standard

6	Pay-to Address	PDF	×
7	Pay-to Address 2	PDF	×
8	Pay-to City	PDF	×
9	Ship-to Name	PDF	×
10	Ship-to Address	PDF	×
11	Ship-to Address 2	PDF	×
12	Ship-to City	PDF	×
13	Ship-to Contact	None	×
14	Posting Date	PDF	×
15	Payment Terms Code	System	×
16	Due Date	System	×
17	Pmt. Discount Date	None	×
18	Location Code	Template	×
19	Vendor Posting Group	Template	×
20	Currency Code	None	×
21	Vendor Invoice No.	PDF	×
22	Buy-from Vendor Name	PDF	×
23	Buy-from Vendor Name 2	None	×
24	Buy-from Address	PDF	×
25	Buy-from Address 2	PDF	×

Field Mapping

Map each Excel column to the JSON field it should be read from during extraction.

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

ADMIN

Model Training

User Management

Mail Server Setting

Announcement

Publish

Field Mapping

Standard

Purchase Header	Pay-to Name	Pay_to_Name
Purchase Header	Pay-to Address	Pay_to_Address1
Purchase Header	Pay-to Address 2	Pay_to_Address2
Purchase Header	Pay-to City	— (blank)
Purchase Header	Ship-to Name	consignee_name
Purchase Header	Ship-to Address	consignee_address1

125 rows

Save Mapping

Prev

Page 1 / 13

Next

Super Admin only.

Model Training

Train PIIPS's format-detection model on newly-approved invoice templates.

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

ADMIN

Model Training

User Management

Mail Server Setting

Announcement

Publish

Model Training

2 rows

Standard

▼

◀ Prev

Page 1 / 1

Next ▶

Model backups (48)

The current (live) model is shown first; below it are the automatic backups saved before each Train. Restore an earlier one if a run goes wrong.

Search...

BACKUP	SAVED	FORMATS	
format_model.json (current model)	2026-10-01 11:46:51	77	current model
backup_model_20261001_114650.json	2026-10-01 11:29:22	77	Restore
backup_model_20261001_112914.json	2026-09-30 14:26:38	77	Restore
backup_model_20260930_142423.json	2026-09-24 17:38:47	75	Restore
backup_model_20260924_173842.json	2026-09-22 16:51:25	73	Restore
backup_model_20260922_164943.json	2026-09-22 12:02:43	69	Restore
backup_model_20260922_120240.json	2026-09-22 11:54:49	69	Restore
backup_model_20260922_115449.json	2026-09-21 19:35:32	69	Restore
backup_model_20260921_193513.json	2026-09-21 18:29:23	69	Restore
backup_model_20260921_182755.json	2026-09-21 13:07:13	69	Restore

49 rows

◀ Prev

Page 1 / 5

Next ▶

Super Admin only. Format detection is keyed on the seller's GSTIN, so training teaches the model to recognise a new vendor's layout by its GSTIN going forward.

User Management

Create accounts, control access, and manage passwords for other users.

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

ADMIN

Model Training

User Management

Mail Server Setting

Announcement

Publish

User Management

Standard

Users (3)

Search...

USER	EMAIL	PASSWORD	TYPE	STATUS	CREATED	ACTI
Sadmin	anbuselvan.balakrisnan@precisionit.co.in	set by the user		Active	2026-08-18 23:10:49.190000	In
PT89782	anbuselvan.balakrisnan@precisionit.co.in	PT89782 (initial - change pending)		Active	2026-08-22 15:34:59.570000	In
PBV0030	sundararaj.k@precisionit.co.in	PBV0030 (initial - change pending)		Active	2026-08-30 12:15:28.307000	In

3 rows

Prev

Page 1 / 1

Next

Adding a user

Give the new account a username and their official email address, and choose their role. There is no password field — PIIPS generates a policy-compliant temporary password and emails it to them automatically; the person creating the account never sees or sets it.

Activating / deactivating a user

Every row has an **Inactivate** / **Give access** button; either action emails the affected user a notice. You can't deactivate your own account, and the default **Sadmin** super admin account can never be deactivated by anyone — it's the one account guaranteed to always be available.

Change Password

Who can reset whose password is deliberately restricted:

- **Super Admin** — can assign a new password to *any* user, including themselves.
- **Admin** — can assign a new password only for a plain **User** or **Accounts** account — never their own, another Admin's, or a Super Admin's.

Either way the target account is emailed the new password and must set their own replacement for it on next sign-in.

Mail Server Setting

Configure the SMTP account PIIPS sends welcome, password-reset and account-status emails from.

Mail Server Setting

Standard

Password

..... (unchanged)

Leave blank to keep the current password.

Test & Save

Super Admin only. The password is stored encrypted and is never shown back in full; saving first tests the connection, so a typo is caught immediately rather than silently breaking every future email.

Announcement

Publish a site-wide notice to every signed-in user — for example, an upcoming maintenance window.

Announcement

Show until
dd-mm-yyyy -- : --

Publish announcement

All announcements (1)

Search...

TITLE	STATUS	SHOWS UNTIL	CREATED	ACTION
PIIPS LIVE Update Announcement	Expired	2026-09-08 15:54:00	2026-09-08 15:53:12.263000	


1 row

Prev Page 1 / 1 Next

Super Admin only. Content can be plain text, an image, a video link, or any combination, shown until the end date/time you set or until you stop it early. Every user sees it via the bell icon; it never interrupts what they're doing on the Dashboard.

Publish

Stage a build of PIIPS (pulling the right git branch and rebuilding the frontend) into a local folder ready to move onto UAT or Live.



Super Admin only. This prepares the files; moving the staged build onto the actual server and restarting the service there is still a manual step.


What's New in v2.3

Role: Super Admin

The sections below cover every screen added or changed in this release, scoped to what your role can see.


Templates: Active / Inactive replaces one-way Delete

The Template list now shows a **Status** column (Active/Inactive) with an Activate/Deactivate button, instead of a permanent Delete. Deactivating a template is reversible - it can be turned back on with Activate at any time.



Templates: Deactivate is blocked until every batch is Completed


Deactivating is blocked until every batch that template has ever produced - including a file that's simply sitting in its Input folder but hasn't been run through Start yet - has actually reached Completed. The screen lists exactly which ones are still outstanding, so you know what to finish first.



Templates: Renaming is blocked once it has any batch


Renaming a template is blocked the moment it has any batch behind it at all - even one that's still in progress. This protects that batch's own saved data: a rename would leave it pointing at a folder name that no longer resolves, which can silently blank out fields the next time that invoice needs reprocessing.

Only a template with zero batches yet - brand new, nothing ever run through it - can be renamed.




Templates: creating a name that's already in use

Trying to create a new template whose name already belongs to an **active** one is blocked with a plain "already exists" message.




Templates: creating a name that belongs to an inactive template

Trying to create a new template whose name belongs to an **inactive** one gets a more specific message telling you to activate the existing one instead of creating a duplicate.



Templates: History

A new **History** button on the Template list shows exactly who activated or deactivated a template, and when.



Invoice Search: click-to-view and a new Details view

The file name in the results table is now itself the View link - click it to open the PDF viewer directly.

A new **Details** button (PART invoices only) opens every configured Purchase Header / Purchase Line / Reservation Entry field and its current value, organized into tabs. Every field is shown, including blank ones - nothing is hidden for being empty or optional. The Reservation tab is left out entirely when there's nothing to show there.

The screenshot displays the PIIPS Invoice Processing Suite v2.3 interface. On the left is a dark sidebar with a menu categorized into MAIN, REVIEW & UPDATE, ACCOUNTS, and SETUP. The 'Invoice Search' option is highlighted in the MAIN section. The main content area is titled 'Invoice Search' and includes a search bar with the value '143' and a 'Search' button. Below the search bar, a dropdown menu shows the selected result: 'GST/SB/143/26-27' with the file path 'Spares Bazar - 143.pdf - SPARES BAZAR -26 27'. A table below this displays the search results with columns for file name, invoice number, vendor, batch, and status. The first row shows 'Spares Bazar - 143.pdf', 'GST/SB/143/26-27', 'SPARES BAZAR -26 27', 'PIIPS_Batch_20261001_125753_PT_PART_Services_Chennai', and 'CREA'. At the bottom of the table, it indicates '1 row' and 'Rows 10'. Navigation buttons for 'Prev', 'Page 1 / 1', and 'Next' are also present.

PIIPS
Invoice Processing Suite - v2.3

MAIN

- Dashboard
- File Explorer
- Manual
- Invoice Search**
- Completed Invoices

REVIEW & UPDATE

- Buyer Order Entry
- Vendor Code Entry
- Part Description Mapping
- Load

ACCOUNTS

- Post
- Complete

SETUP

- Folder Configuration
- Database Configuration
- API Configuration

Invoice Search

Look up an invoice by Invoice No. (or part of it) to see its file, vendor, batch, current status, and full tracking history.

143 **Search**

GST/SB/143/26-27
Spares Bazar - 143.pdf - SPARES BAZAR -26 27

			BATCH	BATCH
Spares Bazar - 143.pdf	GST/SB/143/26-27	SPARES BAZAR -26 27	PIIPS_Batch_20261001_125753_PT_PART_Services_Chennai	CREA

1 row Rows 10 < Prev Page 1 / 1 Next >

PIIPS

Invoice Process

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoice

REVIEW & UPDATE

Buyer Order

Vendor Code

Part Description

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Invoice Search

Standard

Details — GST/SB/143/26-27

Close

Purchase Header

Purchase Line

Reservation

Purchase Header

Document Type	Order	No.	—
Buy-from Vendor No.	SPABAZ5245	Pay-to Vendor No.	SPABAZ5245
Pay-to Name	SPARES BAZAR -26 27	Pay-to Address	510,5TH FLOOR, PANCHASHEELA TOWERS, PARKLANE
Pay-to Address 2	Pincode :, Secunderabad	Pay-to City	—
Ship-to Name	PRECISION TECHSERVE PVT LTD (Chennai)	Ship-to Address	22, HABIBULLAH ROAD, 1ST FLOOR, TAMIL MADU
Ship-to Address 2	Chennai	Ship-to City	Chennai
Ship-to Contact	—	Posting Date	01-10-2026
Payment Terms Code	30 DAYS	Due Date	07-10-2026
Pmt. Discount Date	—	Location Code	SRCHN
Vendor Posting Group	SERV VEND	Currency Code	—
Vendor Invoice No.	GST/SB/143/26-27	Buy-from Vendor Name	SPARES BAZAR -26 27
Buy-from Vendor Name 2	—	Buy-from Address	510,5TH FLOOR, PANCHASHEELA TOWERS, PARKLANE
Buy-from Address 2	Pincode :, Secunderabad	Buy-from City	—
Buy-from Contact	—	Pay-to Post Code	500003
Pay-to County	—	Pay-to Country/Region Code	—
Buy-from Post Code	500003	Buy-from County	—
Buy-from Country/Region Code	—	Ship-to Post Code	600017

Details — GST/SB/143/26-27

Close

Purchase Header

Purchase Line

Reservation

Purchase Line 1

Document Type	Order	Document No.	—
Line No.	10000	Type	Item
No.	—	Location Code	SRCHN
Description	LAPTOP PARTS & ACCESSORIES DC JACK	Unit of Measure	—
Quantity	1.0	Direct Unit Cost	950.00
Line Amount	950.0	TDS Nature of Deduction	GOODS
GST Group Code	Goods 18%	GST Group Type	Goods
HSN/SAC Code	—	GST Base Amount	950.0
GST %	18.0	BU Code	—
Sub BU Code	—	Narration	—

Purchase Line 2

Document Type	Order	Document No.	—
Line No.	10000	Type	Item
No.	HPILAP0467S	Location Code	SRCHN
Description	LAPTOP SCREEN 5510 SCREEN	Unit of Measure	—
Quantity	1.0	Direct Unit Cost	3050.00
Line Amount	3050.0	TDS Nature of Deduction	GOODS

New menu: Completed Invoices

A new menu lists every invoice that has finished the full Load → Post → Complete lifecycle - the same ones archived into the ALL_INVOICES folder along the way.

The File Name column shows that archive copy's own name ("**<Invoice No.>_<Vendor Name>.pdf**") so it matches exactly what you'd find in that folder. Clicking it still opens the original PDF.

Checkbox selection plus a **Download Selected** button downloads the chosen PDFs one after another.

The screenshot displays the PIIPS Invoice Processing Suite v2.3 interface. On the left is a dark sidebar with a menu. The 'Completed Invoices' option is highlighted in teal. The main content area is titled 'Completed Invoices' and includes a description: 'Every invoice that has finished the full Load → Post → Complete lifecycle.' Below this, it shows '0 selected' and a 'Download Selected' button. A search bar is present above a table of completed invoices. The table has columns for FILE NAME, INVOICE NO., VENDOR NAME, and BATCH. The first row is selected, showing the file name 'VS_2627_663_VIGHNAHAR SERVICES.pdf', invoice number 'VS/2627/663', vendor name 'VIGHNAHAR SERVICES', and batch 'PIIPS_Batch_20261001_130650_PT_PART_Servic'. Other rows include '11647_HITECH COMPUTER CENTRE.pdf', '11650_HITECH COMPUTER CENTRE.pdf', '11652_HITECH COMPUTER CENTRE.pdf', '1413_SBS Info Solution.pdf', '1424_SBS Info Solution.pdf', '149_PROFESSIONAL IT.pdf', '169_26-27_Avantika Infosolutions (P) Ltd.pdf', '170_26-27_Avantika Infosolutions (P) Ltd.pdf', and '173_SHUPLA IT SALES'.

PIIPS
Invoice Processing Suite • v2.3

MAIN

- Dashboard
- File Explorer
- Manual
- Invoice Search
- Completed Invoices**

REVIEW & UPDATE

- Buyer Order Entry
- Vendor Code Entry
- Part Description Mapping
- Load

ACCOUNTS

- Post
- Complete**

SETUP

- Folder Configuration
- Database Configuration
- API Configuration

Completed Invoices

Every invoice that has finished the full Load → Post → Complete lifecycle.

0 selected **Download Selected**

Search...

☐	FILE NAME	INVOICE NO.	VENDOR NAME	BATCH
☒	VS_2627_663_VIGHNAHAR SERVICES.pdf	VS/2627/663	VIGHNAHAR SERVICES	PIIPS_Batch_20261001_130650_PT_PART_Servic
☐	11647_HITECH COMPUTER CENTRE.pdf			
☐	11650_HITECH COMPUTER CENTRE.pdf			
☐	11652_HITECH COMPUTER CENTRE.pdf			
☐	1413_SBS Info Solution.pdf			
☐	1424_SBS Info Solution.pdf			
☐	149_PROFESSIONAL IT.pdf			
☐	169_26-27_Avantika Infosolutions (P) Ltd.pdf			
☐	170_26-27_Avantika Infosolutions (P) Ltd.pdf			
☐	173_SHUPLA IT SALES			

User Management: login history

A new **History** button (Super Admin only) on each user's row shows their full sign-in / sign-out timeline.

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

ADMIN

Model Training

User Management

Mail Server Setting

Announcement

Publish

User Management

Standard

Users (3)

Search...

USER	EMAIL	PASSWORD	TYPE	STATUS	CREATED	ACTI
Sadmin	anbuselvan.balakrisnan@precisionit.co.in	set by the user		Active	2026-08-18 23:10:49.190000	In
PT89782	anbuselvan.balakrisnan@precisionit.co.in	PT89782 (initial - change pending)		Active	2026-08-22 15:34:59.570000	In
PBV0030	sundararaj.k@precisionit.co.in	PBV0030 (initial - change pending)		Active	2026-08-30 12:15:28.307000	In

3 rows

PrevPage 1 / 1Next

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

ADMIN

Model Training

User Management

Mail Server Setting

Announcement

Publish

User Management

Standard

Users (3)

Search...

USER	EMAIL	PASSWORD	TYPE	STATUS	CREATED	ACTI
Sadmin	anbuselvan.balakrisnan@precisionit.co.in	set by the user		Active	2026-08-18 23:10:49.190000	In
PT89782	anbuselvan.balakrisnan@precisionit.co.in	PT89782 (initial - change pending)		Active	2026-08-22 15:34:59.570000	In
PBV0030	sundararaj.k@precisionit.co.in	PBV0030 (initial - change pending)		Active	2026-08-30 12:15:28.307000	In

3 rows

PrevPage 1 / 1Next

Dashboard: Duplicate column

The Batches table's per-status columns now include **Duplicate**, shown right after New Template - it was a real, trackable status before, it just wasn't shown as its own column.

PIIPS

Invoice Processing Suite • v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Dashboard

Process invoices

Start

Batches

Refresh

Search...

	BATCH NAME	BATCH STATUS	EXTRACTED	NEW TEMPLATE
↓	PIIPS_Batch_20261001_130650_PT_PART_Services_Chennai	LOADED	1	0
↓	PIIPS_Batch_20261001_125753_PT_PART_Services_Chennai	CREATED	1	0
↓	PIIPS_Batch_20261001_120535_PT_PART_Services_Chennai	CREATED	1	1

3 rows

Prev

Page 1 / 1

Next

Run results

Clear

No run yet. Click Start to process invoices.

Invoices by

4

Refresh