



PIIPS


Precision Intelligent Invoice Processing Suite · v2.2

Role: Admin

A screen-by-screen guide to the invoice processing application,
covering exactly the screens available to your role.

Logging in


Open PIIPS in a browser and sign in with your username and password.



Type your username and password, then select **Login**. The password field has a show/hide (👁) button so you can check what you typed, and pasting into it is deliberately blocked — type it by hand so a copied value from the wrong place can't end up there unnoticed.

Forgotten your password? Select **Forgot password?** on the login screen (below). Nobody sets your password for you, including administrators — every password on PIIPS is system-generated and emailed to your official email address, and you're always required to choose your own on first use.

Already open elsewhere? PIIPS only keeps one copy of itself running at a time. Opening it in a second tab or window now shows a blocking **"PIIPS is already open"** screen there instead of the app — close or switch to the other tab, then select **Try Again** here.



Enter your username or email and submit. If an account matches, a new temporary password is emailed to it; the response is the same either way so the screen can't be used to check whether a username exists.


What each role can see

Only the screens listed below appear in your left-hand sidebar as Admin - you will never see menu items outside this list, and the server enforces the same limits even if a screen were reached directly.

SCREEN	SECTION
Dashboard	Main
File Explorer	Main
Manual	Main
Invoice Search	Main
Buyer Order Entry	Review & Update
Part Description Mapping	Review & Update
Load	Review & Update
Post	Accounts
Complete	Accounts
Folder Configuration	Setup
API Configuration	Setup
Template	Setup
Create Field	Mapping
User Management	Admin

Setting your password the first time

The temporary password from your welcome email (or from a password reset) only gets you as far as this screen — you must choose your own password before doing anything else in PIIPS.




Enter the temporary password, then a new password meeting the policy shown on screen: **at least 5 characters, with an uppercase letter, a lowercase letter, a number, and a special character**. Select **Set password and continue** to enter the application.


This same screen appears any time an administrator resets your password for you — a new temporary password is always emailed, and you always set your own replacement for it on your next sign-in.

What the emails look like

PIIPS emails you at three points: when your account is created, whenever your password is reset (by you via Forgot password, or by an administrator), and if your account's access is turned on or off.



Welcome email



Password reset email

Dashboard

Your home screen after signing in.

The screenshot displays the PIIPS Dashboard interface. On the left is a dark sidebar with navigation links categorized under MAIN, REVIEW & UPDATE, ACCOUNTS, SETUP, and MAPPING. The main content area is titled 'Dashboard' and features several panels:

- Process invoices:** A panel with a 'Start' button and a description: 'Reads PDFs from the Input folder, extracts each invoice, and saves a batch.'
- Batches:** A panel with a search bar, a 'Refresh' button, and a table of batch data.
- Run results:** A panel with a 'Clear' button and the message: 'No run yet. Click Start to process invoices.'
- Invoices by status:** A panel showing a total count of 4 invoices and a 'Refresh' button.

The 'Batches' table contains the following data:

BATCH NAME ▼	BATCH STATUS	EXTRACTED	NEW TEMPLATE	DUPL
PIIPS_Batch_20261001_130650_PT_PART_Services_Chennai	LOADED	1	0	0
PIIPS_Batch_20261001_125753_PT_PART_Services_Chennai	CREATED	1	0	0
PIIPS_Batch_20261001_120535_PT_PART_Services_Chennai	CREATED	1	1	0

Below the table, it indicates '3 rows' and includes pagination controls: 'Prev', 'Page 1 / 1', and 'Next'.

The right-hand panels show a live count of every invoice PDF the system knows about — a total badge next to **Invoices by status** and **Status breakdown**, a status pie chart, and a per-status count list you can click to jump straight to that status's invoices. The bell icon (🔔) in the top bar opens any active site-wide announcement a Super Admin has published — a red dot means there's one you haven't opened yet.

PIIPS

Invoice Processing Suite • v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

REVIEW & UPDATE

Buyer Order Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING

Dashboard

Standard

Process invoices

Start

Reads PDFs from the Input folder, extracts each invoice, and saves a batch.

Batches

Refresh

Search...

BATCH NAME ▼	BATCH STATUS	EXTRACTED	NEW TEMPLATE	DUPL
PIIPS_Batch_20261001_130650_PT_PART_Services_Chennai	LOADED	1	0	0
PIIPS_Batch_20261001_125753_PT_PART_Services_Chennai	CREATED	1	0	0
PIIPS_Batch_20261001_120535_PT_PART_Services_Chennai	CREATED	1	1	0

3 rows

< Prev

Page 1 / 1

Next >

Run results

Clear

No run yet. Click Start to process invoices.

Invoices by status

4 total

Refresh


Opening an announcement from the bell icon

Role: Admin

Page 4

File Explorer


Everything PIIPS currently knows about, by folder.



File Explorer lists the PDFs sitting in the working folders: newly-dropped invoices waiting to be processed, anything the system couldn't confidently match to a known vendor format (**Unsupported**), and anything it recognised but couldn't fully read (**Incomplete Data**) — including scanned or photocopied PDFs, which are routed here rather than guessed at. Open a file directly from the list to preview it.

Manual


This document, from inside the application.



Every signed-in user can download their own manual at any time — always the edition matching your role, and stamped with your username and the date/time you downloaded it. Super Admins additionally see the full Developer Manual and the UAT/Live Deployment Guide [here](#).

Buyer Order Entry


Confirm or correct a purchase order number PIIPS matched (or couldn't match) against SPRPUR before an invoice can be Loaded.



PIIPS tries to detect the buyer's PO number on every invoice automatically, splitting matches into **confident** and **doubtful**. Use this screen to review doubtful matches, or to enter a PO number by hand when none was detected. Nothing reaches the Load step without a confirmed PO number.

Load

Bring a processed, PO-confirmed invoice into the system as a purchase record.



Loading is the first lifecycle step after extraction: it turns the extracted header/line/reservation data into a real Purchase record and moves the invoice's status to **LOADED**, ready for Accounts to Post.

Post

Send a Loaded invoice on to the downstream Service First system.

The screenshot displays the 'Post' interface within the PIIPS Invoice Processing Suite v2.3. The left sidebar contains a menu with categories: MAIN (Dashboard, File Explorer, Manual, Invoice Search), REVIEW & UPDATE (Buyer Order Entry, Part Description Mapping, Load), ACCOUNTS (Post, Complete), SETUP (Folder Configuration, API Configuration, Template), and MAPPING. The main content area is titled 'Post' and includes a 'Refresh' button, a 'Select invoices and mark as posted.' instruction, and a '0 selected' status with a 'Mark as Posted' button. A search bar is present above a table with the following data:


	INVOICE NO.	DOCUMENT DATE	NAVISION DOCUMENT NO.	FILE	VENDOR	STATUS
☐	VS/2627/663	17-09-2026	PIIPSPO-2627-000001	Vighnahar - 663.pdf	VIGHNAHAR SERVICES	LOADED

Below the table, it shows '1 row', 'Rows 10', and pagination controls: '< Prev', 'Page 1 / 1', and 'Next >'.

Posting calls the Service First API to record the purchase there and moves the status to **POSTED** once it succeeds, tracking whether the part was received ([IsSynced](#)).

Complete

Close out a Posted invoice once it's fully reconciled.



The screenshot displays the 'Complete' module in the PIIPS Invoice Processing Suite v2.3. The interface includes a sidebar menu on the left with categories: MAIN (Dashboard, File Explorer, Manual, Invoice Search), REVIEW & UPDATE (Buyer Order Entry, Part Description Mapping, Load), ACCOUNTS (Post, Complete), SETUP (Folder Configuration, API Configuration, Template), and MAPPING. The 'Complete' module is active, showing a 'Refresh' button and a 'Mark as Completed' button. A table lists invoice details:


	INVOICE NO.	NAVISION DOCUMENT NO.	FILE	VENDOR	STATUS	BATCH
☐	VS/2627/663	PIIPSP0-2627-000001	Vighnahar - 663.pdf	VIGHNAHAR SERVICES	POSTED	PIIPS_Batch_2026100

Below the table, it indicates '1 row' and 'Rows 10'. Navigation buttons for 'Prev', 'Page 1 / 1', and 'Next' are also present.

Complete is the final lifecycle step, marking an invoice finished once everything downstream has been confirmed.

Folder Configuration

Set the single working Folder Path PIIPS uses for Input, New_Format and its extracted output.



The screenshot shows the PIIPS web application interface. On the left is a dark sidebar with a menu. The main content area is titled 'Folder Configuration' and contains a 'Folder' section. This section has a text description of the 'Folder Path' and a text input field containing 'D:\PIIPS_UPLOADS'. A 'Save' button is located below the input field. The sidebar menu includes sections for MAIN, REVIEW & UPDATE, ACCOUNTS, SETUP, and MAPPING, with 'Folder Configuration' highlighted under the SETUP section.

PIIPS
Invoice Processing Suite • v2.3

MAIN

- Dashboard
- File Explorer
- Manual
- Invoice Search

REVIEW & UPDATE

- Buyer Order Entry
- Part Description Mapping
- Load

ACCOUNTS

- Post
- Complete

SETUP

- Folder Configuration**
- API Configuration
- Template

MAPPING

Folder Configuration

Folder

Folder Path

The working folder. Must be a folder on the **server machine** — not a network share or a mapped network drive. On save, the **Input** folder (with a subfolder for each template) and **New_Format** are created here, and extracted output is written here.

D:\PIIPS_UPLOADS

Save

Every other folder (per-template Input subfolders, Unsupported, Incomplete Data, the ALL_INVOICES archive of every Posted/Completed invoice) lives underneath this one path.

API Configuration

Set the base URL of the Service First / NAV backend used for reservation and HSN lookups and for Posting.

The screenshot shows the PIIPS (Invoice Processing Suite v2.3) interface. On the left is a dark sidebar with a menu categorized into MAIN, REVIEW & UPDATE, ACCOUNTS, SETUP, and MAPPING. The 'API Configuration' option under the SETUP category is highlighted. The main content area is titled 'API Configuration' and features a 'Service First API URL' section. This section includes a descriptive text: 'Base URL of the Service First / NAV backend used to fetch reservation (spare-purchase) and HSN details, e.g. http://10.0.1.10:8080'. Below this is a text input field containing 'https://sf.precisionit.co.in' and a 'Save' button. A 'Standard' dropdown menu is visible in the top right corner of the main area.

Template

Manage the per-vendor extraction templates (entity, invoice type, name, PO number format, and any static values that should always be filled in for that vendor).

PIIPS
Invoice Processing Suite - v2.3

MAIN

Dashboard
File Explorer
Manual
Invoice Search

REVIEW & UPDATE

Buyer Order Entry
Part Description Mapping
Load

ACCOUNTS

Post
Complete

SETUP

Folder Configuration
API Configuration
Template

MAPPING

Template

+ New Template

Templates

Search...

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS
PT\PART\Services_Chennai	PT	PART	PIIPSPO-2627-	32	Active
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active
PT\PART\Bangalore	PT	PART	PIIPSPO-2627-	26	Active

3 rows

< Prev

Page 1 / 1

Next >

Role: Admin

Page 12

Create Field

Define the Excel columns each sheet (Purchase Header / Purchase Line / Reservation Entry) should have, and their order.

Invoice Search

REVIEW & UPDATE

Buyer Order Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING

Create Field

ADMIN

User Management

Create Field

Standard

1	Document Type	Template	×
2	No.	System	×
3	Buy-from Vendor No.	Service First	×
4	Pay-to Vendor No.	Service First	×
5	Pay-to Name	PDF	×
6	Pay-to Address	PDF	×
7	Pay-to Address 2	PDF	×
8	Pay-to City	PDF	×
9	Ship-to Name	PDF	×
10	Ship-to Address	PDF	×
11	Ship-to Address 2	PDF	×
12	Ship-to City	PDF	×
13	Ship-to Contact	None	×
14	Posting Date	PDF	×
15	Payment Terms Code	System	×
16	Due Date	System	×
17	Pmt. Discount Date	None	×
18	Location Code	Template	×
19	Vendor Posting Group	Template	×

User Management

Create accounts, control access, and manage passwords for other users.

USER	EMAIL	PASSWORD	TYPE	STATUS	CREATED	AC
Sadmin	anbuselvan.balakrisnan@precisionit.co.in	set by the user	Super Admin	Active	2026-08-18 23:10:49.190000	
PT89782	anbuselvan.balakrisnan@precisionit.co.in	PT89782 (initial - change pending)		Active	2026-08-22 15:34:59.570000	
PBV0030	sundararaj.k@precisionit.co.in	PBV0030 (initial -		Active	2026-08-30 12:15:28.307000	

Adding a user

Give the new account a username and their official email address, and choose their role. There is no password field — PIIPS generates a policy-compliant temporary password and emails it to them automatically; the person creating the account never sees or sets it.

Activating / deactivating a user

Every row has an **Inactivate** / **Give access** button; either action emails the affected user a notice. You can't deactivate your own account, and the default **Sadmin** super admin account can never be deactivated by anyone — it's the one account guaranteed to always be available.

Change Password

Who can reset whose password is deliberately restricted:

- **Super Admin** — can assign a new password to *any* user, including themselves.
- **Admin** — can assign a new password only for a plain **User** or **Accounts** account — never their own, another Admin's, or a Super Admin's.

Either way the target account is emailed the new password and must set their own replacement for it on next sign-in.

What's New in v2.3

Role: Admin

The sections below cover every screen added or changed in this release, scoped to what your role can see.

Templates: Active / Inactive replaces one-way Delete

The Template list now shows a **Status** column (Active/Inactive) with an Activate/Deactivate button, instead of a permanent Delete. Deactivating a template is reversible - it can be turned back on with Activate at any time.


PIIPS
 Invoice Processing Suite - v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

REVIEW & UPDATE

Buyer Order Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING

Template




Standard

+ New Template

Templates

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS
PT\PART\Services_Chennai	PT	PART	PIIPSP0-2627-	32	Active
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active
PT\PART\Bangalore	PT	PART	PIIPSP0-2627-	26	Active

3 rows

< Prev

Page 1 / 1

Next >

Templates: Deactivate is blocked until every batch is Completed

Deactivating is blocked until every batch that template has ever produced - including a file that's simply sitting in its Input folder but hasn't been run through Start yet - has actually reached Completed. The screen lists exactly which ones are still outstanding, so you know what to finish first.

The screenshot shows the PIIPS (Invoice Processing Suite v2.3) interface. On the left is a dark sidebar with a menu. The main content area is titled 'Template' and shows a list of templates.

PIIPS Invoice Processing Suite - v2.3

MAIN

- Dashboard
- File Explorer
- Manual
- Invoice Search

REVIEW & UPDATE

- Buyer Order Entry
- Part Description Mapping
- Load

ACCOUNTS

- Post
- Complete

SETUP

- Folder Configuration
- API Configuration
- Template**

MAPPING

Template

+ New Template

Search...

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS
PT\PART\Services_Chennai	PT	PART	PIIPSP0-2627-	32	Active
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active
PT\PART\Bangalore	PT	PART	PIIPSP0-2627-	26	Active

3 rows

« Prev Page 1 / 1 Next »

Templates: Renaming is blocked once it has any batch

Renaming a template is blocked the moment it has any batch behind it at all - even one that's still in progress. This protects that batch's own saved data: a rename would leave it pointing at a folder name that no longer resolves, which can silently blank out fields the next time that invoice needs reprocessing.

Only a template with zero batches yet - brand new, nothing ever run through it - can be renamed.

The screenshot shows the PIIPS (Invoice Processing Suite v2.3) interface. On the left is a dark sidebar with a menu. The main content area is titled 'Template' and shows a list of templates.

PIIPS Invoice Processing Suite - v2.3

MAIN

- Dashboard
- File Explorer
- Manual
- Invoice Search

REVIEW & UPDATE

- Buyer Order Entry
- Part Description Mapping
- Load

ACCOUNTS

- Post
- Complete

SETUP

- Folder Configuration
- API Configuration
- Template**

MAPPING

Template

+ New Template

Search...

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS
PT\PART\Services_Chennai	PT	PART	PIIPSP0-2627-	32	Active
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active
PT\PART\Bangalore	PT	PART	PIIPSP0-2627-	26	Active

3 rows

< Prev Page 1 / 1 Next >

Templates: creating a name that's already in use

Trying to create a new template whose name already belongs to an **active** one is blocked with a plain "already exists" message.


PIIPS
 Invoice Processing Suite - v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

REVIEW & UPDATE

Buyer Order Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING


Template




Standard

+ New Template

Templates

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS
PT\PART\Services_Chennai	PT	PART	PIIPSP0-2627-	32	Active
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active
PT\PART\Bangalore	PT	PART	PIIPSP0-2627-	26	Active

3 rows

< Prev

Page 1 / 1

Next >

Templates: creating a name that belongs to an inactive template

Trying to create a new template whose name belongs to an **inactive** one gets a more specific message telling you to activate the existing one instead of creating a duplicate.

PIIPS
 Invoice Processing Suite - v2.3

Standard ▼

MAIN

- Dashboard
- File Explorer
- Manual
- Invoice Search

REVIEW & UPDATE

- Buyer Order Entry
- Part Description Mapping
- Load

ACCOUNTS

- Post
- Complete

SETUP

- Folder Configuration
- API Configuration
- Template

MAPPING

Template

+ New Template

Templates

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS
PT\PART\Services_Chennai	PT	PART	PIIPSP0-2627-	32	Active
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active
PT\PART\Bangalore	PT	PART	PIIPSP0-2627-	26	Active

3 rows

< Prev
Page 1 / 1
Next >

Templates: History

A new **History** button on the Template list shows exactly who activated or deactivated a template, and when.

[illegible]

Invoice Search: click-to-view and a new Details view

The file name in the results table is now itself the View link - click it to open the PDF viewer directly.

A new **Details** button (PART invoices only) opens every configured Purchase Header / Purchase Line / Reservation Entry field and its current value, organized into tabs. Every field is shown, including blank ones - nothing is hidden for being empty or optional. The Reservation tab is left out entirely when there's nothing to show there.

File Explorer

Manual

Invoice Search

REVIEW & UPDATE

Buyer Order Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING

Create Field

ADMIN

User Management

Sadmin
Admin

Invoice Search

GST/SB/143/26-27
Spares Bazar - 143.pdf · SPARES BAZAR -26 27

BATCH

BATCH

Spares Bazar - 143.pdf	GST/SB/143/26-27	SPARES BAZAR -26 27	PIIPS_Batch_20261001_125753_PT_PART_Services_Chennai	CREA
------------------------	------------------	---------------------	--	------

1 row Rows 10

Prev Page 1 / 1 Next

File Explorer

Manual

Invoice Search

REVIEW & UPDATE

Buyer Order

Vendor Code

Part Description

Load

ACCOUNTS

Post

Complete

SETUP

Folder Config

API Config

Template

MAPPING

Create Field

ADMIN

User Management

Sadmin

Invoice Search

Standard

History

Next

Details — GST/SB/143/26-27

×

Purchase Header

Purchase Line

Reservation

Purchase Header

Document Type	Order	No.	—
Buy-from Vendor No.	SPABAZ5245	Pay-to Vendor No.	SPABAZ5245
Pay-to Name	SPARES BAZAR -26 27	Pay-to Address	510,5TH FLOOR, PANCHASHEELA TOWERS, PARKLANE
Pay-to Address 2	Pincode :, Secunderabad	Pay-to City	—
Ship-to Name	PRECISION TECHSERVE PVT LTD (Chennai)	Ship-to Address	22, HABIBULLAH ROAD, 1ST FLOOR, TAMIL MADU
Ship-to Address 2	Chennai	Ship-to City	Chennai
Ship-to Contact	—	Posting Date	01-10-2026
Payment Terms Code	30 DAYS	Due Date	07-10-2026
Pmt. Discount Date	—	Location Code	SRCHN
Vendor Posting Group	SERV VEND	Currency Code	—
Vendor Invoice No.	GST/SB/143/26-27	Buy-from Vendor Name	SPARES BAZAR -26 27
Buy-from Vendor Name 2	—	Buy-from Address	510,5TH FLOOR, PANCHASHEELA TOWERS, PARKLANE
Buy-from Address 2	Pincode :, Secunderabad	Buy-from City	—
Buy-from Contact	—	Pay-to Post Code	500003
Pay-to County	—	Pay-to Country/Region Code	—
Buy-from Post Code	500003	Buy-from County	—
Buy-from Country/Region Code	—	Ship-to Post Code	600017

File Explorer

Manual

Invoice Search

REVIEW & UPDATE

Buyer Order

Vendor Code

Part Description

Load

ACCOUNTS

Post

Complete

SETUP

Folder Config

API Config

Template

MAPPING

Create Field

ADMIN

User Management

Sadmin

Invoice Search

Standard

History

Next

Details — GST/SB/143/26-27

×

Purchase Header

Purchase Line

Reservation

Purchase Line 1

Document Type	Order	Document No.	—
Line No.	10000	Type	Item
No.	—	Location Code	SRCHN
Description	LAPTOP PARTS & ACCESSORIES DC JACK	Unit of Measure	—
Quantity	1.0	Direct Unit Cost	950.00
Line Amount	950.0	TDS Nature of Deduction	GOODS
GST Group Code	Goods 18%	GST Group Type	Goods
HSN/SAC Code	—	GST Base Amount	950.0
GST %	18.0	BU Code	—
Sub BU Code	—	Narration	—

Purchase Line 2

Document Type	Order	Document No.	—
Line No.	10000	Type	Item
No.	HPILAP0467S	Location Code	SRCHN
Description	LAPTOP SCREEN 5510 SCREEN	Unit of Measure	—
Quantity	1.0	Direct Unit Cost	3050.00
Line Amount	3050.0	TDS Nature of Deduction	GOODS

Dashboard: Duplicate column

The Batches table's per-status columns now include **Duplicate**, shown right after New Template - it was a real, trackable status before, it just wasn't shown as its own column.

PIIPS

Invoice Processing Suite - v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

REVIEW & UPDATE

Buyer Order Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING

Dashboard

Process invoices

Start

Reads PDFs from the Input folder, extracts each invoice, and saves a batch.

Batches

Refresh

Search...

BATCH NAME ▼	BATCH STATUS	EXTRACTED	NEW TEMPLATE	DUPL
PIIPS_Batch_20261001_130650_PT_PART_Services_Chennai	LOADED	1	0	0
PIIPS_Batch_20261001_125753_PT_PART_Services_Chennai	CREATED	1	0	0
PIIPS_Batch_20261001_120535_PT_PART_Services_Chennai	CREATED	1	1	0

3 rows

< Prev

Page 1 / 1

Next >

Run results

Clear

No run yet. Click Start to process invoices.

Invoices by status

4 total

Refresh