



PIIPS


Precision Intelligent Invoice Processing Suite · v2.2

Role: Admin

A screen-by-screen guide to the invoice processing application,
covering exactly the screens available to your role.

Logging in


Open PIIPS in a browser and sign in with your username and password.



Type your username and password, then select **Login**. The password field has a show/hide (👁) button so you can check what you typed, and pasting into it is deliberately blocked — type it by hand so a copied value from the wrong place can't end up there unnoticed.

Forgotten your password? Select **Forgot password?** on the login screen (below). Nobody sets your password for you, including administrators — every password on PIIPS is system-generated and emailed to your official email address, and you're always required to choose your own on first use.

Already open elsewhere? PIIPS only keeps one copy of itself running at a time. Opening it in a second tab or window now shows a blocking **"PIIPS is already open"** screen there instead of the app — close or switch to the other tab, then select **Try Again** here.



Enter your username or email and submit. If an account matches, a new temporary password is emailed to it; the response is the same either way so the screen can't be used to check whether a username exists.

What each role can see

Once signed in, only the screens your role has access to appear in the left-hand sidebar — you will never see menu items outside your role's access, and the server enforces the same limits even if a screen were reached directly.

SCREEN	USER	ACCOUNTS	ADMIN	SUPER ADMIN
Dashboard	✓	✓	✓	✓
File Explorer	✓	✓	✓	✓
Manual	✓	✓	✓	✓
Buyer Order Entry	✓	—	✓	✓
Load	✓	—	✓	✓
Post	—	✓	✓	✓
Complete	—	✓	✓	✓
Folder Configuration	—	—	✓	✓
Database Configuration	—	—	—	✓
API Configuration	—	—	✓	✓
Template	—	—	✓	✓
Create Field	—	—	✓	✓
Field Mapping	—	—	—	✓
Model Training	—	—	—	✓

SCREEN	USER	ACCOUNTS	ADMIN	SUPER ADMIN
User Management	—	—	✓	✓
Mail Server Setting	—	—	—	✓
Announcement	—	—	—	✓
Publish	—	—	—	✓

Setting your password the first time

The temporary password from your welcome email (or from a password reset) only gets you as far as this screen — you must choose your own password before doing anything else in PIIPS.

P **Set your password**

For your security, you must set your own password before continuing.

Current (temporary) password

Temporary password

New password

New password

At least 5 characters, with an uppercase letter, a lowercase letter, a number, and a special character.

Confirm new password

Confirm new password

Set password and continue


Log out

Enter the temporary password, then a new password meeting the policy shown on screen: **at least 5 characters, with an uppercase letter, a lowercase letter, a number, and a special character**. Select **Set password and continue** to enter the application.


This same screen appears any time an administrator resets your password for you — a new temporary password is always emailed, and you always set your own replacement for it on your next sign-in.

What the emails look like

PIIPS emails you at three points: when your account is created, whenever your password is reset (by you via Forgot password, or by an administrator), and if your account's access is turned on or off.




Welcome email




Password reset email

Dashboard

Your home screen after signing in.




The right-hand panels show a live count of every invoice PDF the system knows about — a total badge next to **Invoices by status** and **Status breakdown**, a status pie chart, and a per-status count list you can click to jump straight to that status's invoices. The bell icon (🔔) in the top bar opens any active site-wide announcement a Super Admin has published — a red dot means there's one you haven't opened yet.



Opening an announcement from the bell icon

File Explorer


Everything PIIPS currently knows about, by folder.



File Explorer lists the PDFs sitting in the working folders: newly-dropped invoices waiting to be processed, anything the system couldn't confidently match to a known vendor format (**Unsupported**), and anything it recognised but couldn't fully read (**Incomplete Data**) — including scanned or photocopied PDFs, which are routed here rather than guessed at. Open a file directly from the list to preview it.

Manual


This document, from inside the application.



Every signed-in user can download their own manual at any time — always the edition matching your role, and stamped with your username and the date/time you downloaded it. Super Admins additionally see the full Developer Manual and the UAT/Live Deployment Guide here.

Buyer Order Entry


Confirm or correct a purchase order number PIIPS matched (or couldn't match) against SPRPUR before an invoice can be Loaded.



PIIPS tries to detect the buyer's PO number on every invoice automatically, splitting matches into **confident** and **doubtful**. Use this screen to review doubtful matches, or to enter a PO number by hand when none was detected. Nothing reaches the Load step without a confirmed PO number.

Load


Bring a processed, PO-confirmed invoice into the system as a purchase record.



Loading is the first lifecycle step after extraction: it turns the extracted header/line/reservation data into a real Purchase record and moves the invoice's status to **LOADED**, ready for Accounts to Post.

Post


Send a Loaded invoice on to the downstream Service First system.



Posting calls the Service First API to record the purchase there and moves the status to **POSTED** once it succeeds, tracking whether the part was received (`IsSynced`).

Complete

Close out a Posted invoice once it's fully reconciled.



Complete is the final lifecycle step, marking an invoice finished once everything downstream has been confirmed.

Folder Configuration

Set the single working Folder Path PIIPS uses for Input, New_Format and its extracted output.

PIIPS
Invoice Processing Suite

MAIN

- Dashboard
- File Explorer
- Manual

REVIEW

- Buyer Order Entry

ACCOUNTS

- Load
- Post
- Complete

SETUP

- Folder Configuration**
- API Configuration
- Template

MAPPING

- Create Field

ADMIN

- User Management

Folder Configuration

Standard

Folder

Folder Path

The working folder. Must be a folder on the **server machine** — not a network share or a mapped network drive. On save, the **Input** folder (with a subfolder for each template) and **New_Format** are created here, and extracted output is written here.

D:\PIIPS

Save

Every other folder (per-template Input subfolders, Unsupported, Incomplete Data, the ALL_INVOICES archive of every Posted/Completed invoice) lives underneath this one path.

API Configuration

Set the base URL of the Service First / NAV backend used for reservation and HSN lookups and for Posting.

PIIPS

Invoice Processing Suite

MAIN

Dashboard

File Explorer

Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING

Create Field

ADMIN

User Management

API Configuration

API configuration

Service First API URL

Base URL of the Service First / NAV backend used to fetch reservation (spare-purchase) and HSN details, e.g. `http://10.0.1.10:8080` . Leave blank to skip the lookup (invoices process without reservation).

https://sf.precisionit.co.in/

Save

Role: Admin

Page 11

Template

Manage the per-vendor extraction templates (entity, invoice type, name, PO number format, and any static values that should always be filled in for that vendor).

PIIPS
Invoice Processing Suite

MAIN

Dashboard

File Explorer

Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING

Create Field

ADMIN

User Management

Template

+ New Template

Templates

Search...

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	
PT\PART\Services_Chennai	PT	PART	PO-2627-	31	Delete
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	31	Delete

2 rows

Prev

Page 1 / 1

Next

Create Field

Define the Excel columns each sheet (Purchase Header / Purchase Line / Reservation Entry) should have, and their order.

PIIPS
Invoice Processing Suite

MAIN

Dashboard

File Explorer

Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load

Post

Complete

SETUP

Folder Configuration

API Configuration

Template

MAPPING

+ Create Field

ADMIN

User Management

Create Field

Standard

Create field

Add columns, drag to reorder, or delete. These become the Excel columns; assign their values in **Field Mapping**. Each column's **Source** shows where its value actually comes from — only **Template** and **None** columns can be deleted here; **Service First**/**PDF**/**System** columns are relied on elsewhere in the app and are protected from accidental deletion.

Purchase Header (63)
Purchase Line (20)
Reservation Entry (42)

New column name

+ Add field

Reset to template

1	Document Type	Template	×
2	No.	System	×
3	Buy-from Vendor No.	Service First	×
4	Pay-to Vendor No.	Service First	×
5	Pay-to Name	PDF	×
6	Pay-to Address	PDF	×
7	Pay-to Address 2	PDF	×
8	Pay-to City	PDF	×
9	Ship-to Name	PDF	×
10	Ship-to Address	PDF	×
11	Ship-to Address 2	PDF	×
12	Ship-to City	PDF	×
13	Ship-to Contact	None	×
14	Posting Date	PDF	×

User Management

Create accounts, control access, and manage passwords for other users.

The screenshot displays the 'User Management' section of the PIIPS application. On the left is a dark sidebar with a navigation menu categorized into MAIN (Dashboard, File Explorer, Manual), REVIEW (Buyer Order Entry), ACCOUNTS (Load, Post, Complete), SETUP (Folder Configuration, API Configuration, Template), MAPPING (Create Field), and ADMIN (User Management). The main content area has a header with a hamburger menu, the title 'User Management', and a 'Standard' dropdown. Below the header are two forms. The 'Change Password' form includes a description, a 'User' dropdown menu, 'New password' and 'Confirm new password' text inputs with eye icons, and a 'Change password' button. The 'Add user' form includes a description, 'User Name' and 'Email' text inputs with icons, and a 'User Type' dropdown menu.

Adding a user

Give the new account a username and their official email address, and choose their role. There is no password field — PIIPS generates a policy-compliant temporary password and emails it to them automatically; the person creating the account never sees or sets it.

Activating / deactivating a user

Every row has an **Inactivate** / **Give access** button; either action emails the affected user a notice. You can't deactivate your own account, and the default **Sadmin** super admin account can never be deactivated by anyone — it's the one account guaranteed to always be available.

Change Password

Who can reset whose password is deliberately restricted:

- **Super Admin** — can assign a new password to *any* user, including themselves.
- **Admin** — can assign a new password only for a plain **User** or **Accounts** account — never their own, another Admin's, or a Super Admin's.

Either way the target account is emailed the new password and must set their own replacement for it on next sign-in.

What's New in v2.3

Role: Admin

The sections below cover every screen added or changed in this release, scoped to what your role can see.

Templates: Active / Inactive replaces one-way Delete

The Template list now shows a **Status** column (Active/Inactive) with an Activate/Deactivate button, instead of a permanent Delete. Deactivating a template is reversible - it can be turned back on with Activate at any time.

PIIPS

Invoice Processing Suite - v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

Template

Standard

New Template

Templates

Search...

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS		
PT\PART\Services_Chennai	PT	PART	PIIPSP0-2627-	32	Active	Deactivate	History
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active	Deactivate	History
PT\PART\Bangalore	PT	PART	PIIPSP0-2627-	26	Active	Deactivate	History

3 rows

Prev

Page 1 / 1

Next

Templates: Deactivate is blocked until every batch is Completed

Deactivating is blocked until every batch that template has ever produced - including a file that's simply sitting in its Input folder but hasn't been run through Start yet - has actually reached Completed. The screen lists exactly which ones are still outstanding, so you know what to finish first.

PIIPS
 Invoice Processing Suite - v2.3

MAIN
[Dashboard](#)
[File Explorer](#)
[Manual](#)
[Invoice Search](#)
[Completed Invoices](#)
 REVIEW & UPDATE
[Buyer Order Entry](#)
[Vendor Code Entry](#)
[Part Description Mapping](#)
[Load](#)
 ACCOUNTS
[Post](#)
[Complete](#)
 SETUP
[Folder Configuration](#)
[Database Configuration](#)
[API Configuration](#)
[Template](#)

Template
Standard

+ New Template

Templates

Can't deactivate - the following batches are not yet Completed:
 - Mentor - 7754.pdf (In Input, not yet processed) (NOT PROCESSED)
 Complete them, then come back and deactivate the template.

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS		
PT\PART\Services_Chennai	PT	PART	PIIPSPo-2627-	32	Active	Deactivate	History
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active	Deactivate	History
PT\PART\Bangalore	PT	PART	PIIPSPo-2627-	26	Active	Deactivate	History

3 rows

Prev
 Page 1 / 1
 Next

Templates: Renaming is blocked once it has any batch

Renaming a template is blocked the moment it has any batch behind it at all - even one that's still in progress. This protects that batch's own saved data: a rename would leave it pointing at a folder name that no longer resolves, which can silently blank out fields the next time that invoice needs reprocessing.

Only a template with zero batches yet - brand new, nothing ever run through it - can be renamed.

S

Sadmin

Super Admin

Logout

Template

Standard

Positive	Template	true
Location Code	Template	SRCHN
Reservation Status	Template	Surplus
Source Prod. Order Line	Template	0
Suppressed Action Msg.	Template	false
Planning Flexibility	Template	Unlimited
Appl.-to Item Entry	Template	0
Qty. to Handle (Base)	Template	1
Quantity Invoiced (Base)	Template	0
Disallow Cancellation	Template	false

14 rows

PrevPage 1 / 2Next

Save Template

Can't rename this template - it already has invoices/batches processed under it. Only a template with no batches yet can be renamed.

© 2026 Precision Techserve Madras Pvt. Ltd. All Rights Reserved. — Precision Intelligent Invoice Processing Suite (PIIPS) v2.3

Templates: creating a name that's already in use

Trying to create a new template whose name already belongs to an **active** one is blocked with a plain "already exists" message.

Invoice Processing Suite - v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Template

Standard

← Back

New Template

Entity

Invoice Type

Template name

PO Number Format

PT

PART

Bangalore

PO-2627-

Enter static values for columns **not mapped** in Field Mapping. Mapped columns are filled from the invoice JSON and hidden here.

Purchase Header (0 configured)

Search...

Add a field...

+ Add

No configured static-value columns for this sheet yet — add one above.

Purchase Line (0 configured)

Search...

Add a field...

+ Add

No configured static-value columns for this sheet yet — add one above.

Reservation Entry (0 configured)

Search...

Add a field...

+ Add

No configured static-value columns for this sheet yet — add one above.

Save Template

A template named "Bangalore" already exists.

Templates: creating a name that belongs to an inactive template

Trying to create a new template whose name belongs to an **inactive** one gets a more specific message telling you to activate the existing one instead of creating a duplicate.

Invoice Processing Suite - v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Template

Standard

← Back

New Template

Entity

Invoice Type

Template name

PO Number Format

PT

PART

Bangalore

PO-2627-

Enter static values for columns **not mapped** in Field Mapping. Mapped columns are filled from the invoice JSON and hidden here.

Purchase Header (0 configured)

Search...

Add a field...

+ Add

No configured static-value columns for this sheet yet — add one above.

Purchase Line (0 configured)

Search...

Add a field...

+ Add

No configured static-value columns for this sheet yet — add one above.

Reservation Entry (0 configured)

Search...

Add a field...

+ Add


No configured static-value columns for this sheet yet — add one above.

Save Template

You cannot create a template with the name "Bangalore" - one template with the name is in inactive status. Kindly activate it.

Templates: History

A new **History** button on the Template list shows exactly who activated or deactivated a template, and when.



Invoice Search: click-to-view and a new Details view

The file name in the results table is now itself the View link - click it to open the PDF viewer directly.

A new **Details** button (PART invoices only) opens every configured Purchase Header / Purchase Line / Reservation Entry field and its current value, organized into tabs. Every field is shown, including blank ones - nothing is hidden for being empty or optional. The Reservation tab is left out entirely when there's nothing to show there.

PIIPS

Invoice Processing Suite • v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

Invoice Search

3635

Search

3635

AM Enter - 3635.pdf · A.M.ENTERPRISES

FILE

BATCH

BATCH STATUS

FILE STATUS

AM Enter - 3635.pdf

3635

A.M.ENTERPRISES

PIIPS_Batch_20260930_133836_PT_PART_Services_Chennai

CREATED

READY TO LOAD

Details

History

1 row

Rows

10

Prev

Page 1 / 1

Next

PIIPS

Invoice Processing Suite • v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

Invoice Search

Details — 3635

X Close

Purchase Header

Purchase Line

Reservation

Purchase Header

Document Type	Order	No.	—
Buy-from Vendor No.	AMENTE02	Pay-to Vendor No.	AMENTE02
Pay-to Name	A.M.ENTERPRISES	Pay-to Address	NO.20, 2ND FLOOR, ASS 110, 2ND V CROSS
Pay-to Address 2	Bangalore	Pay-to City	—
Ship-to Name	PRECISION TECH SERVICE PVT LTD	Ship-to Address	22 HUBIBULLAH ROAD TNAGAR, Chennai
Ship-to Address 2	—	Ship-to City	Chennai
Ship-to Contact	—	Posting Date	30-09-2026
Payment Terms Code	45 DAYS	Due Date	05-11-2026
Pmt. Discount Date	—	Location Code	SRCHN
Vendor Posting Group	SERV VEND	Currency Code	—
Vendor Invoice No.	3635	Buy-from Vendor Name	A.M.ENTERPRISES
Buy-from Vendor Name 2	—	Buy-from Address	NO.20, 2ND FLOOR, ASS 110, 2ND V CROSS
Buy-from Address 2	Bangalore	Buy-from City	—
Buy-from Contact	—	Pay-to Post Code	560045
Pay-to County	—	Pay-to Country/Region Code	—
Buy-from Post Code	560045	Buy-from County	—
Buy-from Country/Region Code	—	Ship-to Post Code	600017
Ship-to County	—	Ship-to Country/Region Code	IN

FILE STATUS

READY TO LOAD

Details

History

Prev

Page 1 / 1

Next

PIIPS

Invoice Processing Suite • v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

Invoice Search

Details — 3635

X Close

Purchase Header

Purchase Line

Reservation

Purchase Line 1

Document Type	Order	Document No.	—
Line No.	10000	Type	Item
No.	HPIPRI9018S	Location Code	SRCHN
Description	HP LJ MFP 136NW FUSER DRIVE GEAR	Unit of Measure	—
Quantity	1.0	Direct Unit Cost	300.00
Line Amount	300.0	TDS Nature of Deduction	GOODS
GST Group Code	Goods 18%	GST Group Type	Goods
HSN/SAC Code	84439959	GST Base Amount	300.0
GST %	18.0	BU Code	—
Sub BU Code	—	Narration	—

Purchase Line 2

Document Type	Order	Document No.	—
Line No.	20000	Type	Item
No.	HPIPRI0186S	Location Code	SRCHN
Description	HP LJ MFP 136NW WIFI CARD	Unit of Measure	—
Quantity	1.0	Direct Unit Cost	1200.00
Line Amount	1200.0	TDS Nature of Deduction	GOODS
GST Group Code	Goods 18%	GST Group Type	Goods
HSN/SAC Code	84439959	GST Base Amount	1200.0

FILE STATUS

READY TO LOAD

Details

History

Prev

Page 1 / 1

Next

New menu: Completed Invoices

A new menu lists every invoice that has finished the full Load → Post → Complete lifecycle - the same ones archived into the ALL_INVOICES folder along the way.

The File Name column shows that archive copy's own name ("**<Invoice No.>_<Vendor Name>.pdf**") so it matches exactly what you'd find in that folder. Clicking it still opens the original PDF.

Checkbox selection plus a **Download Selected** button downloads the chosen PDFs one after another.

The screenshot displays the PIIPS (Invoice Processing Suite v2.3) interface. The left sidebar contains navigation menus: MAIN (Dashboard, File Explorer, Manual, Invoice Search, Completed Invoices), REVIEW & UPDATE (Buyer Order Entry, Vendor Code Entry, Part Description Mapping, Load), ACCOUNTS (Post, Complete), and SETUP (Folder Configuration, Database Configuration, API Configuration, Template). The 'Completed Invoices' menu is active, showing a list of invoices that have completed the full lifecycle (Load → Post → Complete). The main content area includes a search bar, a 'Download Selected' button, and a table with columns: FILE NAME, INVOICE NO., VENDOR NAME, and BATCH. Two invoices are listed, both with 'Details' and 'History' buttons. The first invoice is selected. The table footer shows '2 rows' and a 'Rows' dropdown set to '10'. Navigation buttons for 'Prev', 'Page 1 / 1', and 'Next' are also present.

☐	FILE NAME	INVOICE NO.	VENDOR NAME	BATCH		
☒	3635_A.M.ENTERPRISES.pdf	3635	A.M.ENTERPRISES	PIIPS_Batch_20260930_133836_PT_PART_Services_Chennai	Details	History
☐	AVS_26-27_00661_AVS ENTERPRISES.pdf	AVS/26-27/00661	AVS ENTERPRISES	PIIPS_Batch_20260930_133836_PT_PART_Services_Chennai	Details	History

Dashboard: Duplicate column

The Batches table's per-status columns now include **Duplicate**, shown right after New Template - it was a real, trackable status before, it just wasn't shown as its own column.

PIIPS

Invoice Processing Suite - v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

Dashboard

Process invoices

Start

Reads PDFs from the input folder, extracts each invoice, and saves a batch.

Batches

Refresh

Search...

BATCH NAME	BATCH STATUS	EXTRACTED	NEW TEMPLATE	DUPLICATE	BUY
PIIPS_Batch_20260930_133836_PT_PART_Services_Chennai	COMPLETED	2	0	0	0

1 row

PrevPage 1 / 1Next

Run results

Clear

No run yet. Click Start to process invoices.

Invoices by status

3 total

Refresh

UNSUPPORTED

1 (33%)

COMPLETED

2 (67%)

Click a status to see its invoices.

Status breakdown

3 total

NEW TEMPLATE

0

DUPLICATE

0

UNSUPPORTED

1

INITIATED

0

EXTRACTED

0

BUYER ORDER NO DOESN'T EXIST

0

NAV VENDOR CODE DOESN'T EXIST

0

SF PROCESSED

0

PENDING IN SF

0