



PIIPS


Precision Intelligent Invoice Processing Suite · v2.2

Role: Super Admin

A screen-by-screen guide to the invoice processing application,
covering exactly the screens available to your role.

Logging in


Open PIIPS in a browser and sign in with your username and password.



Type your username and password, then select **Login**. The password field has a show/hide (👁) button so you can check what you typed, and pasting into it is deliberately blocked — type it by hand so a copied value from the wrong place can't end up there unnoticed.

Forgotten your password? Select **Forgot password?** on the login screen (below). Nobody sets your password for you, including administrators — every password on PIIPS is system-generated and emailed to your official email address, and you're always required to choose your own on first use.

Already open elsewhere? PIIPS only keeps one copy of itself running at a time. Opening it in a second tab or window now shows a blocking **"PIIPS is already open"** screen there instead of the app — close or switch to the other tab, then select **Try Again** here.



Enter your username or email and submit. If an account matches, a new temporary password is emailed to it; the response is the same either way so the screen can't be used to check whether a username exists.

What each role can see

Once signed in, only the screens your role has access to appear in the left-hand sidebar — you will never see menu items outside your role's access, and the server enforces the same limits even if a screen were reached directly.

SCREEN	USER	ACCOUNTS	ADMIN	SUPER ADMIN
Dashboard	✓	✓	✓	✓
File Explorer	✓	✓	✓	✓
Manual	✓	✓	✓	✓
Buyer Order Entry	✓	—	✓	✓
Load	✓	—	✓	✓
Post	—	✓	✓	✓
Complete	—	✓	✓	✓
Folder Configuration	—	—	✓	✓
Database Configuration	—	—	—	✓
API Configuration	—	—	✓	✓
Template	—	—	✓	✓
Create Field	—	—	✓	✓
Field Mapping	—	—	—	✓
Model Training	—	—	—	✓

SCREEN	USER	ACCOUNTS	ADMIN	SUPER ADMIN
User Management	—	—	✓	✓
Mail Server Setting	—	—	—	✓
Announcement	—	—	—	✓
Publish	—	—	—	✓

Setting your password the first time

The temporary password from your welcome email (or from a password reset) only gets you as far as this screen — you must choose your own password before doing anything else in PIIPS.

P **Set your password**

For your security, you must set your own password before continuing.

Current (temporary) password

Temporary password

New password

New password

At least 5 characters, with an uppercase letter, a lowercase letter, a number, and a special character.

Confirm new password

Confirm new password

Set password and continue


Log out

Enter the temporary password, then a new password meeting the policy shown on screen: **at least 5 characters, with an uppercase letter, a lowercase letter, a number, and a special character**. Select **Set password and continue** to enter the application.


This same screen appears any time an administrator resets your password for you — a new temporary password is always emailed, and you always set your own replacement for it on your next sign-in.

What the emails look like

PIIPS emails you at three points: when your account is created, whenever your password is reset (by you via Forgot password, or by an administrator), and if your account's access is turned on or off.




Welcome email



Password reset email

Dashboard

Your home screen after signing in.



The right-hand panels show a live count of every invoice PDF the system knows about — a total badge next to **Invoices by status** and **Status breakdown**, a status pie chart, and a per-status count list you can click to jump straight to that status's invoices. The bell icon (🔔) in the top bar opens any active site-wide announcement a Super Admin has published — a red dot means there's one you haven't opened yet.

PIIPS

Invoice Processing Suite

MAIN

Dashboard

File Explorer

Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

Dashboard

Announcements

Scheduled maintenance window

PIIPS will be briefly unavailable for a scheduled update. No action is needed on your part.

Until 2026-08-20 23:00:00

Process invoices

Reads PDFs from the Input folder

Start

Batches

No batches yet. Run Start to create one.

Refresh

Run results

No run yet. Click Start to process invoices.

Clear

Invoices by status

3 total

Refresh

UNSUPPORTED3 (100%)

Click a status to see its invoices.

Status breakdown3 total

UNSUPPORTED3

INITIATED0

EXTRACTED0

BUYER ORDER NO DOESN'T EXIST0

SF PROCESSED0

PENDING IN SF0

READY TO LOAD0


LOADED0

POSTED0

Opening an announcement from the bell icon

File Explorer


Everything PIIPS currently knows about, by folder.



File Explorer lists the PDFs sitting in the working folders: newly-dropped invoices waiting to be processed, anything the system couldn't confidently match to a known vendor format (**Unsupported**), and anything it recognised but couldn't fully read (**Incomplete Data**) — including scanned or photocopied PDFs, which are routed here rather than guessed at. Open a file directly from the list to preview it.

Manual


This document, from inside the application.



Every signed-in user can download their own manual at any time — always the edition matching your role, and stamped with your username and the date/time you downloaded it. Super Admins additionally see the full Developer Manual and the UAT/Live Deployment Guide here.

Buyer Order Entry


Confirm or correct a purchase order number PIIPS matched (or couldn't match) against SPRPUR before an invoice can be Loaded.



PIIPS tries to detect the buyer's PO number on every invoice automatically, splitting matches into **confident** and **doubtful**. Use this screen to review doubtful matches, or to enter a PO number by hand when none was detected. Nothing reaches the Load step without a confirmed PO number.

Load


Bring a processed, PO-confirmed invoice into the system as a purchase record.



Loading is the first lifecycle step after extraction: it turns the extracted header/line/reservation data into a real Purchase record and moves the invoice's status to **LOADED**, ready for Accounts to Post.

Post


Send a Loaded invoice on to the downstream Service First system.



Posting calls the Service First API to record the purchase there and moves the status to **POSTED** once it succeeds, tracking whether the part was received (`IsSynced`).

Complete

Close out a Posted invoice once it's fully reconciled.



Complete is the final lifecycle step, marking an invoice finished once everything downstream has been confirmed.

Folder Configuration

Set the single working Folder Path PIIPS uses for Input, New_Format and its extracted output.

Folder Configuration

Folder

Folder Path

The working folder. Must be a folder on the **server machine** — not a network share or a mapped network drive. On save, the **Input** folder (with a subfolder for each template) and **New_Format** are created here, and extracted output is written here.

D:\PIIPS

Save

Every other folder (per-template Input subfolders, Unsupported, Incomplete Data, the ALL_INVOICES archive of every Posted/Completed invoice) lives underneath this one path.

Database Configuration

Point PIIPS at its SQL Server database.

PIIPS
 Invoice Processing Suite

MAIN

Dashboard
 File Explorer
 Manual

 REVIEW

Buyer Order Entry

 ACCOUNTS

Load
 Post
 Complete

 SETUP

Folder Configuration
 Database Configuration
 API Configuration

 MAPPING

Template
 Create Field
 Field Mapping

Database Configuration

Database configuration

Point PIIPS at a SQL Server database. The connection string is stored **encrypted** on the server and is never shown here in full. Saving first **tests** the connection. Changing this affects the whole application — an unreachable database will lock everyone out.

Server

Database

Authentication

☒ SQL Server login
 ☐ Windows (Integrated)

Username

Password

Leave blank to keep the current password.

Test & Save

Super Admin only. Saving a new connection also makes sure the target database has every table, type and stored procedure the application needs — safe to point at a brand-new, empty database.

Role: Super Admin

Page 11

API Configuration

Set the base URL of the Service First / NAV backend used for reservation and HSN lookups and for Posting.

PIIPS

Invoice Processing Suite

MAIN

Dashboard

File Explorer

Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

API Configuration

API configuration

Service First API URL

Base URL of the Service First / NAV backend used to fetch reservation (spare-purchase) and HSN details, e.g. `http://10.0.1.10:8080` . Leave blank to skip the lookup (invoices process without reservation).

https://sf.precisionit.co.in/

Save

Role: Super Admin

Page 12

Template

Manage the per-vendor extraction templates (entity, invoice type, name, PO number format, and any static values that should always be filled in for that vendor).

PIIPS
Invoice Processing Suite

MAIN

Dashboard

File Explorer

Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

Template

Standard

+ New Template

Templates

Search...

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	
PT\PART\Services_Chennai	PT	PART	PO-2627-	31	Delete
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	31	Delete

2 rows

Prev
Page 1 / 1
Next

Create Field

Define the Excel columns each sheet (Purchase Header / Purchase Line / Reservation Entry) should have, and their order.

PIIPS
Invoice Processing Suite

MAIN

Dashboard
File Explorer
Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load
Post
Complete

SETUP

Folder Configuration
Database Configuration
API Configuration
Template

MAPPING

+ Create Field
Field Mapping

Create Field

Purchase Header (63)
Purchase Line (20)
Reservation Entry (42)

+ Add field

Reset to template

#	Field Name	Source	Action
1	Document Type	Template	
2	No.	System	
3	Buy-from Vendor No.	Service First	
4	Pay-to Vendor No.	Service First	
5	Pay-to Name	PDF	
6	Pay-to Address	PDF	
7	Pay-to Address 2	PDF	
8	Pay-to City	PDF	
9	Ship-to Name	PDF	
10	Ship-to Address	PDF	
11	Ship-to Address 2	PDF	
12	Ship-to City	PDF	
13	Ship-to Contact	None	
14	Posting Date	PDF	

Role: Super Admin

Page 14

Field Mapping

Map each Excel column to the JSON field it should be read from during extraction.

PIIPS
Invoice Processing Suite

MAIN

Dashboard
File Explorer
Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load
Post
Complete

SETUP

Folder Configuration
Database Configuration
API Configuration
Template

MAPPING

Create Field
Field Mapping

Field Mapping

Standard

Field mapping

Map each Excel column (per sheet) to a JSON field. Leave blank to skip. Used to fill the workbook and DB tables after processing.

52/125 columns mapped across all sheets

Search...

SHEET NAME	EXCEL COLUMN	JSON FIELD
Purchase Header	Document Type	— (blank)
Purchase Header	No.	— (blank)
Purchase Header	Buy-from Vendor No.	Nav_VendorCode
Purchase Header	Pay-to Vendor No.	Pay_to_Vendor_No
Purchase Header	Pay-to Name	Pay_to_Name
Purchase Header	Pay-to Address	Pay_to_Address1
Purchase Header	Pay-to Address 2	Pay_to_Address2
Purchase Header	Pay-to City	— (blank)
Purchase Header	Ship-to Name	consignee_name
Purchase Header	Ship-to Address	consignee_address1

Super Admin only.

Model Training

Train PIIPS's format-detection model on newly-approved invoice templates.

PIIPS
Invoice Processing Suite

MAIN

Dashboard
File Explorer
Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load
Post
Complete

SETUP

Folder Configuration
Database Configuration
API Configuration
Template

MAPPING

Create Field
Field Mapping

Model Training

Train

Train formats

Place new invoice PDFs in the `New_Format` folder, then Train. Each new layout is learned by its seller GSTIN and merged into the model; known ones are skipped.

Files to train (69)
Refresh

Files currently in the `New_Format` folder. Click a file name to view it.

Search...

FILE	SIZE
1502 PT- NAGPUR.PDF	439.5 KB
169.pdf	46.4 KB
170.pdf	46.2 KB
175.pdf	46.2 KB
ATH - 1844.pdf	188.2 KB
AVS - 26-27_00446.pdf	85.3 KB
AVS_26-27_00356.pdf	85.3 KB
AVS_26-27_00455.pdf	85.4 KB
AVS_26-27_00458.pdf	85.2 KB
AVS_26-27_00463.pdf	85.4 KB

69 rows

Prev
Page 1 / 7
Next

Super Admin only. Format detection is keyed on the seller's GSTIN, so training teaches the model to recognise a new vendor's layout by its GSTIN going forward.

Role: Super Admin

Page 16

User Management

Create accounts, control access, and manage passwords for other users.

The screenshot displays the 'User Management' section of the PIIPS application. On the left is a dark sidebar with navigation links categorized under 'MAIN' (Dashboard, File Explorer, Manual), 'REVIEW' (Buyer Order Entry), 'ACCOUNTS' (Load, Post, Complete), 'SETUP' (Folder Configuration, Database Configuration, API Configuration, Template), and 'MAPPING' (Create Field, Field Mapping). The 'Post' link is currently selected. The main content area has a header with a hamburger menu, the title 'User Management', and a 'Standard' dropdown menu. Below the header, there are two primary forms:

- Change Password:** This form includes a sub-header, a descriptive paragraph, and three input fields: 'User' (a dropdown menu with 'Select a user...' as the placeholder), 'New password' (with a password strength indicator), and 'Confirm new password' (also with a strength indicator). A 'Change password' button is located at the bottom.
- Add user:** This form includes a sub-header, a descriptive paragraph, and three input fields: 'User Name' (with a user icon placeholder and 'User name' as the placeholder text), 'Email' (with an email icon placeholder and 'name@precisionit.co.in' as the placeholder text), and 'User Type' (a dropdown menu with 'User' as the selected option).

Adding a user

Give the new account a username and their official email address, and choose their role. There is no password field — PIIPS generates a policy-compliant temporary password and emails it to them automatically; the person creating the account never sees or sets it.

Activating / deactivating a user

Every row has an **Inactivate** / **Give access** button; either action emails the affected user a notice. You can't deactivate your own account, and the default **Sadmin** super admin account can never be deactivated by anyone — it's the one account guaranteed to always be available.

Change Password

Who can reset whose password is deliberately restricted:

- **Super Admin** — can assign a new password to *any* user, including themselves.
- **Admin** — can assign a new password only for a plain **User** or **Accounts** account — never their own, another Admin's, or a Super Admin's.

Either way the target account is emailed the new password and must set their own replacement for it on next sign-in.

Mail Server Setting

Configure the SMTP account PIIPS sends welcome, password-reset and account-status emails from.


PIIPS
Invoice Processing Suite

MAIN

Dashboard

File Explorer

Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

MAPPING

Create Field

Field Mapping

Mail Server Setting



Standard

Mail server setting

SMTP account PIIPS sends welcome, password-reset, and account-status emails from. The password is stored **encrypted** on the server and is never shown here in full. Saving first **tests** the connection.

Display name

SF APP

Email address

sfapp@precisionit.co.in

SMTP host

mail.precisionit.co.in

SMTP port

587

Password

***** (unchanged)

Leave blank to keep the current password.

Test & Save

Super Admin only. The password is stored encrypted and is never shown back in full; saving first tests the connection, so a typo is caught immediately rather than silently breaking every future email.

Announcement

Publish a site-wide notice to every signed-in user — for example, an upcoming maintenance window.

PIIPS
Invoice Processing Suite

MAIN

Dashboard
File Explorer
Manual

REVIEW

Buyer Order Entry

ACCOUNTS

Load
Post
Complete

SETUP

Folder Configuration
Database Configuration
API Configuration

Template

MAPPING

Create Field
Field Mapping

Announcement

New announcement

Shown to every logged-in user as a notification banner until the end date/time passes, or you stop it early below. Content can be plain text, an image (a screenshot, a QR code, whatever), a video link, or any combination.

Title

Scheduled maintenance

Message

PIIPS will be unavailable tonight from 10 PM to 11 PM for maintenance.

Image (optional)

Choose File
No file chosen

Video URL (optional)

https://...

Show until

dd-mm-yyyy --:--

Publish announcement

All announcements (1)

Search...

TITLE	STATUS	SHOWS UNTIL	CREATED	ACTION
-------	--------	-------------	---------	--------

Super Admin only. Content can be plain text, an image, a video link, or any combination, shown until the end date/time you set or until you stop it early. Every user sees it via the bell icon; it never interrupts what they're doing on the Dashboard.

Publish

Stage a build of PIIPS (pulling the right git branch and rebuilding the frontend) into a local folder ready to move onto UAT or Live.

PIIPS
Invoice Processing Suite

MAIN

- Dashboard
- File Explorer
- Manual

REVIEW

- Buyer Order Entry

ACCOUNTS

- Load
- Post
- Complete

SETUP

- Folder Configuration
- Database Configuration
- API Configuration
- Template

MAPPING

- Create Field
- Field Mapping

Publish

Publish

Root path (local)
Where a published build is staged on this machine, e.g. `D:\Workspace\Projects\Python\PIIPS_Published`. Each environment gets its own subfolder (`\uat`, `\Live`) — move it onto the real server by hand from there.

`D:\Workspace\Projects\Python\PIIPS_Published`

Save root path

Environment
UAT

Publish to UAT

Last published 2026-08-14T11:04:23.354103+00:00 by PT8980 — Success

Super Admin only. This prepares the files; moving the staged build onto the actual server and restarting the service there is still a manual step.

What's New in v2.3

Role: Super Admin

The sections below cover every screen added or changed in this release, scoped to what your role can see.

Templates: Active / Inactive replaces one-way Delete

The Template list now shows a **Status** column (Active/Inactive) with an Activate/Deactivate button, instead of a permanent Delete. Deactivating a template is reversible - it can be turned back on with Activate at any time.

Deactivating is blocked until every batch that template has ever produced - including a file that's simply sitting in its Input folder but hasn't been run through Start yet - has actually reached Completed. The screen lists exactly which ones are still outstanding.

Renaming a template is blocked once it has any batch behind it at all, to avoid breaking that batch's data.

Creating a template whose name collides with an existing one - active or inactive - is blocked with a clear message telling you to activate the existing one instead.

The screenshot displays the 'Template' management screen in the PIIPS Invoice Processing Suite v2.3. On the left is a dark sidebar with a menu organized into sections: MAIN (Dashboard, File Explorer, Manual, Invoice Search, Completed Invoices), REVIEW & UPDATE (Buyer Order Entry, Vendor Code Entry, Part Description Mapping, Load), ACCOUNTS (Post, Complete), and SETUP (Folder Configuration, Database Configuration, API Configuration, and the active 'Template' option). The main content area has a header with a 'Template' title, a search bar, and a '+ New Template' button. Below this is a table with columns: TEMPLATE, ENTITY, INVOICE TYPE, PO NUMBER FORMAT, STATIC VALUES, and STATUS. The table lists three templates, all with a status of 'Active'. Each row includes a 'Deactivate' button and a 'History' link. The first two templates are for 'Services_Chennai' (one for PART, one for SERVICE), and the third is for 'Bangalore' (PART). The table footer indicates '3 rows' and includes pagination controls for 'Prev', 'Page 1 / 1', and 'Next'.

TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS
PT\PART\Services_Chennai	PT	PART	PIIPSP0-2627-	32	Active
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active
PT\PART\Bangalore	PT	PART	PIIPSP0-2627-	26	Active

P

PIIPS

Invoice Processing Suite - v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

Template

Standard

New Template

Templates

Can't deactivate - the following batches are not yet Completed:
- Mentor - 7754.pdf (in Input, not yet processed) (NOT PROCESSED)
Complete them, then come back and deactivate the template.

Search...


TEMPLATE	ENTITY	INVOICE TYPE	PO NUMBER FORMAT	STATIC VALUES	STATUS		
PT\PART\Services_Chennai	PT	PART	PIIPSP0-2627-	32	Active	Deactivate	History
PT\SERVICE\Services_Chennai	PT	SERVICE	PO-2627-	33	Active	Deactivate	History
PT\PART\Bangalore	PT	PART	PIIPSP0-2627-	26	Active	Deactivate	History

3 rows

PrevPage 1 / 1Next

Templates: History

A new **History** button on the Template list shows exactly who activated or deactivated a template, and when.



Invoice Search: click-to-view and a new Details view

The file name in the results table is now itself the View link - click it to open the PDF viewer directly.

A new **Details** button (PART invoices only) opens every configured Purchase Header / Purchase Line / Reservation Entry field and its current value, organized into tabs. Every field is shown, including blank ones - nothing is hidden for being empty or optional. The Reservation tab is left out entirely when there's nothing to show there.

PIIPS

Invoice Processing Suite • v2.3

MAIN

Dashboard

File Explorer

Manual

Invoice Search

Completed Invoices

REVIEW & UPDATE

Buyer Order Entry

Vendor Code Entry

Part Description Mapping

Load

ACCOUNTS

Post

Complete

SETUP

Folder Configuration

Database Configuration

API Configuration

Template

Invoice Search

3635

Search

Look up an invoice by Invoice No. (or part of it) to see its file, vendor, batch, current status, and full tracking history.

INVOICE NO.	FILE	BATCH	BATCH STATUS	FILE STATUS	
AM Enter - 3635.pdf · A.M.ENTERPRISES					
AM Enter - 3635.pdf	3635	A.M.ENTERPRISES	PIIPS_Batch_20260930_133836_PT_PART_Services_Chennai	CREATED	READY TO LOAD

1 row

Rows

10

Prev

Page 1 / 1

Next

PIIPS
Invoice Processing Suite - v2.3

MAIN

DashboardFile ExplorerManualInvoice SearchCompleted Invoices

REVIEW & UPDATE

Buyer Order EntryVendor Code EntryPart Description MappingLoad

ACCOUNTS

PostComplete

SETUP

Folder ConfigurationDatabase ConfigurationAPI ConfigurationTemplate

Invoice Search

Look up

3635 AM E3635 AM E3635 AM E

1 row

Details — 3635

X Close

Purchase Header

Purchase Line

Reservation

Purchase Header

Document Type	Order	No.	—
Buy-from Vendor No.	AMENTE02	Pay-to Vendor No.	AMENTE02
Pay-to Name	A.M.ENTERPRISES	Pay-to Address	NO.20, 2ND FLOOR, ASS 110, 2ND V CROSS
Pay-to Address 2	Bangalore	Pay-to City	—
Ship-to Name	PRECISION TECH SERVICE PVT LTD	Ship-to Address	22 HUBIBULLAH ROAD TNAGAR, Chennai
Ship-to Address 2	—	Ship-to City	Chennai
Ship-to Contact	—	Posting Date	30-09-2026
Payment Terms Code	45 DAYS	Due Date	05-11-2026
Pmt. Discount Date	—	Location Code	SRCHN
Vendor Posting Group	SERV VEND	Currency Code	—
Vendor Invoice No.	3635	Buy-from Vendor Name	A.M.ENTERPRISES
Buy-from Vendor Name 2	—	Buy-from Address	NO.20, 2ND FLOOR, ASS 110, 2ND V CROSS
Buy-from Address 2	Bangalore	Buy-from City	—
Buy-from Contact	—	Pay-to Post Code	560045
Pay-to County	—	Pay-to Country/Region Code	—
Buy-from Post Code	560045	Buy-from County	—
Buy-from Country/Region Code	—	Ship-to Post Code	600017
Ship-to County	—	Ship-to Country/Region Code	IN

FILE STATUS

READY TO LOAD

DetailsHistory

PrevPage 1 / 1Next

PIIPS
Invoice Processing Suite - v2.3

MAIN

DashboardFile ExplorerManualInvoice SearchCompleted Invoices

REVIEW & UPDATE

Buyer Order EntryVendor Code EntryPart Description MappingLoad

ACCOUNTS

PostComplete

SETUP

Folder ConfigurationDatabase ConfigurationAPI ConfigurationTemplate

Invoice Search

Look up

3635 AM E3635 AM E3635 AM E

1 row

Details — 3635

X Close

Purchase Header

Purchase Line

Reservation

Purchase Line 1

Document Type	Order	Document No.	—
Line No.	10000	Type	Item
No.	HPIPRI9018S	Location Code	SRCHN
Description	HP LJ MFP 136NW FUSER DRIVE GEAR	Unit of Measure	—
Quantity	1.0	Direct Unit Cost	300.00
Line Amount	300.0	TDS Nature of Deduction	GOODS
GST Group Code	Goods 18%	GST Group Type	Goods
HSN/SAC Code	84439959	GST Base Amount	300.0
GST %	18.0	BU Code	—
Sub BU Code	—	Narration	—

Purchase Line 2

Document Type	Order	Document No.	—
Line No.	20000	Type	Item
No.	HPIPRI0186S	Location Code	SRCHN
Description	HP LJ MFP 136NW WIFI CARD	Unit of Measure	—
Quantity	1.0	Direct Unit Cost	1200.00
Line Amount	1200.0	TDS Nature of Deduction	GOODS
GST Group Code	Goods 18%	GST Group Type	Goods
HSN/SAC Code	84439959	GST Base Amount	1200.0

FILE STATUS

READY TO LOAD

DetailsHistory

PrevPage 1 / 1Next

New menu: Completed Invoices

A new menu lists every invoice that has finished the full Load → Post → Complete lifecycle - the same ones archived into the ALL_INVOICES folder along the way.

The File Name column shows that archive copy's own name ("**<Invoice No.>_<Vendor Name>.pdf**") so it matches exactly what you'd find in that folder. Clicking it still opens the original PDF.

Checkbox selection plus a **Download Selected** button downloads the chosen PDFs one after another.

PIIPS
Invoice Processing Suite • v2.3

MAIN

- Dashboard
- File Explorer
- Manual
- Invoice Search
- Completed Invoices**

REVIEW & UPDATE

- Buyer Order Entry
- Vendor Code Entry
- Part Description Mapping
- Load

ACCOUNTS

- Post
- Complete**

SETUP

- Folder Configuration
- Database Configuration
- API Configuration
- Template

Completed Invoices

Every invoice that has finished the full Load → Post → Complete lifecycle.

1 selected **Download Selected**

Search...



☐	FILE NAME	INVOICE NO.	VENDOR NAME	BATCH		
☒	3635_A.M.ENTERPRISES.pdf	3635	A.M.ENTERPRISES	PIIPS_Batch_20260930_133836_PT_PART_Services_Chennai	Details	History
☐	AVS_26-27_00661_AVS ENTERPRISES.pdf	AVS/26-27/00661	AVS ENTERPRISES	PIIPS_Batch_20260930_133836_PT_PART_Services_Chennai	Details	History

2 rows Rows 10 ▾

◀ Prev Page 1 / 1 Next ▶

User Management: login history

A new **History** button (Super Admin only) on each user's row shows their full sign-in / sign-out timeline.



Dashboard: Duplicate column

The Batches table's per-status columns now include **Duplicate**, shown right after New Template - it was a real, trackable status before, it just wasn't shown as its own column.

