

TYPE

COLOR

MATERIAL

ICON

Visual System

Review 02

A visual reading layer for the approved NosLog 2.0 Foundation. This draft adds specimens, diagrams, and usage boundaries without changing a token or designing final pages.

STATUS	Proposed for review
SCOPE	Foundation · motion · data · responsive · UI anatomy
AUTHORITY	Documents 24 and 63
EXCLUDED	Final screens · chart viewer/editor

FOUNDATION / TYPOGRAPHY

One family, explicit roles

The visual hierarchy comes from approved size, line-height, weight, and role boundaries - not decorative tracking or page-local invention.

DISPLAY	Archive without noise	40 / 48 · 700
PAGE TITLE	Music detail	24 / 32 · 700
SECTION TITLE	Recent records	20 / 28 · 600
COMPONENT TITLE	Judgement breakdown	16 / 24 · 600
BODY	Compare exact values and keep the current context visible.	16 / 24 · 400
METADATA	UPDATED 12 MIN AGO	12 / 16 · 400

KO 그랜드마스터 달성 기록

JA グランドマスター達成記録

EN Grandmaster achievement record

Official Pretendard JP 1.3.9 static TTFs · 400/500/600/700 embedded

KO ss05 remains a browser-shaping check

FOUNDATION / NEUTRAL / LIGHT

Spectrum S2 Light roles

These are semantic assignments, not a decorative gray ramp. Quiet boundaries may never become the only necessary cue.

Music archive

Search records, compare scores, and preserve context.

Recent record

12,987,654

Updated

12 min ago

SURFACES

canvas

#FFFFFF

surface

#F8F8F8

sunken

#E9E9E9

raised

#FFFFFF

overlay

#FFFFFF

FOREGROUNDS

content-default

#292929

content-subdued

#505050

content-interactive

#131313

content-disabled

#C6C6C6

BOUNDARIES

divider

#E1E1E1

border-subtle

#DADADA

border-default

#C6C6C6


border-strong

#717171

FOUNDATION / NEUTRAL / DARK

Spectrum S2 Dark roles

These are semantic assignments, not a decorative gray ramp. Quiet boundaries may never become the only necessary cue.



SURFACES

				
canvas	surface	sunken	raised	overlay
#111111	#1B1B1B	#111111	#222222	#222222

FOREGROUNDS

			
content-default	content-subdued	content-interactive	content-disabled
#DBDBDB	#AFAFAF	#F2F2F2	#444444

BOUNDARIES


			
divider	border-subtle	border-default	border-strong
#323232	#393939	#444444	#8A8A8A

FOUNDATION / MATERIAL

Flat by default, lifted by purpose


Radius communicates object family. Elevation appears only for real lift, movement, overlap, or justified emphasis.

APPROVED GEOMETRY




Control

4px




Container

8px



Overlay

10px



Full

50%

ELEVATION IS A STATE, NOT DECORATION

Raised / emphasized				
Ambient	0 2 8	.08 / .24		
Transition	0 1 4	.04 / .12		
Key	0 0 1	.08 / .24		

Overlay / elevated				
Ambient	0 4 12	.08 / .24		
Transition	0 2 6	.04 / .12		
Key	0 0 2	.12 / .36		

Dragged				
Ambient	0 12 16	.08 / .24		
Transition	0 6 8	.04 / .12		
Key	0 0 6	.16 / .48		

Exact Spectrum layer anatomy - geometry is x y blur - opacity is Light / Dark.

Dark flat surface

No persistent white outline

Overlay

Surface + justified boundary

FOUNDATION / SEMANTIC COLOR

Color names a state; typography stays neutral

Atlassian owns feedback chroma. Spectrum owns message title and body typography. Every state keeps text, symbol, and programmatic meaning.

LIGHT

DARK

Information

Explicit message and recovery

Success

Explicit message and recovery

Warning

Explicit message and recovery

Danger

Explicit message and recovery

Information

Explicit message and recovery

Success

Explicit message and recovery

Warning

Explicit message and recovery

Danger

Explicit message and recovery

DIFFICULTY · COMPACT PERSISTENT MARKERS ONLY

Normal

#0BA45D / #068850

Hard

#E86A00 / #E06400

Expert

#F03823 / #CD2E1D

Real

#A65CE7 / #AD69E9


Do not color difficulty text, backgrounds, containers, selection, focus, feedback, or actions.

FOUNDATION / DOMAIN COLOR

Local data and judgement remain narrow

SAP Fiori Horizon owns local data series. Radix Colors owns only the five judgement markers. Labels, values, order, and patterns carry meaning with color.

SCORE BUCKETS · LOW → HIGH



FAST / SLOW · DIRECT LABEL + SHAPE + LINE PATTERN



JUDGEMENT · LOCAL MARKERS / BARS ONLY



FOUNDATION / ICONOGRAPHY

Lucide stays quiet and legible

One outline family, inherited foreground, and a target larger than the glyph. Unfamiliar, destructive, and low-frequency actions keep visible text.

PUBLISHED CONSTRUCTION



Supporting beside label
24×24 viewBox · 2px stroke





Routine action / wayfinding
24×24 viewBox · 2px stroke




Prominent proven affordance
24×24 viewBox · 2px stroke


GLYPH ≠ TARGET



LABEL CONTRACT



Primary / unfamiliar
Visible label remains




Wayfinding
Icon supports - not replaces - the label

FOUNDATION / GUARDRAILS


Restraint is visible in the composition

These diagrams illustrate approved prohibitions. They are not reused historical candidates or final component designs.

DO



DON'T



Neutral surfaces first

Chroma only for approved semantic or domain roles.

Persistent non-color cue

Name, label, order, symbol, shape, or pattern remains.

Keyboard focus only

2px black Light / white Dark perimeter; pointer focus does not persist.

No universal hover fill


Use the approved component-family interaction recipe.

FOUNDATION / MOTION


Time communicates role, not spectacle

MO-02 uses the published Atlassian duration ladder and cubic-bezier curves. Immediate semantics are never delayed by animation.

DURATION ROLES - EXACT TOKENS



EASING CURVES - EXACT NORMALIZED CONTROL POINTS



Unassigned: 600ms, bounce, stagger, celebration, parallax, and page choreography.


FOUNDATION / REDUCED MOTION

Remove movement; preserve meaning


Reduced mode is an immediate semantic replacement, not a slower animation. Spatial and continuous motion disappear while state, focus, and recovery remain explicit.

STANDARD MOTION

PREFERS-REDUCED-MOTION: REDUCE


Popup

150ms enter from trigger


Popup

0ms placement at destination

Translate / scale removed


Selection and error

150ms highlight; error is 0ms


Selection and error

Immediate state and message

No delayed semantics

Busy

Spinner plus persistent busy text

Busy

Static cue + persistent busy text


aria-busy remains true

IMMEDIATE STATE

Focus, error, critical status, completion, and availability never wait for motion.

Primer anatomy, NosLog meaning

DV-05 adopts Primer chart anatomy and interaction responsibilities while LD-03, JD-02, and DU-01 retain ownership of product colors.



01 **Visible title**
Measure is identifiable without interaction.

02 **Subtitle context**
Dimension, range, and unit remain visible.


03 **Persistent legend**
Plot order, stroke, and marker differ.

04 **Exact value**
Pointer, keyboard, and touch expose the same value.

FOUNDATION / DATA ACCESS

One dataset, equivalent paths

The chart is never the only source of meaning. Visible conclusions, exact-value interaction, and the active same-data semantic table remain connected.




INPUT EQUIVALENCE

Pointer / touch	Dimension + series + Exact value + unit
Keyboard	Arrow keys move points; Home / End reach series ends
Narrow	Legend and actions recompose; no page overflow
Contained table	Labeled focusable scroller only when inherently wide

FOUNDATION / RESPONSIVE GRID

Container width chooses the tier

These are scaled diagrams. The numeric labels are normative; the miniature physical widths are editorial notation only.




Compact	Below 672px - reflow at 320px without page-level horizontal scrolling.
Intermediate	672-1055px - use measured content pressure, not a device label.
Wide	1056px+ - use space for comparison, analysis, or parallel reading.
Nested	Component recomposition uses its own measured failure point and container query.

FOUNDATION / RESPONSIVE ADAPTATION

Recompose after content fails

One logical source and focus order survives every composition. A layout transition needs a measured content-fit reason, not a framework breakpoint.



Content-fit trigger	Longest KO/JA/EN labels, controls, tables, and cards determine transition.
Text growth	200% text and 400% zoom keep required content and focus visible.
Two-dimensional data	Only inherently wide data receives a labeled contained scroller.
Extra wide space	Use for comparison or parallel reading; do not enlarge a phone column.

REUSABLE ORDINARY UI

Aliases name responsibility, not appearance

FPR-04 stays lean. Each alias reuses behavior only where responsibility is genuinely shared and may not invent color, radius, shadow, or motion.

Shell and navigation

AppHeader

Overlay

Disclosure

Search and refinement

SearchField

ContentScopeSwitch

FilterSortControl

ViewModeSwitch

Entity and result

ResultCollection

MusicEntityHeader

DifficultySelector

MetricSummary

Exact dense data

DataTable

Pagination

OrdinaryDataChart

Forms and feedback

FormField

StatusMessage

REUSABLE ORDINARY UI

Anatomy protects the contract

These diagrams identify required parts and semantics. They do not approve one final visual component or a universal polymorphic overlay.

FormField

Public name

A very long public name

Public name must be 20 characters or fewer.

Label - value - constraint - error association - preserved input

Overlay family

Popover

anchored context

Menu

action choice

Dialog

modal task

Navigation

new destination

Choose semantics, focus, dismissal, geometry, and MO-02 by role.

OrdinaryDataChart + DataTable

13,642,180

Index	Value
1	11,800,000
2	12,200,000
3	12,500,000
4	13,200,000
5	13,000,000
6	13,642,180
7	13,800,000

DataTable

1. Headers and row identity

2. Exact values and units

3. Current-user context

4. Responsive priority

5. Same data as chart

REPRESENTATIVE FRAGMENT / DISCOVERY

Search, commit status, then scan

A controlled ordinary-UI fragment validates hierarchy and responsibilities. It is not a final Music page composition or a downstream visual target.

SCHEMATIC - NOT FINAL PAGE

NosLog390 CSS px

Find music

Search title or artist

128 results for 'NOSTALGIA'

Filters

Noah's song

●

Expert 12

ネコノテ・カリタガリ

●

Hard 9

그랜드마스터 연습곡

●

Normal 6

NosLogscaled 320 CSS px / 200% text

Find music

Search title or artist

128 results for 'NOSTALGIA'

Filters

Noah's song

●

Expert 12

ネコノテ・カリタガリ

●

Hard 9

그랜드마스터 연습곡

●

Normal 6

REPRESENTATIVE FRAGMENT / MUSIC DETAIL

Identity first; analysis follows

The fragment exercises MusicEntityHeader, difficulty, neutral metrics, approved judgement markers, and ordinary data-chart anatomy only.

SCHEMATIC - NOT FINAL PAGE

Noah's song

Canon in the nostalgic rain

● Normal

● Hard

● Expert

● Real

Best score



13,642,180

Grade

S

Rank

128 / 8,402



REPRESENTATIVE FRAGMENT / DENSE RANKING

Priority changes; relationships remain

The narrow view preserves row identity and exact values. The wide view adds comparison columns without duplicating the current user or flattening table semantics.

SCHEMATIC - NOT FINAL PAGE

320px priority		
Rank	Player	Rating
126	pianist_a	1,742
127	鍵盤奏者	1,739
128	You	1,736
129	very_long_name	1,730
130	연주자	1,728
Exact values - semantic headers - current context		

Wide comparison				
Rank	Player	Rating	Best 70	Region
126	pianist_a	1,742	1,704	KR
127	鍵盤奏者	1,739	1,704	KR
128	You	1,736	1,704	KR
129	very_long_name	1,730	1,704	KR
130	연주자	1,728	1,704	KR
Exact values - semantic headers - current context				

REPRESENTATIVE FRAGMENT / DATA SYNC

State and recovery stay explicit

This ordinary data-sync fragment tests loading, success, and recoverable failure with neutral message typography and approved Atlassian semantic chroma.

SCHEMATIC - NOT FINAL PAGE

Syncing

Connecting local records...

REDUCED: static cue + aria-busy

Named state - persistent copy - programmatic semantics - one recovery path

128 records connected

Last updated just now

Review imported records

Named state - persistent copy - programmatic semantics - one recovery path

Connection interrupted

Your existing records are unchanged.

Try again

Named state - persistent copy - programmatic semantics - one recovery path

REVIEW GATE

What approval of this draft means

Approval promotes a visual reading layer - not new Foundation values, component appearance, final pages, or production implementation.

01

Verify exact sources

Pinned Pretendard, Spectrum, Lucide, Atlassian, and Primer evidence must pass the fail-closed validator.

02

Approve the complete reading layer

Visual core, motion, data access, responsive rules, reusable anatomy, and four controlled fragments are one review artifact.

03

Integrate only after approval

Place approved plates before the detailed specification appendix in the milestone PDF without changing canonical Markdown.

04

Render the final milestone again

Verify every integrated page, bookmarks, links, overflow, searchable text, and metadata before release.

LOCKED SCOPE

The complete chart viewer and editor remain unchanged and absent.