KEYBOARD SHORTCUTS

Bash mode prefix

Mention files/folders

Line break (backslash + Enter)

Interrupt Claude Esc

Full output/context Ctrl+R

Paste image Ctrl+V

History navigation Esc+Esc

Auto-accept ("yolo mode") Shift+Tab

Plan mode Shift+Tab+Tab

Quick launch in IDEs Cmd+Esc

Insert file references Cmd+Opt+K

ESSENTIAL COMMANDS

npm install -g @anthropic-ai/claude-code

Install Claude Code globally

claude update

Update to latest version

claude config set model claude-opus-4-1-20250805

Set Opus 4.1 as default model

claude config set -g theme dark

Enable dark theme globally

SLASH COMMANDS

/init - Initialize project /clear - Clear history /model - Change AI model /config - View/modify config /cost - Token usage stats /doctor - Health check /mcp - MCP servers /agents - Manage subagents /memory - Edit CLAUDE.md /permissions - Security /review - Code review /vim - Vim mode

KEY FILE LOCATIONS

~/.claude/settings.json

User global settings

.claude/settings.json

Project settings

.claude/commands/

Custom slash commands

.claude/agents/

Project subagents

CONFIGURATION

claude config list

View all settings

claude config set <key> <value>

Change setting value

claude config add <key> <value>

Add to array settings

GIT WORKTREES

git worktree add ../app-feature -b feature main

Create new worktree with branch

git worktree list

List all worktrees

git worktree remove <path>

Remove worktree

POPULAR MCP SERVERS

claude mcp add playwright npx @playwright/mcp@latest

Browser automation

claude mcp add --transport http context7 https://mcp.context7.com/mcp

Documentation access

HOOKS & AUTOMATION

Hook Events:

PreToolUse PostToolUse

UserPromptSubmit Stop

SessionStart SessionEnd

Settings Location:

~/.claude/settings.json or .claude/settings.json

AI MODELS

Opus 4.1

claude-opus-4-1-20250805

Most capable

Sonnet 4

claude-sonnet-4-20250514 Balanced performance

Haiku 3.5

claude-3-5-haiku-20241022

Fastest responses