### 1. When will your overall stopping distance be increased?

**A.** When you're riding up a hill

**B.** When you're riding at night

**C.** When you're riding in fog

**D.** When you're riding with a passenger

### 2. What's the safest way to stop when the road is wet?

**A.** Change gear without braking

**B.** Use both brakes

**C.** Use the front brake only

**D.** Use the back brake only

### 3. You're riding in heavy rain. Your rear wheel skids as you accelerate. What must you do to regain control?

**A.** Put your feet down

**B.** Change down to a lower gear

**C.** Brake to reduce speed

**D.** Ease off the throttle

### 4. What should you do before starting a journey in the snow?

**A.** Consider whether your journey is essential

**B.** Have a hot drink and a meal

**C.** Plan a route avoiding towns

**D.** Try to avoid taking a passenger

### 5. Why should you ride with dipped headlights on in the daytime?

**A.** So that they’re already on when it gets dark

**B.** They help other road users to see you

**C.** They mean that you can ride faster

**D.** Other vehicles will get out of the way

### 6. When are motorcyclists allowed to use high-intensity rear fog lights?

**A.** When a pillion passenger is being carried

**B.** When they ride a large touring machine

**C.** When visibility is 100 metres (328 feet) or less

**D.** When they're riding on the road for the first time

### 7. When must you use your headlights?

**A.** When riding in a group

**B.** When parked on an unlit road

**C.** When carrying a passenger

**D.** When visibility is poor

### 8. You're riding in town at night. The roads are wet after rain. How will the reflections from wet surfaces affect your safety?

**A.** They’ll make it easier to stop

**B.** They’ll make it harder to accelerate

**C.** They’ll make it easier to see unlit objects

**D.** They’ll make it harder to see unlit objects

### 9. What should you test when you've just ridden through shallow flood water?

**A.** The brakes

**B.** The starter motor

**C.** The headlights

**D.** The steering

## 10. What should you do if you ride through shallow flood water?

**A.** Ride quickly, in a high gear

**B.** Ride slowly, in a low gear

**C.** Ride quickly, in a low gear

**D.** Ride slowly, in a high gear

## 11. What lights should you use if you're riding at night on a busy main road?

**A.** Dipped-beam headlights

**B.** Rear fog lights

**C.** Daytime running lights

**D.** Main-beam headlights

## 12. What should you do to help stay safe when you're riding in fog?

**A.** Keep your visor or goggles clear

**B.** Keep close to the vehicle in front

**C.** Keep the vehicle in front in view

**D.** Keep close to the centre of the road

**13. You're riding in heavy rain. Why should you try to avoid this marked area?**




**A.** It's illegal to ride over bus stops

**B.** The painted lines may be slippery

**C.** Cyclists may be using the bus stop

**D.** Only emergency vehicles may drive over bus stops

**14. What should you do to make yourself more visible when riding at night?**

**A.** Wear reflective clothing

**B.** Give arm signals

**C.** Ride in the middle of the road

**D.** Wear a tinted visor

### 15. What should you do to keep warm when you're riding in extremely cold conditions?

**A.** Put one hand on the exhaust pipe

**B.** Lie flat on the tank

**C.** Wear suitable clothing

**D.** Stay close to the vehicles in front

### 16. What can you do to be seen more easily when you're riding at night?

**A.** Wear reflective clothing

**B.** Wear waterproof clothing

**C.** Keep your motorcycle clean

**D.** Stay well out to the right

### 17. When will your overall stopping distance increase?

**A.** When it's raining

**B.** When it's sunny

**C.** When it's dark

**D.** When it's windy

**18. Which road surface is most likely to reduce the stability of your motorcycle?**

**A.** Loose gravel

**B.** Tarmac

**C.** Shellgrip

**D.** Concrete

**19. You're riding past queuing traffic. Why should you be more cautious when you approach this road marking?**




**A.** Lorries will be unloading here

**B.** Schoolchildren will be crossing here

**C.** Pedestrians will be standing in the road

**D.** Traffic could be turning here

**20. What can cause your motorcycle's tyres to lose their grip on the road surface and skid?**

**A.** Heavy braking

**B.** Giving hand signals

**C.** Riding one-handed

**D.** Looking over your shoulder

**21. Sometimes when you're riding in heavy rain your tyres can't displace the water fast enough. When this happens, water builds up between your tyres and the road - known as aquaplaning. What should you do to keep control when this happens?**

**A.** Use your rear brakes gently

**B.** Steer to the crown of the road

**C.** Ease off the throttle smoothly

**D.** Change up to a higher gear

**22. After riding through shallow flood water, you notice your motorcycle's brakes aren't working properly. What would be the best way to dry them out?**

**A.** Ride slowly, braking lightly

**B.** Ride quickly, braking harshly

**C.** Stop and dry them with a cloth

**D.** Stop and wait for a few minutes

### 23. What should you do if you have to ride in foggy weather?

**A.** Stay close to the centre of the road

**B.** Switch on only your sidelights

**C.** Switch on your dipped headlights

**D.** Ride in the gutter so you can see the kerb

### 24. What does the saying 'only a fool breaks the two-second rule' refer to?

**A.** The time recommended when using the choke

**B.** The time gap when following another vehicle in good conditions

**C.** The time you should allow to restart a stalled engine

**D.** The time you should keep your foot down at a junction

### 25. What should a motorcyclist avoid at a mini-roundabout?

**A.** Turning right

**B.** Using signals

**C.** Taking 'lifesavers'

**D.** The painted area

**26. You're riding on an exposed stretch of motorway and there's a strong side wind. When should you anticipate the effect of the wind?**

**A.** As you approach an exit slip road

**B.** When there's slow queuing traffic

**C.** When you overtake a large vehicle

**D.** As you approach a service area

**27. Why should you take care when riding over this marked area?**




**A.** The next bus may be due

**B.** It will alter your machine's centre of gravity

**C.** Pedestrians may be waiting at the bus stop

**D.** Waiting buses may have dripped oil onto the road

**28. Your overall stopping distance comprises thinking distance and braking distance. You're on a good, dry road surface, with good brakes and tyres. What's the typical braking distance at 50 mph?**

**A.** 14 metres (46 feet)

**B.** 24 metres (79 feet)

**C.** 38 metres (125 feet)

**D.** 55 metres (180 feet)

**29. How much can stopping distances increase in icy conditions?**

**A.** Two times

**B.** Three times

**C.** Five times

**D.** Ten times

**30. What requires extra care when you're driving or riding in windy conditions?**

**A.** Using the brakes

**B.** Moving off on a hill

**C.** Passing pedal cyclists

**D.** Turning into a narrow road

## 31. Why should you keep well to the left as you approach a right-hand bend?



**A.** To overcome the effect of the road's slope

**B.** To be positioned safely if you skid

**C.** To let faster traffic from behind overtake

**D.** To improve your view of the road

## 32. You've just gone through flood water. What should you do to make sure your brakes are working properly?

**A.** Accelerate and keep to a high speed for a short time

**B.** Avoid using the brakes at all for a few miles

**C.** Stop for at least an hour to allow them time to dry

**D.** Go slowly while gently applying the brakes

**33. What will be affected if the road surface becomes soft in very hot weather?**

**A.** The fuel consumption

**B.** The tyre grip

**C.** The exhaust emissions

**D.** The suspension

**34. Where is your vehicle most likely to be affected by side winds?**

**A.** On a narrow country lane

**B.** On an open stretch of road

**C.** On a busy stretch of road

**D.** On a long, straight road

**35. You're following a vehicle on a wet road. You stay a safe distance behind it. What should you do if a driver overtakes you and pulls into the gap you've left?**

**A.** Flash your headlights as a warning

**B.** Try to overtake safely as soon as you can

**C.** Drop back to regain a safe distance

**D.** Stay close to the other vehicle until it moves on

**36. You're travelling on the motorway. How can you lower the risk of a collision when the vehicle behind is following too closely?**

**A.** Increase your distance from the vehicle in front

**B.** Brake sharply

**C.** Switch on your hazard warning lights

**D.** Move onto the hard shoulder and stop

**37. You're following other vehicles in fog. You have your headlights on dipped beam. What else can you do to reduce the chances of being in a collision?**

**A.** Keep a safe distance from the vehicle in front

**B.** Keep close to the vehicle in front

**C.** Use main beam instead of dipped headlights

**D.** Keep up with the faster vehicles

**38. What should you do when you're using a contraflow system?**

**A.** Choose an appropriate lane in good time

**B.** Switch lanes to make better progress

**C.** Increase speed to get through the contraflow more quickly

**D.** Follow other motorists closely to avoid long queues

# Answers

### 1. D - When you're riding with a passenger

When you're carrying a passenger on a motorcycle, the overall weight will be much more than when you're riding alone. This additional weight will make it harder for you to stop quickly in an emergency, so you'll need to increase the distance between your motorcycle and the vehicle in front.

### 2. B - Use both brakes

Motorcyclists need to take extra care when stopping on wet road surfaces. Plan well ahead so that you’re able to brake in good time. For maximum stability, you should use both brakes, and brake when your motorcycle is upright and travelling in a straight line.

### 3. D - Ease off the throttle

If you feel your back wheel beginning to skid as you accelerate, ease off the throttle. This will give your rear tyre the chance to grip the road and stop the skid.

### 4. A - Consider whether your journey is essential

Don't ride in snowy or icy conditions unless your journey is essential. If you must go out, try to keep to main roads, which are more likely to be treated and clear.

### 5. B - They help other road users to see you

Making yourself as visible as possible is a positive step towards defensive riding. Having your headlights on, even in good daylight, makes it easier for other road users to see you approaching.

### 6. C - When visibility is 100 metres (328 feet) or less

If your motorcycle is fitted with high-intensity rear fog lights, you must only use them when visibility is seriously reduced. That's when you can see no further than 100 metres (328 feet). This rule about high-intensity rear fog lights applies to all motor vehicles.

### 7. D - When visibility is poor

Your headlights help you to see in the dark, and help other road users to see you. Use your headlights whenever visibility is poor. Using them at other times may also help other road users to see you. On modern motorcycles, the headlights are switched on automatically when you start the engine.

### 8. D - They’ll make it harder to see unlit objects

After rain, the reflections from wet surfaces will make it hard to see unlit objects. Make sure that your visor or goggles are clean, so your vision is as clear as possible. Pedestrians will be difficult to see, especially if they're wearing dark clothing.

### 9. A - The brakes

Water can make your brakes less effective. When you're clear of the water, ride slowly while gently applying the brakes; this will dry the brakes and normal braking performance will be restored. Never ride into deep flood water because unseen hazards and strong currents can be dangerous.

### 10. B - Ride slowly, in a low gear

If you have to ride through a flood, first check its not too deep. Deep water is dangerous due to unseen hazards and strong currents. To ride through shallow flood water, ride slowly in a low gear. Keep the engine running fast enough to keep water out of the exhaust. You may need to slip the clutch to do this.

### 11. A - Dipped-beam headlights

If there's other traffic on the road at night, use your headlights on dipped beam. Only switch to main beam when you won't dazzle other road users. At night, don't wear tinted glasses or contact lenses, or use a tinted visor, because these make it more difficult to see the road ahead.

### 12. A - Keep your visor or goggles clear

You must use your dipped headlights when visibility is seriously reduced. In fog, a film of mist can form over the outside of your visor or goggles. This can further reduce your ability to see. Be aware of this hazard and keep your visor or goggles clear; anti-mist sprays can help.

### 13. B - The painted lines may be slippery

Painted lines and road markings can be very slippery, especially for motorcyclists. Try to avoid them if you can do so safely.

### 14. A - Wear reflective clothing

You need to make yourself as visible as possible - from the front and back, and also from the side. Don’t just rely on your headlight and tail light. Wear clothing with reflective material, as this stands out in other vehicles’ headlights.

### 15. C - Wear suitable clothing

Motorcyclists are exposed to the elements and can become very cold when riding in wintry conditions. It’s important to keep warm or your concentration could be affected. The only way to stay warm is to wear suitable clothing. If you do find yourself getting cold, then stop at a suitable place to warm up.

### 16. A - Wear reflective clothing

It's vital to make yourself as visible as you can. Use the correct lights on your motorcycle. Wear reflective clothing and a light or brightly coloured helmet. Fluorescent clothing is effective in daytime but won't show up as well at night. Most high-visibility clothing will have a combination of fluorescent and reflective materials.

### 17. A - When it's raining

Extra care should be taken in wet weather. Wet roads will affect the time it takes you to stop: your stopping distance could be as much as doubled.

### 18. A - Loose gravel

Some road surfaces can affect the stability of a motorcycle far more than they affect other vehicles. Look out for loose or slippery road surfaces and be aware of any traffic around you. You may need to take avoiding action and change direction quickly.

### 19. D - Traffic could be turning here

When riding past queuing traffic, look out for ‘keep clear’ road markings, which will indicate a side road or entrance on the left. Vehicles may emerge or turn between gaps in the traffic.

### 20. A - Heavy braking

You can cause your motorcycle to skid by heavy braking, as well as excessive acceleration, swerving or changing direction too sharply, and leaning over too far.

### 21. C - Ease off the throttle smoothly

If your motorcycle starts to aquaplane, ease off the throttle smoothly. Don't brake or turn the steering until tyre grip has been restored.

### 22. A - Ride slowly, braking lightly

You can help to dry out brakes by riding slowly and applying light pressure to the brake pedal/lever. Don't ride at normal speeds until they're working normally again.

### 23. C - Switch on your dipped headlights

Only travel in fog if your journey is absolutely necessary. Fog is often patchy and visibility can reduce suddenly, without warning, so use your dipped headlights to help others to see you in these difficult conditions.

### 24. B - The time gap when following another vehicle in good conditions

It's very important that you always leave a safe gap between your motorcycle and any vehicle you're following. In good conditions, you need to leave a two-second time interval.

### 25. D - The painted area

Avoid riding over the painted area of a mini-roundabout, as this can become very slippery - especially when wet. At any given moment, only a small part of a motorcycle tyre makes contact with the road, so any reduction in grip can seriously affect stability.

### 26. C - When you overtake a large vehicle

Beware of side winds when riding on exposed stretches of road. Take care when overtaking large vehicles. As you pass them, you may emerge from their shelter into a gust of wind that can suddenly blow you off course. Bear in mind that strong winds can affect the stability of other road users too.

### 27. D - Waiting buses may have dripped oil onto the road

Try to anticipate slippery road surfaces. Watch out for oil patches at places where vehicles stop for some time, such as bus stops, lay-bys and busy junctions.

### 28. C - 38 metres (125 feet)

Various factors - such as weather and road conditions, vehicle condition and loading - affect how long it takes you to stop. You also need to add reaction time to this. The overall stopping distance at 50 mph includes a thinking distance of 15 metres (the reaction time before braking starts) plus your braking distance of 38 metres, giving a typical overall stopping distance of 53 metres (175 feet) in good conditions.

### 29. D - Ten times

Tyre grip is greatly reduced in icy conditions. For this reason, you need to allow up to ten times the stopping distance you would allow on dry roads.

### 30. C - Passing pedal cyclists

Always give cyclists plenty of room when overtaking them. You need to give them even more room when it’s windy. A sudden gust could easily blow them off course and into your path.

### 31. D - To improve your view of the road

Keeping to the left as you approach right-hand bends will give you an earlier view around the bend and enable you to see any hazards sooner. It also reduces the risk of collision with any oncoming vehicle that may have drifted over the centre line while taking the bend.

### 32. D - Go slowly while gently applying the brakes

Water on the brakes will act as a lubricant, causing them to work less efficiently. Using the brakes lightly as you go along will quickly dry them out.

### 33. B - The tyre grip

If the road surface becomes very hot, it can soften. Tyres are unable to grip a soft surface as well as they can a firm dry one. Take care when cornering and braking.

### 34. B - On an open stretch of road

In windy conditions, care must be taken on exposed roads. A strong gust of wind can blow you off course. Watch out for other road users who are particularly likely to be affected, such as cyclists, motorcyclists, high-sided lorries and vehicles towing trailers.

### 35. C - Drop back to regain a safe distance

Wet weather will affect the time it takes for you to stop and can affect your control. Your speed should allow you to stop safely and in good time. If another vehicle pulls into the gap you've allowed, ease back until you've regained your stopping distance.

### 36. A - Increase your distance from the vehicle in front

On busy roads, traffic may still travel at high speeds. Don't follow the vehicle in front too closely. If a driver behind seems to be 'pushing' you, gradually increase your distance from the vehicle in front by slowing down gently. This will give you more space in front if you have to brake, and will reduce the risk of a collision involving several vehicles.

### 37. A - Keep a safe distance from the vehicle in front

When it’s foggy, use your headlights on dipped beam. This will help you see and be seen by other road users. If visibility is seriously reduced, consider using front and rear fog lights if you have them. Keep to a sensible speed and don’t follow the vehicle in front too closely. If the road is wet and slippery, you’ll need to allow twice the normal stopping distance.

### 38. A - Choose an appropriate lane in good time

In a contraflow system, you'll be travelling close to oncoming traffic and sometimes in narrow lanes. You should get into the correct lane in good time, obey any temporary speed-limit signs and keep a safe separation distance from the vehicle ahead.