1. What could happen if you ride your motorcycle when it has a very loose drive chain?

A. The rear wheel could lock

B. The front wheel could wobble

C. The ignition could cut out

D. The brakes could fail

2. What's the most important reason to keep your motorcycle well maintained?

A. To accelerate faster than other traffic

B. So the motorcycle can carry a passenger

C. To keep the motorcycle roadworthy

D. So the motorcycle doesn't struggle when carrying panniers

3. How should you ride a motorcycle when new tyres have just been fitted?

A. By riding at faster-than-normal speeds

B. Normally, but with higher tyre pressures

C. By braking hard, especially into bends

D. Slower-than-normal, until the shiny surface is worn off

4. How will wearing brightly coloured clothing improve your safety while you’re riding a motorcycle?

A. You'll blend into the background

B. It will allow you to ride faster on unlit roads at night

C. You'll distract other road users

D. It will be easier for other road users to see you

5. What should you do when you're riding a motorcycle in very hot weather?

A. Slacken your helmet strap

B. Wear trainers instead of boots

C. Wear protective clothing

D. Ride with your visor fully open

6. Why should you wear fluorescent clothing when riding a motorcycle in daylight?

A. It keeps you cool in hot weather

B. It helps other road users to see you

C. It prevents injury if you're involved in an incident

D. It reduces wind resistance

7. Why should motorcycle riders wear reflective clothing?

A. To be seen better at night

B. To be seen better in daylight

C. To protect them from direct sunlight

D. To protect them from the cold

8. What should you do if your visor becomes very scratched?

A. Clean it with petrol

B. Wash it in soapy water

C. Replace it

D. Polish it with a fine abrasive

9. Your motorcycle has an engine over 50 cc. What's the legal minimum depth of tread on the tyres?

A. 1.6 mm

B. 4 mm

C. 2.5 mm

D. 1 mm

10. What can you wear to make it easier for other road users to see you?

A. A black leather jacket

B. A silk balaclava

C. A brightly coloured helmet

D. A helmet fitted with a tinted visor

11. What should you do if the oil-pressure warning light comes on while you're riding?

A. Ride slowly for a few miles to see if the light goes out

B. Go to the nearest garage to ask their advice

C. Stop as soon as possible and try to find the cause

D. Go to a dealer for an oil change

12. What must you check on both the front and rear motorcycle tyres?

A. That they're correctly inflated

B. That they're the same make

C. That they're the same size

D. That they're the same tread pattern

13. What could happen if you ride your motorcycle with a slack or worn drive chain?

A. The chain could lock the rear wheel

B. The engine could produce more emissions

C. The tyres could wear more quickly

D. The engine could misfire

14. What should you do if a tyre bursts while you're riding your motorcycle?

A. Lower the side stand

B. Change to a high gear

C. Brake firmly to a stop

D. Slow gently to a stop

15. What will be the benefit of having your motorcycle engine properly maintained?

A. It will reduce your journey times

B. It will reduce your insurance premiums

C. It will have lower exhaust emissions

D. It will have lower wind resistance

16. What should you use to clean visors and goggles?



A. Soapy water

B. Anti-freeze

C. White spirit

D. Petrol

17. You’re riding on a quiet road. What should you do if your visor fogs up?

A. Close the helmet air vents

B. Build up speed to increase the air flow

C. Stop as soon as it's safe and wipe it

D. Continue at a reduced speed

18. You're riding in hot weather. What's the safest type of footwear?

A. Boots

B. Shoes

C. Trainers

D. Sandals

19. What's the purpose of the Velcro tab fitted to some helmet straps?

A. To stop draughts

B. To provide a quick-release fastening following a crash

C. To securely fasten the helmet

D. To prevent the strap flapping in the wind

20. What does a catalytic converter reduce?

A. Exhaust emissions

B. Exhaust noise

C. Fuel consumption

D. Engine noise

21. Your motorcycle has a chain drive. What should you check after refitting the motorcycle's rear wheel?

A. The suspension preload

B. The wheel alignment

C. The side stand

D. The steering damper

22. You're checking your direction indicators. How many times per second must they flash?

A. Between 7 and 8 times

B. Between 5 and 6 times

C. Between 3 and 4 times

D. Between 1 and 2 times

23. What should you check after adjusting the final drive chain?

A. The front suspension forks

B. The rear shock absorber

C. The suspension adjustment

D. The rear wheel alignment

24. What would cause your steering to feel wobbly?

A. A broken clutch cable

B. Worn steering-head bearings

C. Incorrectly adjusted brakes

D. Tyre pressure is too high

25. Your motorcycle has a faulty oil seal on a shock absorber. Why is this a serious problem?

A. The motorcycle won't accelerate so quickly

B. The motorcycle will be harder to ride uphill

C. The motorcycle will be difficult to control

D. The motorcycle will have excessive chain wear

26. Oil is leaking from your motorcycle's forks. Why is this dangerous?

A. The motorcycle will become too noisy

B. The forks will quickly begin to rust

C. Your steering is likely to seize up

D. Your suspension will be ineffective

27. You've adjusted your motorcycle's drive chain. If this isn't done properly, what problem could it cause?

A. Excessive fuel consumption

B. Incorrect rear wheel alignment

C. Loss of braking power

D. Inaccurate speedometer reading

28. What should you do if you find a cut in the sidewall of one of your motorcycle's tyres?

A. Reduce the tyre pressure before you ride

B. Repair the cut before riding the motorcycle

C. Check regularly to see if it gets any worse

D. Replace the tyre before riding the motorcycle

29. How would you find out the correct air pressure to use in your motorcycle's tyres?

A. It will be stamped on the wheel

B. By checking the registration document

C. By checking the vehicle handbook

D. It will be shown on the tyre wall

30. What can you do to prevent a cable-operated clutch from becoming stiff?

A. Keep the cable oiled

B. Keep the cable slack

C. Keep the cable dry

D. Keep the cable tight

31. What can happen if your motorcycle's wheels are out of alignment?

A. Reduced braking performance

B. Increased tyre wear

C. Reduced ground clearance

D. A serious loss of power

32. Why should you wear specialist motorcycle clothing when you're riding?

A. Because it will reduce your insurance premium

B. Because it looks better than ordinary clothing

C. Because it gives the best protection from the weather

D. Because the law requires you to do so

33. What should you do when you leave your motorcycle parked?

A. Use the steering lock

B. Remove the battery lead

C. Pull it onto the kerb

D. Leave the parking lights on

34. You're parking your motorcycle. How can you reduce the chances of it being stolen?

A. Park in a space marked for motorcycles only

B. Leave it on its side stand

C. Switch off the engine cut-out switch

D. Chain it to an immovable object

35. What's the best way to stop a motorcycle and sidecar outfit rolling away if you park it on a hill?

A. Leave it in neutral

B. Park very close to another vehicle

C. Leave it in a low gear

D. Put the rear wheel on the pavement

36. When would you use the engine cut-out switch?



A. To stop the engine normally

B. To stop the engine in an emergency

C. To reduce speed in an emergency

D. To prevent the motorcycle being stolen

37. What should you do when you ride along a road where there are road humps?



A. Accelerate quickly between each one

B. Maintain a reduced speed throughout

C. Ride slowly at school times only

D. Always keep to the maximum legal speed

38. When should you check the engine oil level?

A. Before a long journey

B. Before the MOT test

C. Early in the morning

D. When the engine is hot

39. You service your own motorcycle. How should you dispose of used engine oil?

A. Put it into your dustbin

B. Tip it into a hole in the ground

C. Pour it down a drain

D. Take it to a local-authority site

40. How could you safeguard your motorcycle against the risk of fire?

A. Keep water levels above maximum

B. Check out any strong smell of petrol

C. Avoid riding with a full tank of petrol

D. Use unleaded petrol

41. You're riding a motorcycle during the day. What would help to make you more visible to other road users?

A. Switching off your headlights

B. Wearing a dark jacket

C. Wearing a black helmet

D. Wearing a brightly coloured helmet

42. You're wearing a motorcycle safety helmet while riding your motorcycle. What would make the helmet illegal?

A. If the helmet is more than four years old

B. If the helmet doesn't have chin protection

C. If the helmet is borrowed from a friend

D. If the helmet isn't fastened correctly

43. When should you increase the tyre pressures on your motorcycle?

A. When carrying a heavy load

B. When riding in hot weather

C. When riding in wet weather

D. After a long journey

44. What part of your motorcycle must be kept clean?

A. The engine

B. The number plate

C. The wheels

D. The fairing

45. When should you use your motorcycle's engine cut-out switch?

A. When you want to save wear and tear on the ignition

B. When you want to save wear and tear on the battery

C. When you want to stop the engine for a short time

D. When you want to stop the engine in an emergency

46. What should you check after you've adjusted the tension on your motorcycle's drive chain?

A. The sidelights

B. The rear wheel alignment

C. The tyre pressures

D. The valve clearances

47. A friend offers you a second-hand safety helmet for you to use. Why may this be a bad idea?

A. It may be damaged

B. It may be a full-face type

C. You'll affect your insurance cover

D. You'll be breaking the law

48. What would make a motorcycle tyre illegal?

A. A stone wedged in the tread

B. Tread less than 1.6 mm deep

C. Tread less than 2 mm deep

D. A large bulge in the sidewall

49. How should you maintain cable-operated brakes?

A. By removing all free play at the lever or pedal

B. By lubricating and adjusting them regularly

C. By always fitting new ones for the MOT

D. By checking them at normal operating temperature

50. How will you benefit from having your motorcycle serviced regularly?

A. Lower insurance premiums

B. Reduced risk of it breaking down

C. Increased exhaust emissions

D. A refund on your vehicle tax

51. What could a loose drive chain cause?

A. Wobbly wheels

B. Headlight misalignment

C. A braking fault

D. A locked rear wheel

52. When must you use dipped headlights during the day?

A. When you're riding on country roads

B. When you're riding on a motorway

C. When the roads are wet

D. When visibility is seriously reduced

53. When should you consider increasing your tyre pressures?

A. When riding on a wet road

B. When riding on twisty roads

C. When travelling on an uneven surface

D. When carrying a pillion passenger

54. What problem could be caused by putting too much oil in your engine?

A. Low oil pressure

B. Oil leaks

C. Stiffer gear changes

D. Engine overheating

55. You're leaving your motorcycle parked and unattended on a road. When may you leave the engine running?

A. If the battery is flat

B. Not on any occasion

C. When in a 20 mph zone

D. When parking for less than five minutes

56. You're involved in a crash. What should you do to reduce the risk of fire?

A. Open the choke

B. Keep the engine running

C. Use the engine cut-out switch

D. Turn the fuel tap to reserve

57. What should you do when riding at night?

A. Wear reflective clothing

B. Give arm signals

C. Ride in the centre of the road

D. Wear a tinted visor

58. How would under-inflated tyres affect your vehicle?

A. The vehicle's gear change mechanism would become stiff

B. The vehicle's stopping distance would increase

C. The flash rate of the vehicle's indicators would increase

D. The vehicle's headlights would aim high

59. When are you not allowed to sound your vehicle's horn?


A. Between 11.30 pm and 6.00 am on any road

B. Between 10.00 pm and 6.00 am in a built-up area

C. At any time in a built-up area

D. Between 11.30 pm and 7.00 am in a built-up area

60. What makes the vehicle in the picture 'environmentally friendly'?



A. It's powered by electricity

B. It's powered by gravity

C. It's powered by diesel

D. It's powered by unleaded petrol

61. Why have 'red routes' been introduced in major cities?

A. To help the traffic flow

B. To allow lorries to load more freely

C. To provide better parking

D. To raise the speed limits

62. What's the purpose of road humps, chicanes and narrowings?

A. To allow pedestrians to cross

B. To reduce traffic speed

C. To separate lanes of traffic

D. To increase traffic speed

63. What's the purpose of a catalytic converter?

A. To reduce harmful exhaust gases

B. To reduce engine wear

C. To reduce fuel consumption

D. To reduce the risk of fire

64. When should tyre pressures be checked?

A. After travelling at high speed

B. When tyres are cold

C. After any lengthy journey

D. When tyres are hot

65. When will your vehicle use more fuel?

A. When its tyres are of different makes

B. When its tyres are over-inflated

C. When its tyres are under-inflated

D. When its tyres are new

66. How should you dispose of a used vehicle battery?

A. Take it to a local-authority disposal site

B. Leave it on waste land

C. Bury it in your garden

D. Put it in the dustbin

67. What's most likely to increase fuel consumption?

A. Staying in high gears

B. Harsh braking and accelerating

C. Poor steering control

D. Accelerating around bends

68. The fluid level in your battery is low. What fluid should you use to top it up?

A. Engine coolant

B. Engine oil

C. Battery acid

D. Distilled water

69. You're parked on the road at night. When must you use parking lights?

A. When you're facing oncoming traffic

B. When there are continuous white lines in the middle of the road

C. When the speed limit exceeds 30 mph

D. When you're near a bus stop

70. How can you reduce the environmental harm caused by your motor vehicle?

A. Only use it for short journeys

B. Keep engine revs low

C. Drive faster than normal

D. Don't service it

71. What can cause excessive or uneven tyre wear?

A. A faulty exhaust system

B. A faulty gearbox

C. A faulty braking system

D. A faulty electrical system

72. You need to top up your battery with distilled water. What level should you fill it to?

A. Just below the cell plates

B. The top of the battery

C. Halfway up the battery

D. Just above the cell plates

73. How can you plan your route before starting a long journey?

A. Use a route planner on the internet

B. Check your vehicle handbook

C. Ask your local garage

D. Consult a travel agent

74. Why is it a good idea to plan your journey to avoid busy times?

A. Your journey time will be longer

B. You'll have an easier journey

C. You'll have a more stressful journey

D. It will cause more traffic congestion

75. How will your journey be affected by travelling outside the busy times of day?

A. Your journey will be more hazardous

B. Your journey will use more fuel

C. Your journey will take longer

D. Your journey will have fewer delays

76. You plan your route before starting a journey. Why should you also plan an alternative route?

A. You may find you have to pay a congestion charge

B. Your original route may be blocked

C. Your maps may have different scales

D. You may get held up by a tractor

77. You have to arrive on time for an appointment. How should you plan for the journey?

A. Avoid roads with the national speed limit

B. Allow plenty of time for the trip

C. Plan to travel at busy times

D. Prevent other drivers from overtaking

78. What can you expect if you drive using rapid acceleration and heavy braking?

A. Reduced exhaust emissions

B. Reduced pollution

C. Increased fuel consumption

D. Increased road safety

79. What could cause you to crash if the level is allowed to get too low?

A. Brake-fluid level

B. Radiator-coolant level

C. Battery-water level

D. Anti-freeze level

Answers

1. A - The rear wheel could lock

Drive chains are subject to wear and need frequent adjustment to maintain the correct tension. Allowing the drive chain to run dry will greatly increase the rate of wear, so it's important to keep it lubricated. If the chain becomes very worn and loose, it can jump off the sprocket and lock the rear wheel.

2. C - To keep the motorcycle roadworthy

Whenever you use any motorcycle on the road, it must be in a roadworthy condition. Regular maintenance should identify any faults at an early stage and help prevent more serious problems.

3. D - Slower-than-normal, until the shiny surface is worn off

New tyres have a shiny finish, which needs to wear off before the tyre will give the best grip. Take extra care if the road surface is wet or slippery.

4. D - It will be easier for other road users to see you

For your own safety, you need other road users to see you easily. Wearing brightly coloured or fluorescent clothing will help you to achieve this during daylight. At night, wearing clothing that includes reflective material is the best way of helping others to see you.

5. C - Wear protective clothing

Always wear your protective clothing, whatever the weather. In very hot weather it’s tempting to ride in light summer clothes, but it isn't worth the risk. If you fall from your motorcycle, you’ll have no protection from the hard road surface.

6. B - It helps other road users to see you

Motorcycles are smaller and therefore harder to see than most other vehicles on the road. You need to make yourself as visible as possible to other road users. Fluorescent and reflective clothing will help achieve this.

7. A - To be seen better at night

Fluorescent clothing will help others to see you during the day. At night, however, you should wear clothing that reflects the light. This allows other road users to see you more easily in their headlights. Ask your local motorcycle dealer about fluorescent and reflective clothing.

8. C - Replace it

Your visor protects your eyes from wind, rain, insects and road dirt. It’s important to keep it clean and in good repair. A scratched visor can obscure your view and cause dazzle from the lights of oncoming vehicles.

9. D - 1 mm

If your motorcycle has an engine over 50 cc, the entire original tread must be visible, with a depth of at least 1 mm in a continuous band across at least three-quarters of the breadth of the tread. However, your tyres are your only contact with the road, so it's recommended that you replace them before they get to this level.

10. C - A brightly coloured helmet

Many incidents and collisions involving motorcyclists occur because other road users don't see them. Be aware that you're vulnerable and make yourself as visible as possible by wearing fluorescent clothing and a light or brightly coloured helmet.

11. C - Stop as soon as possible and try to find the cause

If the oil-pressure warning light comes on when the engine is running, pull over as soon as you can, stop the engine and investigate the cause; if you don't, you risk serious engine damage.

12. A - That they're correctly inflated

Your safety and that of others depends on the condition of your tyres. Before every trip, make sure they * are correctly inflated * have at least the minimum legal depth of tread * have no cuts or bulges. Do these checks as part of a routine before every journey.

13. A - The chain could lock the rear wheel

Check your drive chain regularly; adjust and lubricate it if necessary. It needs to be adjusted until the 'free play' is as it says in the vehicle handbook. If the chain is too loose, it can jump off its sprocket and lock your rear wheel while you're riding.

14. D - Slow gently to a stop

If a tyre bursts, close the throttle smoothly and slow gently to a stop, holding the handlebars firmly to help you keep a steady course.

15. C - It will have lower exhaust emissions

A badly maintained engine will emit more exhaust fumes than one that's correctly serviced. This is damaging to the environment. The engine will also use more fuel.

16. A - Soapy water

It's very important to keep your visor or goggles clean. Clean them using warm soapy water. Don't use solvents or petrol.

17. C - Stop as soon as it's safe and wipe it

In cold and wet weather, your visor may fog up. If this happens when you're riding, choose somewhere safe to stop, and wipe it clean with a damp cloth. Special anti-fog products are available at motorcycle dealers.

18. A - Boots

It's important to wear good boots when you ride a motorcycle. Boots protect your feet and shins from knocks, and give some protection in a crash. They also help keep you warm and dry in cold or wet weather.

19. D - To prevent the strap flapping in the wind

Some helmet straps have a Velcro tab in addition to the main fastening, which is intended to secure the strap so that it doesn't flap in the wind. It mustn't be used on its own to fasten the helmet.

20. A - Exhaust emissions

Catalytic converters reduce the toxic and polluting gases given out by the engine. Never use leaded or lead-replacement petrol in a motorcycle with a catalytic converter; even one tankful can permanently damage the system.

21. B - The wheel alignment

After refitting the rear wheel or adjusting the drive chain, you should check your wheel alignment. Incorrect alignment will result in excessive tyre wear and poor roadholding.

22. D - Between 1 and 2 times

You should check that all your lights work properly before every journey. If you aren't sure whether your signals can be seen, you can use arm signals as well to make your intentions clear; avoid this if you're riding at speed because it can upset your stability.

23. D - The rear wheel alignment

Always check the rear wheel alignment after adjusting the final drive chain. Marks on the chain adjuster may be provided to make this easy. Incorrect alignment can cause instability and increased tyre wear.

24. B - Worn steering-head bearings

Worn bearings in the steering head can make your motorcycle very difficult to control. They should be checked for wear or correct adjustment and replaced if necessary.

25. C - The motorcycle will be difficult to control

As well as making your motorcycle difficult to control, the leaking oil could find its way onto your tyres and brakes. This could result in a loss of control, putting you and other road users in danger.

26. D - Your suspension will be ineffective

If an oil seal on your forks or shock absorbers fails, fork oil will leak out, making the suspension ineffective and the motorcycle difficult to control. It can also be very dangerous if the oil gets onto brakes or tyres. Replace faulty oil seals without delay.

27. B - Incorrect rear wheel alignment

After carrying out drive-chain adjustment, you should always check the rear wheel alignment. Many motorcycles have alignment guides stamped onto the frame to help you do this correctly.

28. D - Replace the tyre before riding the motorcycle

A cut in the sidewall can be very dangerous. The tyre is in danger of blowing out if you ride the motorcycle in this condition.

29. C - By checking the vehicle handbook

Tyre pressures should be checked regularly. Look in your vehicle handbook for the correct pressures to use.

30. A - Keep the cable oiled

Keeping the clutch cable oiled will help it to move smoothly through its outer casing. This will extend the life of the cable and help prevent the clutch's operation from becoming stiff.

31. B - Increased tyre wear

If a motorcycle’s wheels are incorrectly aligned, tyres may wear unevenly and the motorcycle can become unstable, especially when cornering.

32. C - Because it gives the best protection from the weather

If you become cold and wet when you're riding, your concentration and control of your motorcycle can be seriously affected. Proper motorcycle clothing can help protect you from the weather, as well as giving some protection in the event of a crash.

33. A - Use the steering lock

You should always use the steering lock when leaving your motorcycle. Also consider using additional locking devices, such as a U-lock, disc lock or chain. If possible, fasten the motorcycle to an immovable post or similar anchored structure.

34. D - Chain it to an immovable object

Theft of motorcycles is a very common crime. If you can, secure your vehicle to a lamppost or other such object, to help reduce the chances of it being stolen.

35. C - Leave it in a low gear

To make sure a sidecar outfit doesn’t roll away after you've parked it, you should leave it in a low gear and wedge it against the kerb or place a block behind the wheel.

36. B - To stop the engine in an emergency

If you're involved in a collision, using the engine cut-out switch will help to reduce the risk of fire. When stopping the engine normally, use the ignition switch.

37. B - Maintain a reduced speed throughout

The humps are there to reduce the speed of the traffic. Don't accelerate harshly between them, as you'll then have to brake sharply to negotiate the next hump. Harsh braking and acceleration uses more fuel, as well as causing wear and tear to your vehicle.

38. A - Before a long journey

As well as the oil, you'll need to check other items. These include fuel, water and tyres.

39. D - Take it to a local-authority site

Never pour the oil down any drain. The oil is highly polluting and could harm wildlife. Put it in a container and dispose of it properly at an authorised site.

40. B - Check out any strong smell of petrol

The fuel in your motorcycle can be a dangerous fire hazard. Don't use a naked flame if you can smell fuel, and don't smoke when refuelling.

41. D - Wearing a brightly coloured helmet

Wearing bright or fluorescent clothes will help other road users to see you. Wearing a light or brightly coloured helmet can also make you more visible.

42. D - If the helmet isn't fastened correctly

A helmet that's incorrectly fastened or not fastened at all is likely to come off in a crash and will provide little or no protection. By law, you must wear a helmet when riding on the road, and it must be correctly fastened. (Members of the Sikh religion who wear a turban are exempt.)

43. A - When carrying a heavy load

The vehicle handbook will explain when it's recommended that you increase tyre pressures - for example, when you're carrying extra weight from a passenger or a heavy load.

44. B - The number plate

Maintenance is a vital part of road safety. Lights, indicators, reflectors and number plates must all be kept clean.

45. D - When you want to stop the engine in an emergency

Only use the engine cut-out switch in an emergency. When stopping the engine normally, use the ignition switch. This will remind you to take your keys with you when parking. It could also prevent starting problems if you forget you've left the cut-out switch in the 'off' position.

46. B - The rear wheel alignment

Drive chains wear and need frequent adjustment and lubrication. If the drive chain is worn or slack, it can jump off the sprocket and lock the rear wheel. When you've adjusted the chain tension, you need to check the rear wheel alignment. Marks by the chain adjusters may be provided to make this easier.

47. A - It may be damaged

A second-hand helmet may look in good condition but it could have received damage that isn't visible externally. A damaged helmet could be unreliable in a crash.

48. D - A large bulge in the sidewall

When checking tyres, check for bulges or cuts in the sidewalls. If there's any sign that the tyres have been damaged, they should be replaced.

49. B - By lubricating and adjusting them regularly

Cables will stretch with use and need checking and adjusting regularly. They also need lubricating to prevent friction and wear of the cables and pivots. Don't over-adjust brake cables or the brakes will bind, causing increased fuel consumption, risk of skidding and risk of the brakes overheating.

50. B - Reduced risk of it breaking down

Your motorcycle will be most reliable if you have it serviced regularly. Check at what intervals you should have your motorcycle serviced - this can vary by model or manufacturer. Keeping the service record up-to-date can help the resale value too.

51. D - A locked rear wheel

A motorcycle chain will stretch as it wears. It may need frequent checking and adjustment to keep the tension correct. In extreme cases, a loose chain can jump off the sprocket and become wedged in the rear wheel. This could cause serious loss of control and result in a crash.

52. D - When visibility is seriously reduced

You must use dipped headlights during the day if visibility is seriously reduced; that is, when you can’t see for more than 100 metres (328 feet).

53. D - When carrying a pillion passenger

Sometimes, manufacturers advise you to increase your tyre pressures for high-speed riding and when carrying extra weight, such as a pillion passenger. This information can be found in the vehicle handbook.

54. B - Oil leaks

Too much oil in the engine will create excess crankcase pressure. This could damage engine seals and cause oil leaks. Any excess oil should be drained off.

55. B - Not on any occasion

When you leave your motorcycle parked and unattended on a road, switch off the engine, use the steering lock and remove the ignition key. Also take any tank bags, panniers or loose luggage with you, set the alarm if the motorcycle has one, and use an additional lock and chain, or cable lock.

56. C - Use the engine cut-out switch

The engine cut-out switch is used to stop the engine in an emergency. In the event of a crash, this may help to reduce any fire risk.

57. A - Wear reflective clothing

At night, you should wear clothing with reflective material, to help other road users to see you. If your jacket doesn’t have reflective patches, you could wear garments that do, such as • a hi-visibility vest or tabard • a reflective belt. Also use your headlights on dipped or main beam, as appropriate.

58. B - The vehicle's stopping distance would increase

Your tyres are your only contact with the road. To prevent problems with braking and steering, keep your tyres free from defects; they must have sufficient tread depth and be correctly inflated. Correct tyre pressures help reduce the risk of skidding and provide a safer and more comfortable drive or ride.

59. D - Between 11.30 pm and 7.00 am in a built-up area

Every effort must be made to prevent excessive noise, especially in built-up areas at night. Don’t rev your engine or sound the horn unnecessarily. It's illegal to sound your horn in a built-up area between 11.30 pm and 7.00 am, except when another road user poses a danger.

60. A - It's powered by electricity

Trams are powered by electricity and therefore don't emit exhaust fumes. They ease traffic congestion by offering drivers an alternative to using their car, particularly in busy cities and towns.

61. A - To help the traffic flow

Inconsiderate parking can obstruct the flow of traffic and so make traffic congestion worse. Red routes are designed to prevent this by enforcing strict parking restrictions. Driving slowly in traffic increases fuel consumption and causes a build-up of exhaust fumes.

62. B - To reduce traffic speed

Traffic-calming measures help to keep vehicle speeds low in congested areas where there are pedestrians and children. A pedestrian is much more likely to survive a collision with a vehicle travelling at 20 mph than they are with a vehicle travelling at 40 mph.

63. A - To reduce harmful exhaust gases

Catalytic converters reduce a large percentage of harmful exhaust emissions. They work more efficiently when the engine has reached its normal working temperature.

64. B - When tyres are cold

Check the tyre pressures when the tyres are cold. This will give you a more accurate reading. The heat generated on a long journey will raise the pressure inside the tyre.

65. C - When its tyres are under-inflated

Check your tyre pressures frequently - normally once a week. If they're lower than those recommended by the manufacturer, there will be more 'rolling resistance'. The engine will have to work harder to overcome this, leading to increased fuel consumption.

66. A - Take it to a local-authority disposal site

Batteries contain acid, which is hazardous, and they must be disposed of safely. This means taking them to an appropriate disposal site.

67. B - Harsh braking and accelerating

Accelerating and braking gently and smoothly will help to save fuel and reduce wear on your vehicle. This makes it better for the environment too.

68. D - Distilled water

Some modern batteries are maintenance free. Check your vehicle handbook and, if necessary, make sure that the plates in each battery cell are covered with fluid.

69. C - When the speed limit exceeds 30 mph

When parking at night, park in the direction of the traffic. This will enable other road users to see the reflectors on the rear of your vehicle. Use your parking lights if the speed limit is over 30 mph.

70. B - Keep engine revs low

Engines that burn fossil fuels produce exhaust emissions that are harmful to health. The harder you make the engine work, the more emissions it will produce. Engines also use more fuel and produce higher levels of emissions when they're cold. Anything you can do to reduce your use of fossil fuels will help the environment.

71. C - A faulty braking system

If you see that parts of the tread on your tyres are wearing before others, it may indicate a brake, suspension or wheel-alignment fault. Regular servicing will help to detect faults at an early stage and this will avoid the risk of minor faults becoming serious or even dangerous.

72. D - Just above the cell plates

Top up the battery with distilled water and make sure each cell plate is covered.

73. A - Use a route planner on the internet

Various route planners are available on the internet. Most of them give you several options, allowing you to choose between the most direct route and quieter roads. They may also identify rest and fuel stops. Print off the directions and take them with you.

74. B - You'll have an easier journey

No-one likes to spend time in traffic queues. Try to avoid busy times related to school or work travel.

75. D - Your journey will have fewer delays

If possible, avoid the early morning, late afternoon and early evening ‘rush hour’. Doing this should allow you to have a better journey, with fewer delays. This should help you to arrive at your destination feeling less stressed.

76. B - Your original route may be blocked

It can be frustrating and worrying to find your planned route is blocked by roadworks or diversions. If you've planned an alternative, you'll feel less stressed and more able to concentrate fully on your driving or riding. If your original route is mostly on motorways, it’s a good idea to plan an alternative using non-motorway roads. Always carry a map with you just in case you need to refer to it.

77. B - Allow plenty of time for the trip

Always allow plenty of time for your journey in case of unforeseen problems. Anything can happen; for example, punctures, breakdowns, road closures, diversions and delays. You'll feel less stressed and less inclined to take risks if you aren't ‘pushed for time’.

78. C - Increased fuel consumption

Using the controls smoothly can reduce fuel consumption by about 15%, as well as reducing wear and tear on your vehicle. Plan ahead and anticipate changes of speed well in advance. This will reduce the need to accelerate rapidly or brake sharply.

79. A - Brake-fluid level

You should carry out frequent checks on all fluid levels but particularly brake fluid. As the brake pads or shoes wear down, the brake-fluid level will drop. If it drops below the minimum mark on the fluid reservoir, air could enter the hydraulic system and lead to a loss of braking efficiency or even complete brake failure.