## 1. What should you do before starting a motorcycle engine?

**A.** Check that the neutral lamp shows when the ignition is switched on

**B.** Check that your dipped headlights and tail light are on

**C.** Select first gear and apply the front brake firmly

**D.** Select first gear and apply the rear brake lightly

## 2. What should the motorcyclist do as they approach this junction?



**A.** Stop, as the car has right of way

**B.** Speed up to clear the junction without delay

**C.** Dip their headlights and keep near the left-hand kerb

**D.** Slow down and be ready to stop

## 3. What can motorcyclists do to improve their safety on the road?

**A.** Anticipate the actions of others

**B.** Remain well below the speed limit

**C.** Keep positioned close to the kerb

**D.** Stay just above the speed limit

### 4. What can cause a motorcycle to skid?

**A.** Braking too gently

**B.** Braking too hard

**C.** Staying upright when cornering

**D.** Feathering the throttle

### 5. It's very cold and the road looks wet. What should you do if you can't hear any road noise as you ride?

**A.** Ride slowly in as high a gear as possible

**B.** Brake sharply to see if the road is slippery

**C.** Ride in as low a gear as possible

**D.** Continue riding at the same speed

### 6. When should you wear full protective clothing while riding a motorcycle?

**A.** At all times

**B.** Just on long journeys

**C.** Only on faster, open roads

**D.** Only during bad weather

### 7. What should you do before you start a journey in foggy conditions?

**A.** Make sure that you have a spare visor with you

**B.** Make sure that you have a warm drink with you

**C.** Check that your lights are working

**D.** Check that the battery is fully charged

### 8. Where's the best place to park your motorcycle?

**A.** On soft tarmac

**B.** On bumpy ground

**C.** On grass

**D.** On firm, level ground

### 9. What should you do when you're riding in windy conditions?

**A.** Stay close to large vehicles

**B.** Stay close to the gutter

**C.** Keep your speed down

**D.** Keep your speed up

**10. Where should you normally position your motorcycle while you're riding on the road?**

**A.** Close to the kerb

**B.** Near the centre of the road

**C.** On the right of your lane

**D.** In the centre of your lane

**11. Your motorcycle is parked on a two-way road. How should you get on the machine?**

**A.** From the right and apply the rear brake

**B.** From the right and leave the brakes alone

**C.** From the left and apply the front brake

**D.** From the left and leave the brakes alone

**12. What will happen if you ride with your clutch lever pulled in for longer than is necessary?**

**A.** It will increase wear on the gearbox

**B.** It will reduce the grip of the tyres

**C.** It will reduce your control of the motorcycle

**D.** It will increase petrol consumption

**13. What should you do when you're approaching a road that has a surface of loose chippings?**



**A.** Ride normally

**B.** Speed up

**C.** Slow down

**D.** Stop suddenly

**14. How is the road surface affected when it rains after a long, dry, hot spell?**

**A.** It can become unusually slippery

**B.** It can give better grip

**C.** It can become covered in grit

**D.** It can melt and break up

**15. What's most likely to cause a motorcycle to skid?**

**A.** Catching your foot on the ground

**B.** Riding in wet weather

**C.** Cornering too fast

**D.** Riding in the winter

### 16. Your motorcycle doesn't have linked brakes. In an emergency, what should you do to stop quickly?

**A.** Apply the front brake only

**B.** Apply the rear brake only

**C.** Apply the rear brake just before the front brake

**D.** Apply the front brake just before the rear brake

### 17. What will happen if you look down at the front wheel while riding?

**A.** It will improve your balance

**B.** It will make your steering lighter

**C.** You'll upset your balance

**D.** You'll use less fuel

### 18. In normal riding conditions, when should you brake?

**A.** When the motorcycle is being turned or ridden through a bend

**B.** When the motorcycle is exceeding the speed limit

**C.** When the motorcycle is upright and moving in a straight line

**D.** When the motorcycle is travelling below 20 mph

### 19. What will affect the stopping distance of your motorcycle?

**A.** The drive-chain adjustment

**B.** The condition of the tyres

**C.** The street lighting

**D.** The time of day

### 20. You're on a motorway at night. When may you have your headlights switched off?

**A.** When you're travelling below 50 mph

**B.** When there are vehicles close in front of you

**C.** When your motorcycle is broken down on the hard shoulder

**D.** When the motorway is lit

### 21. What should you do if you have to park on the road while visibility is reduced by fog?

**A.** Leave no lights on

**B.** Leave parking lights on

**C.** Leave main-beam headlights on

**D.** Leave dipped headlights on

### 22. What should you do if you ride over broken glass and get a puncture?

**A.** Brake to a stop as quickly as possible

**B.** Close the throttle and roll to a stop

**C.** Release your grip on the handlebars

**D.** Steer from side to side to keep your balance

### 23. How can you see spilt fuel on a wet road?

**A.** By a series of skid marks on the road surface

**B.** By a highly polished road surface

**C.** By a dull non-reflective road surface

**D.** By a rainbow-coloured pattern on the road surface

### 24. Which type of road surface increases the risk of skidding for motorcyclists?

**A.** Dry tarmac

**B.** Asphalt

**C.** Concrete

**D.** Tar banding

**25. You're riding on a wet road. How should you use the brakes in these conditions?**

**A.** Apply the rear brake well before the front brake

**B.** Apply the front brake just before the rear brake

**C.** Avoid using the front brake at all

**D.** Avoid using the rear brake at all

**26. The road is wet and you're filtering past a line of queuing traffic. Why should you take particular care if you ride on painted road markings?**

**A.** You won't be seen in driver's mirrors

**B.** Painted road markings create more spray than normal road surface

**C.** You won't be able to see the road studs

**D.** Painted road markings can be slippery when they're wet

**27. Why should you be careful when riding over tram lines?**

**A.** Tram lines are always ‘live’

**B.** The steel rails can be slippery

**C.** The steel rails will be raised above the road surface

**D.** Trams have priority

**28. You're riding a motorcycle that doesn't have anti-lock brakes (ABS). What should you do if you have to brake sharply and your motorcycle starts to skid?**

**A.** Continue braking and select a low gear

**B.** Release and reapply the brakes

**C.** Select neutral and use the front brake only

**D.** Apply the brakes harder for better grip

**29. What would make a rainbow-coloured pattern on a wet road surface?**

**A.** An uneven road surface

**B.** Mud on the road

**C.** Fuel spilt on the road

**D.** A worn road surface

**30. What does a traction control system (TCS) help to prevent?**

**A.** Wheelspin when accelerating

**B.** Skidding when braking too hard

**C.** Uneven front tyre wear

**D.** Uneven rear tyre wear

**31. You're riding a motorcycle that doesn't have anti-lock brakes (ABS). What should you do if braking too hard has caused both wheels to skid?**

**A.** Release the front brake only

**B.** Release both brakes together

**C.** Release the front brake, then the rear brake

**D.** Release the rear brake only

**32. Your motorcycle doesn't have linked brakes. What should you do when braking normally to a stop?**

**A.** Apply either of the brakes gently

**B.** Apply only the front brake

**C.** Apply only the rear brake

**D.** Apply both brakes smoothly

**33. You're sitting on a stationary motorcycle. What should you be able to do when you're checking your riding position?**

**A.** Adjust your mirrors by stretching

**B.** Place both feet on the ground

**C.** Operate the centre stand

**D.** Just touch the ground with your toes

**34. It's been raining after a long dry spell. How will the road surface be affected?**

**A.** It will be slippery

**B.** It will be sticky

**C.** It will be flooded

**D.** It will be rough

**35. Riding with the side stand down could cause you to crash. When is this most likely to happen?**

**A.** When you're cornering

**B.** When you're accelerating

**C.** When you're going uphill

**D.** When you're braking

**36. When may you overtake another vehicle on their left?**

**A.** When approaching a motorway slip road where you'll be turning off

**B.** When you're in a one-way street

**C.** When the vehicle in front is signalling to turn left

**D.** When a slower vehicle is travelling in the right-hand lane of a dual carriageway

### 37. You're travelling in very heavy rain. How is this likely to affect your overall stopping distance?

**A.** It will be no different

**B.** It will be doubled

**C.** It will be halved

**D.** It will be ten times greater

### 38. What should you do when you're overtaking at night?


**A.** Beware of bends in the road ahead

**B.** Wait until a bend so that you can see oncoming headlights

**C.** Sound your horn twice before moving out

**D.** Go past slowly so that you can react to unseen hazards

## 39. When may you wait in a box junction?



**A.** When oncoming traffic prevents you turning right

**B.** When you're stationary in a queue of traffic

**C.** When approaching a pelican crossing

**D.** When approaching a zebra crossing

**40. Which plate may appear with this road sign?**




**A.**




**B.**




**C.**




**D.**




**41. What's the reason for traffic-calming measures?**

**A.** To make parking easier

**B.** To stop road rage

**C.** To make overtaking easier

**D.** To slow traffic down

## 42. What colour are the reflective studs along the left-hand edge of the motorway?

**A.** White

**B.** Green

**C.** Amber

**D.** Red

## 43. What's a rumble device designed to do?



**A.** Alert you to low tyre pressure

**B.** Give directions

**C.** Prevent cattle escaping

**D.** Alert you to a hazard

**44. What should you do if you have to make a journey in foggy conditions?**

**A.** Follow other vehicles' tail lights closely

**B.** Leave plenty of time for your journey

**C.** Avoid using dipped headlights

**D.** Keep two seconds behind the vehicle ahead

**45. What must you do when you're overtaking a car at night?**

**A.** Make sure you don't dazzle other road users

**B.** Flash your headlights before overtaking

**C.** Select a higher gear

**D.** Switch your headlights to main beam before overtaking

**46. You're travelling on a road that has road humps. What should you do when the driver in front is travelling more slowly than you?**



**A.** Sound your horn

**B.** Slow down and stay behind

**C.** Flash your headlights

**D.** Overtake as soon as you can

## 47. What's the purpose of the yellow lines painted across the road?




**A.** To keep the area clear of traffic

**B.** To warn you to change direction

**C.** To make you aware of your speed

**D.** To show a safe distance between vehicles

## 48. What should you do when you meet an oncoming vehicle on a single-track road?

**A.** Carry out an emergency stop

**B.** Switch on your hazard warning lights

**C.** Stop at a passing place

**D.** Reverse back to the main road

**49. The road is wet. Why would a motorcyclist steer around drain covers while they were cornering?**

**A.** To prevent the motorcycle sliding on the metal drain covers

**B.** To avoid splashing pedestrians on the pavement

**C.** To help judge the bend using the drain covers as marker points

**D.** To avoid puncturing the tyres on the edge of the drain covers

**50. Why should you test your brakes after this hazard?**




**A.** Your brakes will be wet

**B.** You'll have just crossed a long bridge

**C.** You'll be going down a long hill

**D.** You'll be on a slippery road

**51. Why should you reduce your speed when you're driving or riding in fog?**

**A.** The brakes don't work as well

**B.** You'll be dazzled by other headlights

**C.** The engine will take longer to warm up

**D.** It's more difficult to see what's ahead

# Answers

### 1. A - Check that the neutral lamp shows when the ignition is switched on

Before starting the engine, make sure the motorcycle is in neutral. Do this by checking that the neutral warning light is lit when you switch on the ignition. If no neutral light is fitted, push the motorcycle forward to check that the rear wheel turns freely.

### 2. D - Slow down and be ready to stop

Look out for road signs warning of side roads. A driver who's emerging may not be able to see a motorcyclist due to parked cars or heavy traffic. Ride defensively, slow down and be prepared to stop if necessary. Remember, no-one has priority at an unmarked crossroads.

### 3. A - Anticipate the actions of others

Always ride defensively. This means looking and planning ahead, as well as anticipating the actions of other road users.

### 4. B - Braking too hard

To keep control of your motorcycle and prevent skidding, you should plan well ahead and avoid late, harsh braking. Try to avoid braking while changing direction, as the tyres may not have enough grip to cope with both together. Always consider how the road and weather conditions may affect your tyres’ grip.

### 5. A - Ride slowly in as high a gear as possible

Frozen rain on the road is called black ice. It can be hard to see, but it can be indicated by a lack of road noise and your steering may also feel very light. Reduce your speed and avoid harsh braking or steering. Riding in as high a gear as possible can help reduce the risk of wheelspin.

### 6. A - At all times

Protective clothing is designed to protect you from the cold and wet. It also gives you some protection from injury, so it's important that you always wear protective clothing when you ride.

### 7. C - Check that your lights are working

It's best to avoid riding in foggy weather. However, if you have to, there are some precautions you can take before setting off to help make your journey as safe as possible. These include checking that all your lights are clean and working, and that your visor is clean.

### 8. D - On firm, level ground

Parking your motorcycle on soft ground might cause the stand to sink in, and the machine could fall over. The ground should be level, as well as firm, to keep the motorcycle stable. Use off-road parking or motorcycle parking areas when they're available.

### 9. C - Keep your speed down

Strong winds can blow a motorcycle off course, and even across the road. In windy conditions, you need to slow down and avoid riding on exposed roads. You should also watch for gaps in buildings and hedges, where you may be affected by a sudden gust of wind.

### 10. D - In the centre of your lane

When you’re riding a motorcycle, it’s very important to ride where other road users can see you. In normal weather, you should ride in the centre of your lane. This will help you avoid uneven road surfaces in the gutter, and allow others to overtake on the right if they wish.

### 11. C - From the left and apply the front brake

When you get onto a motorcycle, you should get on from the left side to avoid putting yourself in danger from passing traffic. You should also apply the front brake to prevent the motorcycle from rolling either forwards or backwards.

### 12. C - It will reduce your control of the motorcycle

Riding with the clutch lever pulled in is known as coasting. If you coast, you lose the benefits of engine braking and you'll have reduced control of your motorcycle.

### 13. C - Slow down

The handling of your motorcycle will be greatly affected by the road surface. Look well ahead and be especially alert if the road looks uneven or you see a loose chippings warning sign. Slow down in good time, as braking harshly on a loose surface could easily cause you to skid. For the same reason, avoid making sudden changes of direction.

### 14. A - It can become unusually slippery

Oil and rubber can build up on the road during long spells of dry weather. When it rains, this can make the road surface very slippery.

### 15. C - Cornering too fast

Riders cause skids when they push their tyres to the point that they can no longer grip the road. This happens when changing direction, braking and accelerating. The point at which tyres loose grip will vary with road, weather and tyre condition. Riding at a suitable speed for the conditions, planning, looking ahead for hazards and braking in good time will all help you to avoid skidding and losing control.

### 16. D - Apply the front brake just before the rear brake

You should plan ahead to avoid the need to stop suddenly, but if an emergency arises, you must be able to stop safely. Applying the front brake just before the rear brake will help you to stop safely and quickly.

### 17. C - You'll upset your balance

When riding, look ahead and around you. Don't look down at the front wheel, as this can severely upset your balance.

### 18. C - When the motorcycle is upright and moving in a straight line

A motorcycle is most stable when it’s upright and moving in a straight line. This is the best time to brake. With independent front and rear brakes, both brakes should be used, with the front brake being applied just before the rear brake.

### 19. B - The condition of the tyres

Tyres are a major factor in the handling, stability and stopping distance of a motorcycle. Make sure they’re in a safe and legal condition. The weather and road surface also play a part. Always anticipate well ahead and take account of the conditions when you’re braking.

### 20. C - When your motorcycle is broken down on the hard shoulder

Always use your headlights at night on a motorway, unless you've had to stop on the hard shoulder. If you have to use the hard shoulder, switch off your headlights but leave your parking lights on, so that your motorcycle can be seen by other road users.

### 21. B - Leave parking lights on

If you have to park on the road in foggy weather, try to find a place to park off the road. If this isn't possible, leave your motorcycle facing in the same direction as the traffic and leave your parking lights on. It's important that your motorcycle can be seen by other road users.

### 22. B - Close the throttle and roll to a stop

Your motorcycle will be very unstable if a tyre bursts. Try to keep a straight course and stop as gently as possible.

### 23. D - By a rainbow-coloured pattern on the road surface

This rainbow-coloured pattern can be seen much more easily on a wet road. You should avoid riding over spilt fuel if possible. If you have to go over it, do so with extreme caution, knowing the surface will be slippery.

### 24. D - Tar banding

When riding, it's important to look for • potholes • drain covers (especially when they're wet) • tar banding • oily and greasy surfaces • road markings • tram tracks • wet mud and leaves. Keen observation will give you more time to brake or change course if you need to avoid these slippery surfaces.

### 25. B - Apply the front brake just before the rear brake

On wet roads, you'll need to brake earlier and more smoothly than on dry roads. Always try to brake when the motorcycle is upright. This is particularly important in wet conditions.

### 26. D - Painted road markings can be slippery when they're wet

When they're wet, painted road markings can be more slippery than the normal road surface. Other road-surface hazards that become slippery when they're wet include drain covers, leaves and mud. Take extra care when braking or cornering on these wet surfaces.

### 27. B - The steel rails can be slippery

The smooth steel surface can be slippery and dangerous for motorcyclists, especially when it’s wet. Try to cross tram lines at right angles.

### 28. B - Release and reapply the brakes

If you skid as a result of braking harshly, you need to ease off the brakes to stop the skid. You should then reapply them progressively to stop.

### 29. C - Fuel spilt on the road

If fuel, especially diesel, is spilt on the road, it will make the surface very slippery. In wet weather, it can be seen as a rainbow-coloured pattern on the road.

### 30. A - Wheelspin when accelerating

TCS helps to prevent the rear wheel from spinning, for example when accelerating on a slippery surface.

### 31. B - Release both brakes together

On a motorcycle that doesn't have ABS, braking too hard will cause a skid. Release the brakes immediately to allow the wheels to turn, then reapply them as firmly as the road surface and conditions will allow.

### 32. D - Apply both brakes smoothly

In normal riding, you should always use both brakes. Braking when the motorcycle is upright and travelling in a straight line helps you to keep control. If your motorcycle has linked brakes, refer to the vehicle handbook.

### 33. B - Place both feet on the ground

When sitting astride a stationary motorcycle, you should be able to place both feet on the ground. This should enable you to keep your balance while using one foot to operate the foot controls.

### 34. A - It will be slippery

During a long spell of hot, dry weather, the road surface will become coated with rubber and dust. When it rains, the road surface will be unusually slippery. Take extra care, particularly at junctions, bends and roundabouts, and allow double the usual stopping distance.

### 35. A - When you're cornering

Cornering with the side stand down could lead to a serious crash. Many motorcycles have a device that stops the engine if you try to ride off with the side stand down, but don't rely on this.

### 36. B - When you’re in a one-way street

You may pass slower vehicles on their left while travelling along a one-way street. Be aware of drivers who may need to change lanes and may not expect faster traffic passing on their left.

### 37. B - It will be doubled

The road will be very wet and spray from other vehicles will reduce your visibility. Tyre grip will also be reduced, increasing your stopping distance. You should at least double your separation distance to make sure you can stop safely in the space you've allowed.

### 38. A - Beware of bends in the road ahead

Don't overtake if there’s a possibility of a road junction, bend or brow of a bridge or hill ahead. There are many hazards that are difficult to see in the dark. Only overtake if you’re certain that the road ahead is clear. Don’t take a chance.

### 39. A - When oncoming traffic prevents you turning right

The purpose of a box junction is to keep the junction clear by preventing vehicles from stopping in the path of crossing traffic. You mustn't enter a box junction unless your exit is clear. However, you may enter the box and wait if you want to turn right and are only prevented from doing so by oncoming traffic.

### 40. B -




Road humps are used to slow down traffic. They're found in places where there are often pedestrians, such as • shopping areas • near schools • residential areas. Watch out for people close to the kerb or crossing the road.

### 41. D - To slow traffic down

Traffic-calming measures make the roads safer for vulnerable road users, such as cyclists, pedestrians and children. These can be designed as chicanes, road humps or other obstacles that encourage drivers and riders to slow down.

### 42. D - Red

Reflective studs are used to help you in poor visibility. Different colours are used so that you'll know which lane you're in. These are • red on the left-hand edge of the carriageway • white between lanes • amber on the right-hand edge of the carriageway • green between the carriageway and slip roads.

### 43. D - Alert you to a hazard

A rumble device consists of raised markings or strips, designed to give drivers an audible, visual and tactile warning. These devices are used in various locations, including in the line separating the hard shoulder and the left-hand lane on the motorway and on the approach to some hazards, to alert drivers to the need to slow down.

### 44. B - Leave plenty of time for your journey

If you're planning to make a journey when it's foggy, listen to the weather reports. If visibility is very poor, avoid making unnecessary journeys. If you do travel, leave plenty of time – and if someone is waiting for you to arrive, let them know that your journey will take longer than normal. This will also take off any pressure you may feel to rush.

### 45. A - Make sure you don't dazzle other road users

To prevent your headlights from dazzling the driver of the car in front, wait until you've passed them before switching to main beam.

### 46. B - Slow down and stay behind

Be patient and stay behind the car in front. You shouldn't normally overtake other vehicles in areas subject to traffic calming. If you overtake here, you may easily exceed the speed limit, defeating the purpose of the traffic-calming measures.

### 47. C - To make you aware of your speed

These lines may be painted on the road on the approach to a roundabout, a village or a particular hazard. The lines are raised and painted yellow, and their purpose is to make you aware of your speed. Reduce your speed in good time so that you avoid having to brake harshly over the last few metres before reaching the junction.

### 48. C - Stop at a passing place

Take care when using single-track roads. It can be difficult to see around bends, because of hedges or fences, so expect to meet oncoming vehicles. Drive carefully and be ready to pull into or stop opposite a passing place, where you can pass each other safely.

### 49. A - To prevent the motorcycle sliding on the metal drain covers

Other drivers or riders may have to change course due to the size or characteristics of their vehicle. Understanding this will help you to anticipate their actions. Motorcyclists and cyclists will be checking the road ahead for uneven or slippery surfaces, especially in wet weather. They may need to move across their lane to avoid surface hazards such as potholes and drain covers.

### 50. A - Your brakes will be wet

A ford is a crossing over a stream that’s shallow enough to drive or ride through. After you’ve gone through a ford or deep puddle, your brakes will be wet and they won't work as well as usual. To dry them out, apply a light brake pressure while moving slowly. Don’t travel at normal speeds until you're sure your brakes are working properly again.

## 51. D - It's more difficult to see what's ahead

You won’t be able to see as far ahead in fog as you can on a clear day. You'll need to reduce your speed so that, if a hazard looms out of the fog, you have the time and space to take avoiding action. Travelling in fog is hazardous. If you can, try to delay your journey until it has cleared.